CRC MATERIAL SAFETY DATA SHEET

Section 1: Product & Company Identification

Product Name: Super Degreaser™ Cleaner/Degreaser (aerosol)

Product Number (s): 03110

Product Use: General purpose degreaser

Manufacturer / Supplier Contact Information:

In United States: CRC Industries, Inc. 885 Louis Drive Warminster, PA 18974 <u>www.crcindustries.com</u> 1-215-674-4300(General) (800) 521-3168 (Technical) (800) 272-4620 (Customer Service) In Canada: CRC Canada Co. 2-1246 Lorimar Drive Mississauga, Ontario L5S 1R2 <u>www.crc-canada.ca</u> 1-905-670-2291 In Mexico: CRC Industries Mexico Av. Benito Juárez 4055 G Colonia Orquídea San Luís Potosí, SLP CP 78394 www.crc-mexico.com 52-444-824-1666

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

Section 2: Hazards Identification

Emergency Overview

WARNING: Vapor Harmful. Contents Under Pressure. Appearance & Odor: Clear, colorless liquid with a strong odor

Potential Health Effects:

ACUTE EFFECTS:

- EYE: May cause moderate irritation ranging from redness to burning.
- SKIN: May cause moderate irritation ranging from redness to burning.
- INHALATION: May irritate nose, throat and lungs. Symptoms include coughing, wheezing, and laryngitis. Exposure to high doses may cause central nervous system depression, including headache, nausea, giddiness, confusion and delirium. Such doses may also cause adverse effects in liver, kidney and lung.
- INGESTION: Low toxicity; not expected to be a hazard in normal use.
- CHRONIC EFFECTS: Long term overexposure may lead to central nervous system, liver or kidney effects.
- TARGET ORGANS: central nervous system, liver, kidney

Medical Conditions Aggravated by Exposure: dermatitis, respiratory disorders, central nervous system disorders

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.
1-Bromopropane (nPB)	106-94-5	45 - 55
t-Butanol	75-65-0	< 2
1,2-Butylene oxide	106-88-7	< 1
1,1,1,2-Tetrafluoroethane (HFC-134a)	811-97-2	45 - 55
Carbon Dioxide	124-38-9	< 5

Section 4: First Aid Measures

Eye Contact:	Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.
Skin Contact:	Remove contaminated clothing and wash affected area with soap and water. Call a physician if irritation persists. Wash contaminated clothing prior to re-use.
Inhalation:	Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician.
Ingestion:	Wash mouth with plenty of water. If conscious, give person a glass of water to drink. Call a physician.
Note to Physicians:	Treat symptomatically.

Section 5: Fire-Fighting Measures

	This product is not flammable i (See 16 CFR 1500.3(c)(6)). H conditions.		
Flash Poir	nt: None (TCC)	Upper Explosive Limit:	8.0
Autoignition Temperature	e: 914°F / 490°C	Lower Explosive Limit:	4.0
Fire and Explosion Data: Suitable Extinguishing Media	a: Carbon dioxide, dry chemic	cal, foam, Class B fire ext	inguisher
Products of Combustion: H	Hydrogen bromide or bromine, H	nydrogen fluoride, oxides	of carbon
Explosion Hazards: A	Aerosol containers, when expos	ed to heat from fire, may	build pressure and explode.
Protection of Fire-Fighters:	1 0	n and possible toxic decorvided. Use water spray to	mposition products. Proper eye and o keep fire-exposed containers cool

Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains.

Methods for Containment & Clean-up: Dike area to contain spill. Ventilate the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

Section 7: Handling and Storage

Handling Procedures: Wear appropriate personal protective equipment. Use only with adequate ventilation. Open doors or windows to provide fresh air in poor circulation areas. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. For product use instructions, please see the product label.

Storage Procedures: Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120°F / 49°C to prevent cans from rupturing.

Aerosol Storage Level: I

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

	0	SHA	AC	GIH	0	THER	
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
1-Bromopropane (nPB)	NE	NE	10	NE	25	EPA	ppm
t-Butanol	100	NE	100	NE	NE		ppm
1,2-Butylene oxide	NE	NE	NE	NE	2	AIHA	ppm
1,1,1,2-Tetrafluoroethane	NE	NE	NE	NE	1000	AIHA	ppm
Carbon dioxide	5000	30000(v	5000	30000	NE		ppm
N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated							

Controls and Protection:

Area should have ventilation to provide fresh air. Local exhaust ventilation is generally **Engineering Controls:** preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA regulations. None required for normal work where adequate ventilation is provided. If engineering controls **Respiratory Protection:** are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and for emergencies. Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles. Skin Protection: Use protective gloves such as Viton or Norfoil. Also, use full protective clothing if there is prolonged or repeated contact of liquid with skin.

Section 9: Physical and Chemical Properties

Physical State: liq	luid					
Color: clear, col	orless					
Odor: strong so	lvent odor					
Odor Threshold:	ND					
Specific Gravity:	1.33					
Initial Boiling Point:	160°F / 71°C					
Freezing Point:	ND					
	112 mmHg @	ᢧ 68°F / 20°C				
	~ 4.3	(air = 1)				
Evaporation Rate:	fast	, ,				
Solubility: 0.25 g	/100 mL @ 68	3°F / 20°C				
Coefficient of water/o						
pH: NA						
Volatile Organic Con	npounds: <u>w</u>	<u>vt %</u> : 49.9	<u>g/L</u> :	665	<u>lbs./gal:</u>	5.53

Section 10: Stability and Reactivity

Stability:	Stable		
Conditions to	Avoid:	Keep away f	rom ignition sources
Incompatible	Materials:	Strong oxidiz	ers and strong bases
Hazardous D	ecomposition	Products:	Hydrogen bromide and/or bromine, oxides of carbon, hydrofluoric acids
Possibility of	Hazardous R	eactions:	No

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

Acute Toxicity:

<u>Component</u>	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)
1-Bromopropane (nPB)	4260 mg/kg	No data	253 g/m ³ /30M
t-Butanol	3500 mg/kg	> 2 g/kg	> 10,000 ppm/4H
1,2-Butylene oxide	500 mg/kg	2100 µL/kg	6300 mg/m3/4H
1,1,1,2-Tetrafluoroethane	No data	No data	1500 g/m ³ /4H
Carbon dioxide	No data	No data	470,000 ppm/30M

Chronic Toxicity:

Component	OSHA <u>Carcinogen</u>	IARC <u>Carcinogen</u>	NTP <u>Carcinogen</u>	Irritant	<u>Sensitize</u>
1-Bromopropane (nPB)	No	No	No	E, S & R (mild)	<u>r</u> Unknown
t-Butanol	No	No	No	Unknown	Unknown
1,2-Butylene oxide	No	Group 2B	No	E, S & R (mild)	Unknown
1,1,1,2-Tetrafluoroethane	No	No	No	No	No
Carbon dioxide	No	No	No	No	No

E – Eye

S – Skin

R - Respiratory

Reproductive Toxicity:	No information available	
Teratogenicity:	No information available	
Mutagenicity:	1-Bromopropane (nPB):	Ames test – negative
	1,2-Butylene oxide:	in vitro mutagenicity studies were
		animal mutagenicity studies were
Synergistic Effects:	No information available	

Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity:1-Bromopropane – 96 Hr LC50 Fathead minnow:67.3 mg/L (flow-through)Persistence / Degradability:No information availableBioaccumulation / Accumulation:No information availableMobility in Environment:No information available

Section 13: Disposal Considerations

Waste Classification:

The dispensed liquid product is not a RCRA hazardous waste. (See 40 CFR Part 261.20 – 261.33) Empty aerosol containers may be recycled.

positive negative

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

Section 14: Transport Information

US DOT (ground):	UN1950, Aerosols, non-flammable, 2.2, Limited Quantity**
ICAO/IATA (air):	UN1950, Aerosols, non-flammable, 2.2, Limited Quantity
IMO/IMDG (water):	UN1950, Aerosols, 2.2, Limited Quantity
Special Provisions:	**This product can be classified and labeled as 'Consumer Commodity, ORM-D' for domestic ground shipping.

Section 15: Regulatory Information

U.S. Federal Regulations:

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: 1,2-Butylene oxide (100 lbs)

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardo	us Substances (EHS): None		
Section 311/312 Hazard Catego	ries: Fire Hazard Reactive Hazard Release of Pressure Acute Health Hazard Chronic Health Hazard	No No Yes Yes Yes	
Section 313 Toxic Chemicals:		substances subject to the reporting requirements berfund Amendments and Reauthorization Act of Butanol (< 2%)	

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): 1,2-Butylene oxide

Occupational Safety and Health Administration: This product is regulated by the Hazard Communications Standard.

U.S. State Regulations:

Consumer Products VOC Regulations:

This product is not compliant to be sold for use in California. In other states with Consumer Product VOC regulations, this product is compliant as a General Purpose Degreaser.

State Right to Know:

New Jersey:	75-05-8, 124-38-9, 75-65-0, 106-88-7 , 811-97-2
Pennsylvania:	75-05-8, 124-38-9, 75-65-0, 106-88-7, 106-94-5, 811-97-2
Massachusetts:	75-05-8, 124-38-9, 75-65-0, 106-88-7, 106-94-5, 811-97-2
Rhode Island :	75-05-8, 124-38-9, 75-65-0, 106-88-7, 811-97-2

Canadian Regulations:

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: A, D2A, D2B

<u>Canadian DSL Inventory</u>: All ingredients are either listed on the DSL Inventory or are exempt.


European Union Regulations:

<u>RoHS Compliance</u>: This product is compliant with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003. This product does not contain any of the restricted substances as listed in Article 4(1) of the RoHS Directive.

Additional Regulatory Information: This product contains less than 0.05% isopropyl bromide.

Section 16: Other Information

HMIS® (II)	
Health:	2
Flammability:	0
Reactivity:	0
PPE:	В



Ratings range from 0 (no hazard) to 4 (severe hazard)

Prepared By:	Michelle Rudnick
CRC #:	435 / 435A
Revision Date:	04/30/2013

Changes since last revision: Section 14: Transport Information Section 15: Section 313 Toxic Chemicals (t-Butanol (< 2%))

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

- ACGIH: American Conference of Governmental Industrial Hygienists
- CAS: **Chemical Abstract Service**
- Code of Federal Regulations CFR:
- DOT: Department of Transportation
- DSL: **Domestic Substance List**
- grams per Liter g/L:
- HMIS: Hazardous Materials Identification System
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organization
- IMDG: International Maritime Dangerous Goods
- IMO: International Maritime Organization
- lbs./gal: pounds per gallon LC: Lethal Concentration
- Lethal Dose
- LD:

NA:	Not Applicable
ND:	Not Determined
NIOSH:	National Institute of Occupational Safety & Health
NFPA:	National Fire Protection Association
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PMCC:	Pensky-Martens Closed Cup
PPE:	Personal Protection Equipment
ppm:	Parts per Million
RoHS:	Restriction of Hazardous Substances
STEL:	Short Term Exposure Limit
TCC:	Tag Closed Cup
TWA:	Time Weighted Average
WHMIS:	Workplace Hazardous Materials Information
	System