

## 1 Identification

### Product identifier

- Trade name: **POWERFOAM**
- Application of the substance / the mixture One Component Polyurethane B2 Foam Sealant

### Details of the supplier of the safety data sheet

Manufacturer/Supplier:  
DEWALT Industrial Tools  
701 East Joppa Road  
Towson, MD 21286  
USA

### Information department:

Telephone: 800-524-3244  
Telefax: 877-871-1965

### Emergency telephone number:

CHEMTREC: 800-424-9300 (within continental USA)  
CHEMTREC: +1 703 527-3887 (outside USA)

## 2 Hazard(s) identification

### Classification of the substance or mixture

- Flam. Aerosol 1 H222 Extremely flammable aerosol.  
H229 Pressurized container: May burst if heated.
- Aquatic Chr. 4 H413 May cause long lasting harmful effects to aquatic life.
- Acute Tox. 4 H332 Harmful if inhaled.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2A H319 Causes serious eye irritation.
- Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- Carc. 2 H351 Suspected of causing cancer.
- Lact. H362 May cause harm to breast-fed children.
- STOT SE 3 H335 May cause respiratory irritation.
- STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

### Label elements

#### GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

#### Hazard pictograms



GHS02 GHS07 GHS08

#### Signal word Danger

#### Hazard-determining components of labeling:

diphenylmethanediisocyanate, isomers and homologues

#### Hazard statements

Extremely flammable aerosol.  
Pressurized container: May burst if heated.  
May cause long lasting harmful effects to aquatic life.  
Causes skin irritation.  
Causes serious eye irritation.  
Harmful if inhaled.



**Trade name: POWERFOAM**

(Contd. of page 1)

- May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- May cause an allergic skin reaction.
- Suspected of causing cancer.
- May cause harm to breast-fed children.
- May cause respiratory irritation.
- May cause damage to organs through prolonged or repeated exposure.

• **Precautionary statements**

- Obtain special instructions before use.
- Keep out of reach of children.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Do not spray on an open flame or other ignition source.
- Do not pierce or burn, even after use.
- Do not breathe vapours/spray.
- Wear protective gloves/protective clothing/eye protection.
- In case of inadequate ventilation wear respiratory protection (a protective mask with an appropriate gas filter - i.e. type A1 according to standard EN 14387).
- If on skin: Wash with plenty of water/soap.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- IF exposed or concerned: Get medical advice/attention.
- Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
- Dispose of container to in accordance with local/regional/national/international regulation.

• **Additional information:** Contains isocyanates. May produce an allergic reaction.

• **NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Reactivity = 3

• **HMS-ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Reactivity = 3

**3 Composition/information on ingredients**

• **Chemical characterization: Mixtures**

• **Description:** Mixture of the substances listed below with nonhazardous additions.

• **Dangerous components:**

CAS: 9016-87-9	diphenylmethanediisocyanate, isomeres and homologues	40-50%
CAS: 13674-84-5	tris(2-chlorisopropyl)-phosphate	1-10%
CAS: 75-28-5	isobutane	1-10%
CAS: 85535-85-9	alkanes, C14-17, chloro	1-10%
CAS: 115-10-6	dimethyl ether	1-10%
CAS: 74-98-6	propane	<5%

US

(Contd. on page 3)



Trade name: POWERFOAM

(Contd. of page 2)

#### 4 First-aid measures

· **Description of first aid measures**

· **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

#### 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** Foam

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Nitrogen oxides (NO<sub>x</sub>)

Carbon monoxide (CO)

Hydrogen cyanide (HCN)

· **Advice for firefighters**

· **Protective equipment:** Mouth respiratory protective device.

· **Additional information**

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Keep away from ignition sources

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Trade name: POWERFOAM

See Section 13 for disposal information.

(Contd. of page 3)

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure that suitable extractors are available on processing machines  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Store only in the original receptacle.  
Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility:** Store away from water.
- **Further information about storage conditions:**  
Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.  
Protect from humidity and water.  
Keep receptacle tightly sealed.  
Do not gas tight seal receptacle.  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:**  
No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

<b>CAS: 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues</b>	
WEEL	Short-term value: 0.07 mg/m <sup>3</sup> Long-term value: 0.02 mg/m <sup>3</sup>
<b>CAS: 115-10-6 dimethyl ether</b>	
WEEL	Long-term value: 1920 mg/m <sup>3</sup> , 1000 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.

(Contd. on page 5)

**Trade name: POWERFOAM**

(Contd. of page 4)

• **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• **Eye protection:**



Tightly sealed goggles

• **Body protection:** Protective work clothing

**9 Physical and chemical properties**

• **Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

• <b>Form:</b>	Aerosol
• <b>Color:</b>	According to product specification
• <b>Odor:</b>	Characteristic
• <b>Odor threshold:</b>	Not determined.

• **pH-value:** Not determined.

• **Change in condition**

• <b>Melting point/Melting range:</b>	Undetermined.
• <b>Boiling point/Boiling range:</b>	Not applicable, as aerosol.

• **Flash point:** Not applicable, as aerosol.

• **Flammability (solid, gaseous):** Not applicable.

• **Ignition temperature:** 199 °C (390.2 °F)

• **Decomposition temperature:** Not determined.

• **Auto igniting:** Product is not selfigniting.

• **Danger of explosion:** Not determined.

• **Explosion limits:**

• <b>Lower:</b>	3.0 Vol %
-----------------	-----------

(Contd. on page 6)



Trade name: POWERFOAM

(Contd. of page 5)

<b>Upper:</b>	18.6 Vol %
· <b>Vapor pressure:</b>	Not determined.
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>VOC content:</b>	15,4 %
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**  
Hydrogen cyanide (prussic acid)  
Carbon monoxide  
Nitrogen oxides (NOx)

### 11 Toxicological information

#### · Information on toxicological effects

##### · Acute toxicity:

##### · LD/LC50 values that are relevant for classification:

**CAS: 13674-84-5 tris(2-chlorisopropyl)-phosphate**

Oral	LD50	3,600 mg/kg (rat)
------	------	-------------------

**CAS: 115-10-6 dimethyl ether**

Inhalative	LC50/4 h	308 mg/l (rat)
------------	----------	----------------

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:**  
Sensitization possible through inhalation.  
Sensitization possible through skin contact.

(Contd. on page 7)



Printing date 03/23/2020

Reviewed on 03/23/2020

Trade name: POWERFOAM

(Contd. of page 6)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 9016-87-9	diphenylmethanediisocyanate, isomeres and homologues	3
----------------	--	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Toxic for fish

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms

· **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

· **UN-Number**

· **DOT** UN1950

· **IMDG, IATA** 1950

· **UN proper shipping name**

· **IMDG** AEROSOLS

· **IATA** AEROSOLS, flammable

(Contd. on page 8)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/23/2020

Reviewed on 03/23/2020

**Trade name: POWERFOAM**

(Contd. of page 7)

<b>· Transport hazard class(es)</b>	
<b>· DOT, IMDG, IATA</b>	
<b>· Class</b>	2.1
<b>· Label</b>	2.1
<b>· Packing group</b>	
<b>· DOT, IMDG, IATA</b>	Void
<b>· Environmental hazards:</b>	
<b>· Marine pollutant:</b>	No
<b>· Special precautions for user</b> Warning: Gases	
<b>· EMS Number:</b>	F-D,S-U
<b>· UN "Model Regulation":</b>	UN1950, Aerosols, 2.1

**15 Regulatory information**

<b>· Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	
<b>· Sara</b>	
<b>· Section 355 (extremely hazardous substances):</b>	
None of the ingredient is listed.	
<b>· Section 313 (Specific toxic chemical listings):</b>	
CAS: 9016-87-9	diphenylmethanediisocyanate, isomeres and homologues
<b>· TSCA (Toxic Substances Control Act):</b>	
CAS: 9016-87-9	diphenylmethanediisocyanate, isomeres and homologues
CAS: 13674-84-5	tris(2-chlorisopropyl)-phosphate
CAS: 115-10-6	dimethyl ether
<b>· Proposition 65</b>	
<b>· Chemicals known to cause cancer:</b>	
None of the ingredients is listed.	
<b>· Chemicals known to cause reproductive toxicity for females:</b>	
None of the ingredients is listed.	
<b>· Chemicals known to cause reproductive toxicity for males:</b>	
None of the ingredients is listed.	
<b>· Chemicals known to cause developmental toxicity:</b>	
None of the ingredients is listed.	
<b>· Carcinogenic categories</b>	
<b>· EPA (Environmental Protection Agency)</b>	
CAS: 9016-87-9	diphenylmethanediisocyanate, isomeres and homologues
	D;CBD
<b>· TLV (Threshold Limit Value established by ACGIH)</b>	
None of the ingredients is listed.	
<b>· NIOSH-Ca (National Institute for Occupational Safety and Health)</b>	
None of the ingredients is listed.	
<b>· GHS label elements</b>	
The product is classified and labeled according to the Globally Harmonized System (GHS).	

(Contd. on page 9)



**Trade name: POWERFOAM**

(Contd. of page 8)

• **Hazard pictograms**



GHS02 GHS07 GHS08

• **Signal word** Danger

• **Hazard-determining components of labeling:**

diphenylmethanediisocyanate, isomers and homologues

• **Hazard statements**

Extremely flammable aerosol.

Pressurized container: May burst if heated.

May cause long lasting harmful effects to aquatic life.

Causes skin irritation.

Causes serious eye irritation.

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause harm to breast-fed children.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

• **Precautionary statements**

Obtain special instructions before use.

Keep out of reach of children.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Do not breathe vapours/spray.

Wear protective gloves/protective clothing/eye protection.

In case of inadequate ventilation wear respiratory protection (a protective mask with an appropriate gas filter - i.e. type A1 according to standard EN 14387).

If on skin: Wash with plenty of water/soap.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Dispose of container in accordance with local/regional/national/international regulation.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Abbreviations and acronyms:**

Flam. Aerosol 1: Aerosols – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

Lact.: Reproductive toxicity – effects on or via lactation

(Contd. on page 10)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/23/2020

Reviewed on 03/23/2020

**Trade name: POWERFOAM**

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

(Contd. of page 9)

us