

SAFETY DATA SHEET

1. Identification

Product identifier: RTV162 12C-Crtrg (0.725LBS-0.329KG)

Other means of identification

Synonyms: POLYDIMETHYLSILOXANE SEALANT

Recommended use and restriction on use

Recommended use: Sealant

Restrictions on use: For industrial use only.

Manufacturer/Importer/Distributor Information : Momentive Performance Materials - Daytona
703 South Street
New Smyrna Beach FL 32168

Contact person : commercial.services@momentive.com

Telephone : General information
+1-800-295-2392

Emergency telephone number

Supplier : CHEMTREC
1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Not applicable

Precautionary Statements : Not applicable

Other hazards which do not result in GHS classification: None.

RTV162 12C-Crtrg (0.725LBS-0.329KG)

Substance(s) formed under the conditions of use: Generates methanol during cure.

3. Composition/information on ingredients

Mixtures

| Chemical Identity | CAS number | Content in percent (%)* | Notes |
|---|------------|-------------------------|---|
| Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl) -, reaction products with ammonia, octamethylcyclotetrasiloxane and silica | 68937-51-9 | 10 - <20% | No data available. |
| Tris(3(trimethoxysilyl)propyl)isocyanurate | 26115-70-8 | 1 - <5% | No data available. |
| (1) TITANIUM DIOXIDE | 13463-67-7 | 0.1 - <1% | # This substance has workplace exposure limit(s). |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

4. First-aid measures

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water.

Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

Skin Contact: To clean from skin, remove completely with a dry cloth or paper towel, before washing with detergent and water. If skin irritation occurs: Get medical advice/attention.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

RTV162 12C-Crtrg (0.725LBS-0.329KG)

5. Fire-fighting measures

General Fire Hazards: Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: All standard extinguishing agents are suitable.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Reacts with water liberating small amounts of methanol. This material is reactive with water, but the reaction will not significantly increase the fire severity.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Keep container closed. Avoid contact with skin and eyes. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Product releases methanol during application and curing. Keep out of reach of children. May generate formaldehyde at temperatures greater than 150 C(300 F). See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning up: Wipe, scrape or soak up in an inert material and put in a container for disposal. Wear proper protective equipment as specified in the protective equipment section.

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected. Methanol is formed during processing. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Do not eat, drink or smoke when using the product. Wash thoroughly after handling.

RTV162 12C-Crtrg (0.725LBS-0.329KG)

Conditions for safe storage, including any incompatibilities:

Keep away from heat, sparks and open flame. Keep container tightly closed.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

| Chemical Identity | Type | Exposure Limit Values | Source |
|---|---------|--|--|
| (1) TITANIUM DIOXIDE | TWA | 10 mg/m3 | US. ACGIH Threshold Limit Values, as amended (03 2015) |
| (1) TITANIUM DIOXIDE - Total dust. | PEL | 15 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| | TWA | 10 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989) |
| | TWA | 10 mg/m3 | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008) |
| (1) TITANIUM DIOXIDE - Particulate. | ST ESL | 50 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (11 2016) |
| | AN ESL | 5 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (11 2016) |
| (1) TITANIUM DIOXIDE - Total dust. | TWA PEL | 10 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (01 2015) |
| (1) TITANIUM DIOXIDE - Respirable fraction. | TWA PEL | 5 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (01 2015) |
| | TWA | 15 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) |
| (1) TITANIUM DIOXIDE - Total dust. | TWA | 15 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) |
| (1) TITANIUM DIOXIDE - Respirable fraction. | TWA | 5 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) |
| (1) TITANIUM DIOXIDE - Total dust. | TWA | 50 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) |
| (1) TITANIUM DIOXIDE | IDLH | 5,000 mg/m3 | US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017) |

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

Appropriate Engineering Controls

Eye wash facilities and emergency shower must be available when handling this product. Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

RTV162 12C-Crtrg (0.725LBS-0.329KG)

Individual protection measures, such as personal protective equipment

| | |
|--------------------------------|--|
| General information: | No data available. |
| Eye/face protection: | Safety glasses with side shields |
| Skin Protection | |
| Hand Protection: | Rubber gloves are recommended. |
| Other: | Wear suitable protective clothing and eye/face protection. |
| Respiratory Protection: | If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134). |
| Hygiene measures: | It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever possible. |

9. Physical and chemical properties

Appearance

| | |
|---|-----------------------|
| Physical state: | solid |
| Form: | Paste |
| Color: | White |
| Odor: | Alcohol |
| Odor threshold: | No data available. |
| pH: | No data available. |
| Melting point/freezing point: | No data available. |
| Initial boiling point and boiling range: | No data available. |
| Flash Point: | > 93.3 °C (estimated) |
| Evaporation rate: | No data available. |
| Flammability (solid, gas): | No data available. |

Upper/lower limit on flammability or explosive limits

| | |
|--|--------------------|
| Flammability limit - upper (%): | No data available. |
| Flammability limit - lower (%): | No data available. |
| Explosive limit - upper: | No data available. |
| Explosive limit - lower: | No data available. |
| Heat of combustion: | No data available. |

| | |
|------------------------|--------------------|
| Vapor pressure: | No data available. |
|------------------------|--------------------|

| | |
|-----------------------|--------------------|
| Vapor density: | No data available. |
|-----------------------|--------------------|

| | |
|-----------------|-----------------------------|
| Density: | ca. 1.085 g/cm ³ |
|-----------------|-----------------------------|

| | |
|--------------------------|-----------|
| Relative density: | ca. 1.085 |
|--------------------------|-----------|

RTV162 12C-Crtrg (0.725LBS-0.329KG)

Solubility(ies)

| | |
|---|-----------------------------------|
| Solubility in water: | Insoluble |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water) Log Pow: | No data available. |
| Auto-ignition temperature: | 450 °C |
| Decomposition temperature: | No data available. |
| SADT: | No data available. |
| Viscosity, dynamic: | No data available. |
| Viscosity, kinematic: | > 20.5 mm ² /s (40 °C) |
| VOC: | 44 g/l ; |

10. Stability and reactivity

| | |
|--|---|
| Reactivity: | No dangerous reaction if used as recommended. |
| Chemical Stability: | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | Hazardous polymerization does not occur. Avoid exposure to: Water |
| Conditions to avoid: | Reacts with water liberating small amounts of methanol. |
| Incompatible Materials: | Water. Strong Acids, Strong Bases |
| Hazardous Decomposition Products: | Carbon dioxide Silicon dioxide. Formaldehyde. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation. |

11. Toxicological information

Information on likely routes of exposure

| | |
|----------------------|--------------------|
| Ingestion: | No data available. |
| Inhalation: | No data available. |
| Skin Contact: | No data available. |
| Eye contact: | No data available. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|----------------------|--------------------|
| Ingestion: | No data available. |
| Inhalation: | No data available. |
| Skin Contact: | No data available. |
| Eye contact: | No data available. |

RTV162 12C-Crtrg (0.725LBS-0.329KG)**Information on toxicological effects****Acute toxicity (list all possible routes of exposure)****Oral****Product:**

ATEmix : 141,459.16 mg/kg

Specified substance(s):

Tris(3(trimethoxysilyl)propyl)isocyanurate

LD 50 (Rat, female): 1,460 mg/kg

(1) TITANIUM DIOXIDE

LD 50 (Rat): > 10,000 mg/kg

Dermal**Product:**

Not classified for acute toxicity based on available data.

Specified substance(s):

Tris(3(trimethoxysilyl)propyl)isocyanurate

LD 50 (Rat, No data available.): 16,000 mg/kg

(1) TITANIUM DIOXIDE

LD 50 (Rabbit): > 10,000 mg/kg

Inhalation**Product:**

Not classified for acute toxicity based on available data.

Specified substance(s):

(1) TITANIUM DIOXIDE

LC50 (Rat): > 6.8 mg/l

Repeated dose toxicity**Product:**

No data available.

Skin Corrosion/Irritation**Product:**

No data available.

Serious Eye Damage/Eye Irritation**Product:**

No data available.

Respiratory or Skin Sensitization**Product:**

No data available.

Carcinogenicity**Product:**

No data available.

RTV162 12C-Crtrg (0.725LBS-0.329KG)

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified
US. National Toxicology Program (NTP) Report on Carcinogens:
No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:
No carcinogenic components identified

Germ Cell Mutagenicity

In vitro
Product: No data available.

In vivo
Product: No data available.

Reproductive toxicity
Product: No data available.

Specific Target Organ Toxicity - Single Exposure
Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure
Product: No data available.

Aspiration Hazard
Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish
Product: No data available.

Specified substance(s):
(1) TITANIUM DIOXIDE LC0 (Leuciscus idus, 48 h): > 1,000 mg/l

Aquatic Invertebrates
Product: No data available.

RTV162 12C-Crtrg (0.725LBS-0.329KG)

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

(1) TITANIUM DIOXIDE 0 %

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Silanamine, 1,1,1-trimethyl-
N-(trimethylsilyl) -, reaction
products with ammonia,
octamethylcyclotetrasiloxan
e and silica
Tris(3(trimethoxysilyl)propyl
)isocyanurate
(1) TITANIUM DIOXIDE

No data available.

No data available.

No data available.

Other adverse effects: No data available.

RTV162 12C-Crtrg (0.725LBS-0.329KG)

13. Disposal considerations

| | |
|--------------------------------|---|
| General information: | The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. See Section 8 for information on appropriate personal protective equipment. |
| Disposal instructions: | Disposal should be made in accordance with federal, state and local regulations. |
| Contaminated Packaging: | Dispose of as unused product. |

14. Transport information

DOT
Not regulated.

IMDG
Not regulated.

IATA
Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):
None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Not classified

SARA 302 Extremely Hazardous Substance
None present or none present in regulated quantities.

SARA 304 Emergency Release Notification
None present or none present in regulated quantities.

RTV162 12C-Crtrg (0.725LBS-0.329KG)

SARA 311/312 Hazardous Chemical

| <u>Chemical Identity</u> | <u>Threshold Planning Quantity</u> |
|--|------------------------------------|
| Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl) - , reaction products with ammonia, octamethylcyclotetrasiloxane and silica | 10000 lbs |
| Tris(3(trimethoxysilyl)propyl)isocyanurate | 10000 lbs |
| (1) TITANIUM DIOXIDE | 10000 lbs |

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Dimethylpolysiloxane
Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl) - , reaction products with ammonia, octamethylcyclotetrasiloxane and silica
SILOXANES AND SILICONES, DI-ME
Methyltrimethoxysilane
Bis(ethyl acetoacetato-O1',O3) [propane-1,3-diolato(2-) -O,O'] titanium,
Titanium, bis[ethyl 3-(oxo-.kappa.O) butanoato-.kappa.O'] [1,3-propanediolato(2-) -.kappa.O,.kappa.O'] -
(1) TITANIUM DIOXIDE

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

RTV162 12C-Crtrg (0.725LBS-0.329KG)

Inventory Status:

| | | |
|--|--|----------------|
| REACH: | If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants. | Remarks: None. |
| Australia AICS: | On or in compliance with the inventory | Remarks: None. |
| Canada DSL Inventory List: | On or in compliance with the inventory | Remarks: None. |
| EINECS, ELINCS or NLP: | On or in compliance with the inventory | Remarks: None. |
| Japan (ENCS) List: | On or in compliance with the inventory | Remarks: None. |
| China Inv. Existing Chemical Substances: | On or in compliance with the inventory | Remarks: None. |
| Korea Existing Chemicals Inv. (KECI): | On or in compliance with the inventory | Remarks: None. |
| Canada NDSL Inventory: | Not in compliance with the inventory. | Remarks: None. |
| Philippines PICCS: | On or in compliance with the inventory | Remarks: None. |
| US TSCA Inventory: | On or in compliance with the inventory | Remarks: None. |
| New Zealand Inventory of Chemicals: | On or in compliance with the inventory | Remarks: None. |
| Taiwan Chemical Substance Inventory: | On or in compliance with the inventory | Remarks: None. |

16. Other information, including date of preparation or last revision

HMIS Hazard ID

| | |
|----------------------------|--------------------------------|
| Health | <input type="text" value="0"/> |
| Flammability | <input type="text" value="0"/> |
| Physical Hazards | <input type="text" value="1"/> |
| PERSONAL PROTECTION | <input type="text"/> |

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

RTV162 12C-Crtrg (0.725LBS-0.329KG)

Issue Date: 04/14/2020

Revision Date: No data available.

Version #: 4.2

Further Information: No data available.

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®, *, and TM indicate trademarks owned by or licensed to Momentive.