

For Supply Reorder Number:

475-0

MSDS Number: OCE 001. REV A December 20, 2001 Issued: Océ Imagistics Inc. May 31, 2005 Revised: **Product Name:** Toner for DL650 Copier 1 of 6 Page:

SECTION I - PRODUCT IDENTIFICATION

Product Name: Toner for DL650 Copier

475-0 **Reorder Number:**

Manufacturer: Océ Imagistics Inc. Address: 100 Oakview Drive

Trumbull City: State: CT

Zip: 06611-4724 For MSDS copies: 203-365-7025 **Emergency/Chemtrec:** 800-424-9300 **Effective Date:** June 17, 2002 4/7/2006 **Print Date:**

SECTION II - HAZARDOUS INGREDIENTS								
INGREDIENT NAME	CAS No.	%	EXPOSURE LIMITS					
Toner powder (regulated as particulates not otherwise classified - PNOC)	Mixture	Proprietary	10 mg/m3, TWA (inhalable) TLV, 15 mg/m3 TWA - PEL (Total Dust)					
Carbon Black	1333-86-4	Proprietary	3.5 mg/m3 TWA - TLV, 3.5 mg/m3 TWA - PEL					
Titanium Dioxide	13463-67-7	Proprietary	10 mg/m3, TWA (inhalable) TLV, 15 mg/m3 TWA - PEL (Total Dust)					

Additional Information

May Contain Non-Hazardous Ingredients: Styrene acrylate resin, wax, amorphous silica

SECTION III - HAZARD IDENTIFICATION

Emergency Overview: Black powder with a faint odor. High concentrations of dust suspended in

> air may present a dust explosion hazard. Inhalation of dust may cause minor respiratory irritation. Prolonged inhalation overexposure may

result in lung damage. Skin, eyes, inhalation

Relevant Routes of Exposure:

Signs and Symptoms of Acute

Overexposure:

May cause mild eye irritation. This product is not a skin irritant.

Signs and Symptoms of Chronic

Overexposure:

Prolonged inhalation of dust in excess of the exposure limits (as with any nuisance dust) may result in lung damage. Overexposure to dust in the

normal use of this product is not expected.

Medical Conditions Generally Aggravated By Exposure:

Potential Health Effects:

None known

Eyes: May cause mild irritation. No adverse effects expected. Skin:

No adverse effects expected. This product is not acutely toxic by Ingestion:

inaestion.

Could be a route of exposure, but unlikely under normal use. Inhalation Inhalation:



For Supply Reorder Number:

475-0

MSDS Number:OCE 001, REV A
Océ Imagistics Inc.Issued:
Revised:December 20, 2001
May 31, 2005Product Name:Toner for DL650 CopierPage:2 of 6

SECTION III - HAZARD IDENTIFICATION

of toner powder may cause mucous membrane and respiratory irritation.

Prolonged and repeated overexposure may cause lung damage.

Carcinogenicity:

NTP: No

IARC: In 1996 IARC re-evaluated carbon black as a group 2B carcinogen

(possible human carcinogen). Carbon black is a minor component of the total toner mixture. We believe that IARC's findings are not applicable to the typical uses and levels of exposure to toners or developers by our

customers and service personnel.

OSHA: No ACGIH: No OTHER: No

SECTION IV - FIRST AID MEASURES

Eyes: Do not rub eyes. Immediately flush with plenty of running cool to

lukewarm water, holding eye lids open to assure thorough rinsing. Get medical attention if irritation persists or for foreign body in the eyes.

Skin: Wash with soap and water.

Ingestion: If swallowed, dilute with water. **DO NOT** induce vomiting. Never give

fluids or induce vomiting if the victim is unconscious or having

convulsions. Get medical attention.

Inhalation: Remove person to fresh air. Wash nostrils, rinse mouth. If irritation or

pulmonary symptoms develop, consult a physician.

SECTION V - FIRE FIGHTING PROCEDURES

Flammable Limits in Air (% by

Volume):

Flash Point:

Autoignition Temperature:

Not determined

Not determined

Extinguishing Media: Water spray, CO₂, dry chemical powder, or foam.

Fire Fighting Instructions: Wear self-contained breathing apparatus and protective clothing to

prevent contact with skin and eyes. Do not use methods that may create

a dust cloud, such as high pressure water.

Unusual Fire and ExplosionToner powder can form explosive mixtures with air at high

Hazards: concentrations.

Known or Anticipated Hazardous

Products of Combustion:

May emit carbon monoxide or carbon dioxide under fire conditions.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Carefully sweep material onto paper, or vacuum taking care not to



For Supply Reorder Number:

475-0

MSDS Number:OCE 001, REV A
Océ Imagistics Inc.Issued:
Revised:December 20, 2001
May 31, 2005Product Name:Toner for DL650 CopierPage:3 of 6

SECTION VI - ACCIDENTAL RELEASE MEASURES

generate airborne dust. Do not use vacuum if large amounts are

released due to risk of dust explosion.

Personal Precautions: Avoid inhalation of dust.

Environmental Precautions: It is recommended to keep away from drains, surface and ground water.

Methods for Cleanup: Sweep material onto paper, or vacuum small amounts.

Large Spill: Not sold in large quantities.

Small Spill: Sweep material onto paper or vacuum small amounts. Avoid generating

airborne dust.

SECTION VII - HANDLING AND STORAGE

Handling: Avoid inhalation of toner dust. Avoid direct contact with toner. Keep

container closed when not in use.

Storage: Store in a cool, dry place. Keep container closed. Keep out of the reach

of children.

Other Precautions: Not required under normal use.

SECTION VIII - EXPOSURE CONTROLS & PERSONAL PROTECTION

Engineering Controls:

Ventilation Requirements:

None required with normal use.

General office ventilation.

Personal Protective Equipment:

Eye/Face Protection:
Skin Protection:
Respiratory Protection:
Other Protective Clothing
Not required under normal use.
Not required under normal use.
Not required under normal use.

or Equipment:

Exposure Guidelines: See Section II

SECTION IX - PHYSICAL & CHEMICAL PROPERTIES

Appearance: Black powder with faint odor.

Boiling Point: Not applicable

Color: Black Freezing Point: No data

Melting Point: Approximately 125°C (Softening Point)

Octanol/Water Partition No data

Coefficient:

Odor: Faint odor
Odor Threshold: No data
Percent Volatile: Not applicable
pH Value: Not applicable
pH Concentration: Not applicable

pH Concentration:Not application:Physical State:PowderReactivity in Water:NoneSolubility in Water:Negligible



For Supply Reorder Number:

475-0

MSDS Number: OCE 001. REV A December 20, 2001 Issued: Océ Imagistics Inc. May 31, 2005 Revised: Toner for DL650 Copier Page: | 4 of 6 **Product Name:**

SECTION IX - PHYSICAL & CHEMICAL PROPERTIES

Specific Gravity or Density 1.2

(Water=1):

Vapor Density: Not applicable **Vapor Pressure:** Not applicable Not applicable **Vapor Pressure Temperature: Volatile Organic Compounds:** No data Water/Oil Distribution Coefficient: No data

Weight Per Gallon: Not applicable

SECTION X - STABILITY AND REACTIVITY

Stability: Stable

> **Conditions to Avoid:** Avoid excessive heat and electrical discharge. Do not throw into fire.

Incompatibility With Other

Strong oxidizing materials.

Materials:

Hazardous Decomposition

Carbon dioxide and carbon monoxide.

Products:

Hazardous Polymerization: Will not occur. **Conditions to Avoid:** Not applicable

SECTION XI - TOXICOLOGICAL INFORMATION						
VALUE	ANIMAL	Routes	COMPONENTS			
LC50: > 5690 mg/l/4 hr	Rat	Inhalation	Product			
LD50: > 2,000 mg/kg	Rat	Oral	Product			
LD50: > 2,000 mg/kg	Rat	Dermal	Product			

Additional Information

This product has been found to be negative in skin sensitization tests with guinea-pigs. This product tested negative in the AMES test for mutagenicity.

SECTION XII - ECOLOGICAL INFORMATION

Ecological Information: No data available.

SECTION XIII - DISPOSAL CONSIDERATIONS

Disposal Considerations: Dispose in accordance with local, state, and federal regulations.

SECTION XIV - TRANSPORT INFORMATION

U.S. DOT

Not regulated **Proper Shipping Name: Hazard Class:** Not applicable **ID Number:** Not applicable **Packing Group:** Not applicable

Labels: None



For Supply Reorder Number:

475-0

OCE 001. REV A **MSDS Number:** December 20, 2001 Issued: Océ Imagistics Inc. May 31, 2005 Revised: Toner for DL650 Copier Page: | 5 of 6 **Product Name:**

SECTION XIV - TRANSPORT INFORMATION

Special Provisions: None

Not applicable **Packaging Exceptions:** Not applicable Non-Bulk Packaging: **Bulk Packaging:** Not applicable

None Air/Rail Limit: Air Cargo Limit: None

Vessel Stowage: Not applicable Not applicable Other Stowage:

None Reportable Quantity:

AIR - ICAO OR IATA

Proper Shipping Name: Not regulated Not applicable **Hazard Class: ID Number:** Not applicable Not applicable Risk: Not applicable **Packing Group:**

Hazard Labels: None

Packing Instructions: Not applicable Air Passenger/Cargo Limit Per Not applicable

Package:

Packing Instruction - Cargo: Not applicable Not applicable Air Cargo Limit Per Package:

Special Provisions Code: None

WATER - IMDG

Not regulated **Proper Shipping Name: Hazard Class:** Not applicable Not applicable **ID Number: Packing Group:** Not applicable Not applicable Risk: **Emergency Procedures Code:** Not applicable Medical First Aid Guide Code: Not applicable

SECTION XV - REGULATORY INFORMATION

U.S. Federal Regulations: See below

State Regulations: This product contains no chemicals subject to California Proposition 65. **International Regulations:** EU: Not classified as a dangerous material. All of the components are

listed on the EINECS inventory.

Canada: Not a controlled product.

SARA Hazards:

Acute: Nο Chronic: No Reactive: Nο Fire: No Pressure: No



For Supply Reorder Number:

475-0

MSDS Number:	OCE 001, REV A	Issued:	December 20, 2001	
	Océ Imagistics Inc.	Revised:	May 31,	2005
Product Name:	Toner for DL650 Copier		Page:	6 of 6

SECTION XV - REGULATORY INFORMATION

Additional Information

This product does not contain chemical or chemical compounds listed in the following SARA Title III categories: Extremely Hazardous Substances (302), Toxic Chemical Release Reporting (313). All the components of this product are listed in the EPA TSCA Inventory.

SECTION XVI - OTHER INFORMATION

NFPA Codes:

Health: 1
Flammability: 1
Reactivity: 0
Other: 0

HMIS Codes:

Health: 1
Flammability: 1
Reactivity: 0

Protection:

Other Information: Keep out of reach of children.