

SAFETY DATA SHEET

SDS 0241

Section 1 -- PRODUCT AND COMPANY IDENTIFICATION

	HMIS CODES
PRODUCT NAME	Health 2
Lets-Go	Flammability 3
	Reactivity 0
PRODUCT CODES	PPI B
73012	
CHEMICAL FAMILY	
Organic	
USE	
Cleaner & Degreaser	
MANUFACTURER'S NAME	EMERGENCY TELEPHONE NO.
The RectorSeal Corporation	Chemtrec 24 Hours
2601 Spenwick Drive	(800)424-9300 USA
Houston, Texas 77055 USA	(703)527-3887 International
DATE OF VALIDATION	TECHNICAL SERVICE TELEPHONE NO.
March 1, 2013	(800)231-3345 or (713)263-8001
DATE OF PREPARATION	
March 1, 2013	

Section 2 -- HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA Hazards

Flammable liquid, Irritant

GHS Classification

Flammable liquids (Category 3)

GHS Label elements, including precautionary statements

Pictogram: Flammable, Irritant

Signal Word: Danger

Hazard statement(s)

H226 - Flammable liquid and vapor.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H280 - Contains gas under pressure; may explode if heated.

Precautionary statement(s)

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 - Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/ protective clothing.

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P307 + P311 - IF exposed: Call a POISON CENTER or doctor/ physician.

SUMMARY OF ACUTE HAZARDS

Repeated inhalation may cause dizziness, nausea and CNS effects. May cause severe eye and skin irritation.

ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS

INHALATION

Inhalation of high concentrations may cause central nervous system effects characterized by headache, dizziness, drowsiness, and nausea. Advanced stages may cause collapse, unconsciousness, coma and possible death due to respiratory failure.

EYE CONTACT

Contact with eyes may cause severe irritation.

SKIN CONTACT

Irritation and drying.

INGESTION

May cause irritation of the digestive tract. May cause central nervous system depression, characterized by excitement, followed by headache, dizziness, and nausea. Advanced stages may cause collapse, unconsciousness, coma and possible death due to respiratory failure.

SUMMARY OF CHRONIC HAZARDS

Skin irritation, contact dermatitis, and defatting.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Individuals with pre-existing or chronic diseases of the eyes, skin, respiratory system, cardiovascular system, gastrointestinal system, liver, or kidneys may have increased susceptibility to excessive exposure.

Section 3 -- COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT: Organic Corrosion Inhibitor

PERCENTAGE BY WEIGHT: 6.43

CAS NUMBER: Mixture

EC# : N/D

INGREDIENT: Saturated Hydrocarbon

PERCENTAGE BY WEIGHT: 76.78

CAS NUMBER: 66742-55-8

EC# : N/D

Section 4 -- FIRST AID MEASURES

If INHALED:	If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt action is essential.
If on SKIN:	Immediately wash with soap and water. Remove and wash any contaminated clothing.
If in EYES:	Flush eyes with large amounts of water for 15 minutes. Get medical attention if irritation persists.
If SWALLOWED:	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

Section 5 -- FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

Foam, dry chemical, CO₂, or water fog.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained full face piece breathing apparatus and full body protective clothing. Hazardous decomposition products possible (see Section 10). Evacuate area. Dike area as run-off may create additional environmental contamination.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Aerosol cans are under pressure - exposure to temperatures above 120F can cause bursting or "rocketing" of cans.

Section 6 -- ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Use absorbent materials to prevent footing hazard and to contain. Ventilate area with forced air ventilation. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup.

Section 7 -- HANDLING AND STORAGE

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

TOXICOLOGY DATA

Ingredient Name

Organic Corrosion Inhibitor

Oral-Rat LD50:N/D

Inhalation-Rat LC50:N/D

Saturated Hydrocarbon

Oral-Rat LD50:N/D

Inhalation-Rat LC50:N/D

Section 12 -- Ecological Information

ECOLOGICAL DATA

Ingredient Name

Organic Corrosion Inhibitor

Food Chain Concentration Potential N/D

WATERFOWL TOXICITY N/D

BOD N/D

AQUATIC TOXICITY N/D

Saturated Hydrocarbon

Food Chain Concentration Potential N/D

WATERFOWL TOXICITY N/D

BOD N/D

AQUATIC TOXICITY N/D

Section 13 -- DISPOSAL CONSIDERATIONS

Waste Classification: Aerosols

Disposal Method: Empty containers can be disposed of in trash. Full containers should be depressurized to separate liquid phase.

Section 14 -- TRANSPORTATION INFORMATION

DOT: Consumer Commodity ORM-D

OCEAN (IMDG): UN1950, Aerosols, Class 2.1, Limited Quantities or LTD QTY,

EMS-No: F-E, S-D

AIR (IATA): UN1950, Aerosols, Class 2.1, ERG#126

Section 15 -- REGULATORY INFORMATION

REGULATORY DATA

Ingredient Name

Organic Corrosion Inhibitor

SARA 313 No

TSCA Inventory Yes

CERCLA RQ N/A

RCRA Code N/A

Organic Corrosion Inhibitor

SARA 313 No

TSCA Inventory Yes

CERCLA RQ N/A

RCRA Code N/A

Section 16 -- OTHER INFORMATION

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith,

8/14/2014

ows.rectorseal.com/product-data/Lets-Go/Lets-Go.html

but no warranty, expressed or implied is made. Consult RectorSeal for further information: (713) 263-8001