THOMAS & BETTS, 8155 T&B BOULEVARD, MEMPHIS, TN 38125

T&B CATALOG NUMBER: FIGURE SIX, EIGHT CONNECTORS,

C-TAPS, GROUNDING PLATE, SIX TO SIX CONNECTOR.

SIX TO EIGHT CONNECTOR

(SEE ADDENDUM)

PRODUCT DESCRIPTION: GROUNDING PRODUCTS

PAGE 1 OF 6

REVISION: 0

DATE PREPARED: MARCH 13, 2001

DOCUMENT NUMBER: MSDS-0085

(FORMERLY MSDS0085)

SECTION 1 PRODUCT IDENTIFICATION & EMERGENCY INFORMATION

PRODUCT NAME: CONDUCTIVE CARBIDE COMPOUND **GENERAL USE: CONDUCTOR TERMINATION COMPOUND PRODUCT DESCRIPTION: GROUNDING PRODUCTS**

GENERIC INGREDIENTS: VEGETABLE BASED COMPOUND W/COPPER & CARBIDE FILLING

24HR EMERGENCY TELEPHONE NUMBERS: CHEMTREC: (703) 527-3887 / 800-424-9300

FOR PRODUCT INFORMATION: THOMAS & BETTS: 901-252-5000 (X8324)

SECTION 2 HAZARDOUS INGREDIENT SECTION

OSHA HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	CAS NO.	% BY WT	OSHA PEL	ACGIH TLV	OTHER LIMITS OF EXPOSURE
CASTOR OIL	68187-84-8 8001-79-4	40 – 60	N/A	N/A	N/A
ALKYLENE CARBONATE	108-32-7	0 – 1	N/A	N/A	STEL: N/A
COPPER POWDER	7440-50-8	10 – 20	N/A	1mg/M ³	STEL: 2mg/M ³
BENTONE	68953-58-2	2-5	N/A	N/A	N/A
SILICON CARBIDE	409-21-2	20 – 50	15mg/M ³	5mg/M ³	N/A

SECTION 3 HEALTH INFORMATION & PROTECTION

OSHA REGULATED? NO CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO

SKIN? YES **INGESTION?** ROUTE(S) OF ENTRY: INHALATION?

HEALTH HAZARDS (ACUTE AND CHRONIC):

POTENTIAL HEALTH EFFECTS:

EYE CONTACT: MAY CAUSE IRRITATION.

FOR HYPERSENSITIVE PERSONS, MAY IRRITATE THE SKIN AFTER PROLONGED PERIODS OF SKIN CONTACT:

CONTACT

MAY CAUSE DIARRHEA. INGESTION:

THOMAS & BETTS, 8155 T&B BOULEVARD, MEMPHIS, TN 38125

T&B CATALOG NUMBER: FIGURE SIX, EIGHT CONNECTORS,

C-TAPS, GROUNDING PLATE,

SIX TO SIX CONNECTOR. SIX TO EIGHT CONNECTOR

(SEE ADDENDUM)

PRODUCT DESCRIPTION: GROUNDING PRODUCTS

PAGE 2 OF 6

REVISION: 0

DATE PREPARED: MARCH 13, 2001

DOCUMENT NUMBER: MSDS-0085

(FORMERLY MSDS0085)

VISCOUS NATURE MAY BLOCK BREATHING PASSAGES IF INHALED. INHALATION:

FIRST AID MEASURES:

EYE CONTACT: FLUSH WITH CLEAR WATER FOR 15 MINUTES UNTIL ALL RESIDUAL MATERIAL IS GONE. IF

IRRITATION PERSISTS, SEEK MEDICAL HELP.

WASH THOROUGHLY WITH HAND CLEANSER, FOLLOWED BY SOAP AND WATER. ALL SKIN CONTACT:

CONTAMINATED CLOTHING SHOULD BE DRY CLEANED BEFORE REUSE.

CLEAR AIR PASSAGE AND SEEK MEDICAL HELP, IF RESPIRATORY DIFFICULTY CONTINUES, INHALATION:

SEEK MEDICAL HELP.

WASH OUT MOUTH IMMEDIATELY, CONSULT PHYSICIAN. INGESTION:

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

WORKPLACE EXPOSURE CONTROLS:

PERSONAL PROTECTION:

RESPIRATORY PROTECTION: NONE NEEDED.

VENTILATION:

PROTECTIVE GLOVES FOR HYPERSENSITIVE PERSONS. HAND PROTECTION: GLASSES. IF APPLIED TO MOVING PARTS IN MOTION. EYE PROTECTIVE: OVERALLS.

BODY PROTECTION:

WORK/HYGIENIC:.

SECTION 4 FIRE & EXPLOSION HAZARDS

FLASH POINT: 560°F 293°C

EXPLOSIVE PROPERTIES: UEL: 7% LEL: 0.9%

FLAMMABLE LIMITS: NOT FLAMMABLE AT AMBIENT TEMPERATURE

GENERAL HAZARD:

FIRE FIGHTING: FOAM, DRY POWDER, HALON, CARBON DIOXIDE, SAND, EARTH AND WATER MIST.

SECTION 5 SPILL CONTROL MEASURES

SCRAPE UP BULK, THEN WIPE UP REMAINDER WITH CLOTH AND PICK-UP SPILL RESPONSE:

REMAINING RESIDUE WITH DIATOMACEOUS EARTH TO AVOID A WALKING HAZARD.

(DO NOT ALLOW TO ENTER DRAINS.)

PRODUCT DISPOSAL: DO NOT INCINERATE, CONTACT WASTE DISPOSAL AUTHORITY FOR ADVICE.

THOMAS & BETTS, 8155 T&B BOULEVARD, MEMPHIS, TN 38125

T&B CATALOG NUMBER: FIGURE SIX, EIGHT CONNECTORS,

C-TAPS, GROUNDING PLATE, SIX TO SIX CONNECTOR.

SIX TO EIGHT CONNECTOR

(SEE ADDENDUM)

PRODUCT DESCRIPTION: GROUNDING PRODUCTS

PAGE 3 OF 6

REVISION: 0

DATE PREPARED: MARCH 13, 2001

DOCUMENT NUMBER: MSDS-0085

(FORMERLY MSDS0085)

CONTAINER DISPOSAL:

PAILS WITHOUT LINER SEE "PRODUCT DISPOSAL". PAILS WITH PLASTIC LINER -PAIL CAN ONLY BE DISPOSED OF VIA STANDARD WASTE DISPOSAL SERVICES.

RECYCLED OR REUSED. LINER - SEE "PRODUCT DISPOSAL".

SECTION 6 HANDLING & STORAGE

GENERAL: NO SPECIAL HANDLING PRECAUTIONS NECESSARY.

STORAGE: DO NOT STORE AT ELEVATED TEMPERATURES.

SECTION 7 TYPICAL PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE: GRAINY SEMISOLID PASTE AUTOIGNITION

TEMPERATURE °F (°C): >680 (360)

COLOR: COPPER **BOILING POINT, °F (°C):** >700 (371)

DENSITY (g/cm³): 1.66 **EVAPORATION RATE.**

BUTYL ACETATE =1: <0.01

ODOR: SHARP MELTING POINT: N/A

pH: NEUTRAL **PERCENT VOLATILE: NIL**

PARTITION COEFFICIENT (LOG POW): N/A

SOLUBILITY IN WATER: NII SPECIFIC GRAVITY (H₂O=1):

VAPOR PRESSURE, (kPa): <0.01 VAPOR DENSITY (AIR = 1): >5

SECTION 8 REACTIVITY DATA

GENERAL:

CHEMICAL STABILITY: CHEMICALLY STABLE UNDER NORMAL CONDITIONS. NO PHOTOREACTIVE

AGENTS.

INCOMPATIBLE MATERIALS

AND CONDITIONS TO AVOID: POWERFUL SOURCES OF IGNITION. STRONG INORGANIC AND ORGANIC

ACIDS AND OXIDIZING AGENTS.

HAZARDOUS

DECOMPOSITION PRODUCTS: BURNING GENERATES SMOKE, AIRBORNE SOOT, HYDROCARBONS AND

OXIDES OF CARBON. RESIDUE MAINLY COMPRISED OF SOOT AND METAL

OXIDES AND MINERAL CARBIDES.

THOMAS & BETTS, 8155 T&B BOULEVARD, MEMPHIS, TN 38125

T&B CATALOG NUMBER: FIGURE SIX, EIGHT CONNECTORS,

C-TAPS, GROUNDING PLATE,

SIX TO SIX CONNECTOR, SIX TO EIGHT CONNECTOR

(SEE ADDENDUM)

PRODUCT DESCRIPTION: GROUNDING PRODUCTS

PAGE 4 OF 6

REVISION: 0

DATE PREPARED: MARCH 13, 2001

DOCUMENT NUMBER: MSDS-0085

(FORMERLY MSDS0085)

HAZARDOUS POLYMERIZATION:

SECTION 9 REGULATORY INFORMATION

DEPARTMENT OF TRANSPORTATION (DOT): NON-HAZARDOUS

HAZARD CLASS:

UN#:

PG:

ERG #:

HAZ LABEL:

I.A.T.A. CLASSIFICATION: NOT REGULATED

HAZARD CLASS:

UN#:

PG:

ERG #:

HAZ LABEL:

U.S. FEDERAL REGULATIONS

TSCA: ALL COMPONENTS ARE LISTED.

CERCLA: NON-HAZARDOUS

RCRA HAZARD CLASS: NON-HAZARDOUS

SARA TITLE III INFORMATION

SECTION 302: NONE

SECTION 311 / 312: NONE

SECTION 313: THIS PRODUCT CONTAINS COPPER

NEW JERSEY RIGHT-TO-KNOW INFORMATION: N/A

CALIFORNIA PROPOSITION 65 INFORMATION: NONE.

INTERNATIONAL

WHMIS (CANADA): NOT REGULATED

THOMAS & BETTS, 8155 T&B BOULEVARD, MEMPHIS, TN 38125

T&B CATALOG NUMBER: FIGURE SIX, EIGHT CONNECTORS,

C-TAPS, GROUNDING PLATE,

SIX TO SIX CONNECTOR, SIX TO EIGHT CONNECTOR

(SEE ADDENDUM)

PRODUCT DESCRIPTION: GROUNDING PRODUCTS

PAGE 5 OF 6 **REVISION: 0**

DATE PREPARED: MARCH 13, 2001

DOCUMENT NUMBER: MSDS-0085

(FORMERLY MSDS0085)

SECTION 10 NOTES

TOXICOLOGICAL INFO:LC-50: 1.98G/LT (MYSIDOPSIS BAHIA), BASED ON ASSESSMENT FROM RELATED PRODUTS.

HAZARD RATING SYSTEMS:

	HMIS	NFPA	KEY
HEALTH	1	1	4 = SEVERE
FLAMMABILITY	1	1	3 = SERIOUS
REACTIVITY	1	1	2 = MODERATE
			1 = SLIGHT
			0 = MINIMAL

REVISION SUMMARY:

SUPERSEDES ISSUE DATE:

ABBREVIATIONS: N/E = NOT ESTABLISHED

N/A = NOT AVAILABLE

THE INFORMATION PRESENTED HEREIN HAS BEEN COMPILED FROM SOURCES CONSIDERED TO BE DEPENDABLE AND ACCURATE TO THE BEST OF THOMAS & BETTS KNOWLEDGE. THE INFORMATION RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY HIMSELF AS TO THE SUITABILITY AND COMPLETENESS OF THIS INFORMATION FOR HIS OWN PARTICULAR USE.

THOMAS & BETTS, 8155 T&B BOULEVARD, MEMPHIS, TN 38125

T&B CATALOG NUMBER: FIGURE SIX, EIGHT CONNECTORS,

C-TAPS, GROUNDING PLATE, SIX TO SIX CONNECTOR, SIX TO EIGHT CONNECTOR

(SEE ADDENDUM)

PRODUCT DESCRIPTION: GROUNDING PRODUCTS

PAGE 6 OF 6 REVISION: 0

DATE PREPARED: MARCH 13. 2001

DOCUMENT NUMBER: MSDS-0085

(FORMERLY MSDS0085)

ADDENDUM

Catalog Number	Description
CPT22 CPT202 CPT2020 CPT25020 CPT250250 CPT50020 CPT500250 CPT500500	C-Taps C-Taps C-Taps C-Taps C-Taps C-Taps C-Taps C-Taps C-Taps
54875 54865-CK 54860 54855 54895 54890 54885 54900	Figure Six
GR12-40250 GR12-202 GR58-202 GR58-40250 GR58-300500 GR34-202 GR34-40250 GR34-300500 GR1-202 GR1-40250 GR1-300500	Figure Eight
GP2250-2 GP2250-4 GP250500-2 GP250500-4	Grounding Plate Grounding Plate Grounding Plate Grounding Plate
54855L 54865L 54875L 54885L 54895L 54900L	Six to Six Connector Six to Six Connector
54855LR12 54865LR58 54885LR12 54895LR58 54875LR34 54900LR34 54910LR100 54920LR100	Six to Eight Connector Six to Eight Connector