

GHS

Printing date: September 15, 2014

Revision: September 15, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>Rubber Ball Blast Grenade - CS</u>
 Article number: 1097 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
Application of the substance / the mixture Explosive product.
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 Further information obtainable from: Customer Care Department
· 1.4 Emergency telephone number:
ChemTel Inc. (800)255-3924, +1 (813)248-0585
(000)200 0024, 11 (010)240 0000
SECTION 2: Hazards identification
 • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412. • exploding bomb
Expl. 1.4 H204 Fire or projection hazard.
health hazard
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Acute Tox. 4 H302 Harmful if swallowed.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xn; Harmful
R20/22: Harmful by inhalation and if swallowed. (Contd. on page 2)

GHS

Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

	(Contd. of page 1)
🗙 Xn; Sensit	ising
R42/43:	May cause sensitisation by inhalation and skin contact.
Xi; Irritant	
R36/37/38:	Irritating to eyes, respiratory system and skin.
R5-44-52/53:	Heating may cause an explosion. Risk of explosion if heated under confinement. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
The product ha	oncerning particular hazards for human and environment: as to be labelled due to the calculation procedure of the "General Classification guideline for f the EU" in the latest valid version.
The classification of	ation is according to the latest editions of the EU-lists, and extended by company and
	ation is in accordance with the latest editions of international substances lists, and is by information from technical literature and by information provided by the company.
Hazard pictog GHS01 GHS0 Signal word [7 GHS08
-	nining components of labelling:
potassium per	chlorate
(2-chlorophen) • Hazard stater	yl)methylene]malononitrile
The following regulation: H4 H204 Fire or p H302 Harmful	Hazard Statements are applicable only to the EU regulations and not the US GHS 12. rojection hazard. if swallowed.
H334 May cau H317 May cau	serious eye irritation. se allergy or asthma symptoms or breathing difficulties if inhaled. se an allergic skin reaction.
H412 Harmful	se respiratory irritation. to aquatic life with long lasting effects.
	Precautionary Statements are applicable only to the general GHS regulations and not the
specific CLP re P210	egulation: P374. Keep away from heat/sparks/open flames/hot surfaces No smoking.
P250	Do not subject to grinding/shock/friction.
P260	Do not breathe dust/fume/gas/mist/vapours/spray. (Contd. on page 3)

GHS

Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

	(Contd. of page 2)
P285	In case of inadequate ventilation wear respiratory protection.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
D070	present and easy to do. Continue rinsing.
P373	DO NOT fight fire when fire reaches explosives.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
P374 P372	Fight fire with normal precautions from a reasonable distance. Explosion risk in case of fire.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international
1001	regulations.
· Additional info	•
	ghly flammable in use.
· Hazard descrip	
· WHMIS-symbo	
	terial causing immediate and serious toxic effects
	material causing other toxic effects
E - Corrosive ma	
F - Dangerously	reactive material
· NFPA ratings (scale 0 - 4)
A Healt	th = 2
Fire :	
	ctivity = 3
• •	
· HMIS-ratings (s	scale 0 - 4)
	alth = *2
FIRE 0 Fire	$e^{2} = 0$
	•
Warning: Conta	ins lead salt(s). Long-term health hazard.
· HMIS Long Ter	m Health Hazard Substances
7778-74-7 pota	ssium perchlorate
· 2.3 Other hazar	rds
 Results of PBT 	and vPvB assessment
· PBT: Not applic	
• vPvB: Not appli	
Explosive Prod	
PREVENTION	OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use
of explosives is	a result of careful planning and observance of the best known practices. The explosives
user must reme	mber that he is dealing with a powerful force and that various devices and methods have
	to assist him in directing this force. He should realize that this force, if misdirected, may
either kill or inju	re both him and his fellow workers.
	(Contd. on page 4)

Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

(Contd. of page 3)

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 1309-48-4 EINECS: 215-171-9	magnesium oxide substance with a Community workplace exposure limit	40-60%
Index number: 025-199-09-0		
CAS: 2698-41-1 EINECS: 220-278-9	[(2-chlorophenyl)methylene]malononitrile TR25; XnR42/43; KR50 Acute Tox. 3, H301 Resp. Sens. 1, H334 Aquatic Acute 1, H400 Skin Sens. 1, H317	20-409
CAS: 7778-74-7 EINECS: 231-912-9 Index number: 017-008-00-5	potassium perchlorate Xn R22; O R9 OX. Sol. 1, H271 Acute Tox. 4, H302	10-20%
CAS: 7429-90-5 EINECS: 231-072-3 Index number: 013-001-00-6	aluminium powder (pyrophoric) F R15-17 Pyr. Sol. 1, H250; Water-react. 2, H261	5-10%
CAS: 112945-52-5	Silicon Dioxide (Amorphous)	5-10%
CAS: 7439-95-4 EINECS: 231-104-6 Index number: 012-001-00-3	magnesium powder (pyrophoric) F R15-17 Pyr. Sol. 1, H250; Water-react. 1, H260	5-10%
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate O R8 O Ox. Sol. 2, H272	1-5%
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	1-5%
CAS: 7440-66-6	zinc metal N R50/53 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0,5-29
CAS: 7704-34-9 EINECS: 231-722-6 Index number: 016-094-00-1	sulfur Xi R38	< 1,0%

Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

	(Contd. of page 4
 Additional information: For 	the wording of the listed risk phrases refer to section 16.
Notable Trace Components	(≤ 0,1% w/w)
CAS: 592-87-0	lead dithiocyanate
EINECS: 209-774-6 Index number: 082-001-00-6	₩ T Repr. Čat. 1, 3 R61; 🗙 Xn R62-20/22; 🌄 N R50/53 R33
	 Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332
CAS: 10294-40-3	barium chromate
EINECS: 233-660-5	Xn R20/22
Index number: 056-002-00-7	Acute Tox. 4, H302; Acute Tox. 4, H332
CAS: 7758-97-6	lead chromate
EINECS: 231-846-0 Index number: 082-004-00-2	i Carc. Cat. 2, Repr. Cat. 1, 3 R45-61; 就 Xn R62;
	Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410

SECTION 4: First aid measures

· 4.1 Description of first aid measures · General information: Immediately remove any clothing soiled by the product. Take affected persons out into the fresh air. Do not leave affected persons unattended. Remove breathing equipment only after contaminated clothing have been completely removed. · After inhalation: Remove victim to fresh air. Seek immediate medical advice. Provide oxygen treatment if affected person has difficulty breathing. In case of irregular breathing or respiratory arrest provide artificial respiration. · After skin contact: Immediately remove any clothing soiled by the product. Brush off loose particles from skin. Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. · 4.2 Most important symptoms and effects, both acute and delayed Asthma attacks Allergic reactions Blast injury if mishandled. May cause respiratory irritation. Breathing difficulty (Contd. on page 6)

Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

(Contd. of page 5) Coughing Irritant to eves. Irritant to skin and mucous membranes. Hazards Danger of blast or crush-type injuries. Danger of impaired breathing. • 4.3 Indication of any immediate medical attention and special treatment needed Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects. Contains [(2-chlorophenyl)methylene]malononitrile. May produce an allergic reaction. Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants. Monitor circulation, possible shock treatment. Treat skin and mucous membrane with antihistamine and corticoid preparations. If necessary oxygen respiration treatment. Medical supervision for at least 48 hours. SECTION 5: Firefighting measures · 5.1 Extinguishing media · Suitable extinguishing agents: Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn. · For safety reasons unsuitable extinguishing agents: None. · 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced. Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely. 5.3 Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information

Additional information

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

(Contd. on page 7)

Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

(Contd. of page 6)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities. Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Remove persons from danger area. Ensure adequate ventilation Protect from heat. Isolate area and prevent access. · 6.2 Environmental precautions: No special measures required. · 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Dispose contaminated material as waste according to item 13. Send for recovery or disposal in suitable receptacles. Clean the affected area carefully; suitable cleaners are: Warm water and cleansing agent 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **SECTION 7: Handling and storage**
- 7.1 Precautions for safe handling Handle with care. Avoid jolting, friction and impact. Avoid breathing dust Use only in well ventilated areas.
 Information about fire - and explosion protection: Protect from heat. Keep respiratory protective device available. Emergency cooling must be available in case of nearby fire.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Avoid storage near extreme heat, ignition sources or open flame.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Store away from flammable substances.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 8)

Printing date: September 15, 2014

Г

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

(Contd. of page 7)

Additional in	formation about design of technical facilities: No further data; see item 7.		
8.1 Control p	8.1 Control parameters		
Ingredients v	with limit values that require monitoring at the workplace:	-	
7429-90-5 alu	uminium powder (pyrophoric)	-	
PEL (USA)	Long-term value: 15*; 15** mg/m ³ *Total dust; ** Respirable fraction		
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.		
TLV (USA)	Long-term value: 1* mg/m³ as Al; *as respirable fraction		
EL (Canada)	Long-term value: 1,0 mg/m³ respirable, as Al		
EV (Canada)	Long-term value: 5 mg/m³ aluminium-containing (as aluminium)		
1309-48-4 ma	agnesium oxide		
PEL (USA)	Long-term value: 15* mg/m ³ fume; *total particulate		
TLV (USA)	Long-term value: 10* mg/m³ *as inhalable fraction		
EL (Canada)	Short-term value: 10** mg/m³ Long-term value: 10* 3** mg/m³ *inhalable fume;**respirable dust and fume		
EV (Canada)	Long-term value: 10 mg/m³ inhalable		
2698-41-1 [(2	2-chlorophenyl)methylene]malononitrile		
PEL (USA)	Long-term value: 0,4 mg/m ³ , 0,05 ppm		
REL (USA)	Ceiling limit: 0,4 mg/m³, 0,05 ppm Skin		
TLV (USA)	Ceiling limit: 0,39 mg/m³, 0,05 ppm Skin		
EL (Canada)	Ceiling limit: 0,05 ppm Skin		
EV (Canada)	Ceiling limit: 0,4 mg/m³, 0,05 ppm Skin		
7440-50-8 co	pper		
PEL (USA)	Long-term value: 1* 0,1** mg/m ³ as Cu *dusts and mists **fume		
REL (USA)	Long-term value: 1* 0,1** mg/m ³ as Cu *dusts and mists **fume		

Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

		(Contd. of page 8)
TLV (USA)	Long-term value: 1* 0,2** mg/m ³ *dusts and mists; **fume; as Cu	
	Long-term value: 1* 0,2** mg/m ³	
	*dusts and mists; **fume, as Cu	
EV (Canada)	Long-term value: 0,2* 1** mg/m ³ as copper, *fume;**dust and mists	
9004-34-6 Ce	llulose	
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 10 mg/m ³	
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust, **respirable fraction	
EV (Canada)	Long-term value: 10 mg/m ³ paper fibre, total dust	
592-87-0 lead	l dithiocyanate	
PEL (USA)	Long-term value: 5 mg/m ³ as CN; Skin	
EV (Canada)	Long-term value: 0,05 mg/m³ as Pb, Skin (organic compounds)	
• PNECs No fu • Additional in • 8.2 Exposure		
	ntective equipment: ective and hygienic measures:	
	ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals.	
Immediately r	emove all soiled and contaminated clothing.	
	dust / smoke / mist.	
	with the eyes and skin. The foodstuffs, beverages and feed.	
	before breaks and at the end of work.	
· Respiratory	protection:	
Resp	iratory protection required.	
· Protection of	f hands:	
Prote	ective gloves	
Wear gloves	when handling deployed rounds.	(Contd. on page 10)

(Contd. on page 10)

GHS

Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

(Contd. of page 9)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment
- No further relevant information available.
- Risk management measures
 See Section 7 for additional information.
 Organizational measures should be in place for all activities involving this product.
 No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Appearance:	
Form:	Solid metal container containing liquid and solid contents.
Colour:	According to product specification
· Odour:	Odourless
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. Undetermined.
· Flash point:	Not applicable.
 Flammability (solid, gaseous): 	Not determined.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Heating may cause an explosion.
	(Contd. on page 11)

Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

		(Contd. of page 10
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity
· 10.1 Reactivity
 10.2 Chemical stability
 Thermal decomposition / conditions to be avoided:
No decomposition if used and stored according to specifications.
 10.3 Possibility of hazardous reactions
Danger of explosion.
Toxic fumes may be released if heated above the decomposition point.
Contact with acids releases toxic gases.
Acts as an oxidizing agent on organic materials such as wood, paper and fats.
Reacts with strong alkali.
 10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.
 10.5 Incompatible materials: No further relevant information available.
 10.6 Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Nitrogen oxides
Sulphur oxides (SOx)
SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

2698-41-1 [(2-chlorophenyl)methylene]malononitrile

Oral LD50 178 mg/kg (rat)

(Contd. on page 12)

GHS

Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

(Contd. of page 11) • Primary irritant effect: Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not posess these effects.

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.

· Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

Additional toxicological information:

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant Harmful

Danger through skin adsorption.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

Acute effects (acute toxicity, irritation and corrosivity):

Inhalation may cause irritation to the respiratory system.

· Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

Repeated exposures may result in skin and/or respiratory sensitivity.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

The product contains materials that are harmful to the environment.

2698-41-1 [(2-chlorophenyl)methylene]malononitrile

EC50 0,2-0,3 mg/kg (Oncorhynchus mykiss)

|96 H

• 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

(Contd. on page 13)

(Contd. of page 12)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.

· vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods


· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.



Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS (Contd. of page 13) · Label 1.4G+6.1+8 · IAT A · Class 1.4G · Label 1.4G+6.1+8 · 14.4 Packing group · DOT, ADR, IMDG, IATA Ш · 14.5 Environmental hazards: · Marine pollutant: No - Special marking (IATA): Cargo Aircraft Only. · 14.6 Special precautions for user Not applicable. · EMS Number: F-A,S-Q · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation": UN0301, Ammunition Tear-producing with burster, expelling charge or propelling charge, 1.4G (6.1+8), II

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot United States (USA)
- ·SARA

None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
7429-90-5 aluminium powder (pyrophoric)	
7757-79-1 potassium nitrate	
7440-50-8 copper	
7440-66-6 zinc metal	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
Chemicals known to cause cancer:	
592-87-0 lead dithiocyanate	
10294-40-3 barium chromate	
7758-97-6 lead chromate	
	(Contd. on page

Printing date: September 15, 2014

Revision: September 15, 2014

Chamiaala	known to opygo ronroductive tovicity for fomology	(Contd. of pa
	s known to cause reproductive toxicity for females: trace quantities.	
	barium chromate	
	6 lead chromate	
Chemicals	known to cause reproductive toxicity for males:	
	trace quantities.	
10294-40-3	B barium chromate	
	ead chromate	
	known to cause developmental toxicity:	
	trace quantities.	
	3 barium chromate	
	lead chromate	
•	nic Categories	
•	ronmental Protection Agency)	
7440-50-8	potassium perchlorate	NI
7440-50-8	••	D
		D,
•	rnational Agency for Research on Cancer)	
	e ingredients is listed.	
•	shold Limit Value established by ACGIH)	
	magnesium oxide	
	aluminium powder (pyrophoric)	
2698-41-1	[(2-chlorophenyl)methylene]malononitrile	
· NIOSH-Ca	(National Institute for Occupational Safety and Health	1)
None of the	e ingredients is listed.	
· Canada		
· Canadian	Domestic Substances List (DSL)	
All ingredie	nts are listed.	
Canadian	Ingredient Disclosure list (limit 0.1%)	
None of the	e ingredients is listed.	
· Canadian	Ingredient Disclosure list (limit 1%)	
	magnesium oxide	
7429-90-5	aluminium powder (pyrophoric)	-
7440-50-8	copper	
2698-41-1	[(2-chlorophenyl)methylene]malononitrile	
0.1	lations, limitations and prohibitive regulations	

(Contd. of page 15)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H250 Catches fire spontaneously if exposed to air.
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H261 In contact with water releases flammable gases.
- H271 May cause fire or explosion; strong oxidiser.
- H272 May intensify fire; oxidiser.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R15 Contact with water liberates extremely flammable gases.
- R17 Spontaneously flammable in air.
- R22 Harmful if swallowed.
- R25 Toxic if swallowed.
- R38 Irritating to skin.
- R42/43 May cause sensitisation by inhalation and skin contact.
- R50 Very toxic to aquatic organisms.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R8 Contact with combustible material may cause fire.
- R9 Explosive when mixed with combustible material.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- WHMIS: Workplace Hazardous Materials Information System (Canada)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- Expl. 1.4: Explosives, Division 1.4

(Contd. on page 17)

Printing date: September 15, 2014

Revision: September 15, 2014

Trade name: Rubber Ball Blast Grenade - CS

(Contd. of page 16) Pyr. Sol. 1: Pyorphoric Solids, Hazard Category 1 Water-react. 1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 1 Water-react. 2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 2 Ox. Sol. 1: Oxidising Solids, Hazard Category 1 Ox. Sol. 2: Oxidising Solids, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

Sources

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com