Printing date December 1, 2015

Revision: December 1, 2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
 Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS
 Article number: 1142 (1012247) 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 Application of the substance / the mixture: Crowd Control Device Uses advised against Contact manufacturer.
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 Further information obtainable from: Customer Care Department
 • 1.4 Emergency telephone number: ChemTel Inc. +1 (800)255-3924, +1 (813)248-0585
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200). The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411. exploding bomb
Expl. 1.4 H204 Fire or projection hazard. skull and crossbones
Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.
health hazard
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
environment
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. (Cont'd. on page 2)

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

	(Cont'd. from page 1)
Acute Tox. 4	H312 Harmful in contact with skin.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.
Additional in	
	other hazards not otherwise classified that have been identified. xture consists of component(s) of unknown toxicity.
The product is United States	cording to Regulation (EC) No 1272/2008 is additionally classified and labelled according to the Globally Harmonized System within the s (GHS). s classified and labelled according to the CLP regulation.
	pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).
· Signal word	Danger
glycerol trinitr [(2-chlorophe potassium pe diphenylamine Rosin	e
regulation: H4	g Hazard Statements are applicable only to the EU regulations and not the US GHS
H301+H331 1 H312 F	Toxic if swallowed or if inhaled. Harmful in contact with skin.
	Causes skin irritation. Causes serious eye irritation.
	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 M	May cause an allergic skin reaction.
	May cause respiratory irritation.
H411 7	Toxic to aquatic life with long lasting effects. (Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

(Cont'd. from page 2) Precautionary statements The following Precautionary Statements are applicable only to the general GHS regulations and not the specific CLP regulation: P374. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smokina. P250 Do not subject to grinding/shock/friction. P260 Do not breathe dust/fume/gas/mist/vapours/spray. In case of inadequate ventilation wear respiratory protection. P285 Wear protective gloves/protective clothing/eye protection/face protection. P280 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P373 DO NOT fight fire when fire reaches explosives. P374 Fight fire with normal precautions from a reasonable distance. P302+P352 IF ON SKIN: Wash with plenty of soap and water. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. P342+P311 P372 Explosion risk in case of fire. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information:

Can become highly flammable in use.

NFPA ratings (scale 0 - 4)



Health = 4Fire = 0Reactivity = 3

· HMIS-ratings (scale 0 - 4)

Warning: Contains lead salt(s). Long-term health hazard.

HEALTHImage: Second constraintsImage: Health = *3FIREImage: Second constraintsImage: Fire = 0REACTIVITYImage: Second constraintsReactivity = 3

* - Indicates a long term health hazard from repeated or prolonged exposures.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

• Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should (Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

consult the manufacturer before use.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Product will contain various combinations of the following substances. Not all substances will be in each product.

Dangerous components:	
CAS: 9004-70-0	Nitrocellulose, colloided, granular
EC number: 603-037-0	🔗 Expl. 1.1, H201
CAS: 2698-41-1	[(2-chlorophenyl)methylene]malononitrile
EINECS: 220-278-9	Acute Tox. 3, H301; Acute Tox. 2, H330
	🗞 Resp. Sens. 1, H334
	Aquatic Acute 1, H400
	Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1
	H317; STOT SE 3, H335
CAS: 55-63-0	glycerol trinitrate / nitroglycerin
EINECS: 200-240-8	🔆 Unst. Expl., H200
Index number: 603-034-00->	
	🕉 STOT RE 2, H373
	Aquatic Chronic 2, H411
	Flam. Liq. 2, H225
CAS: 7757-79-1	potassium nitrate
EINECS: 231-818-8	🚯 Ox. Sol. 2, H272
CAS: 7778-74-7	potassium perchlorate
EINECS: 231-912-9	🔞 Ox. Sol. 1, H271
Index number: 017-008-00-5	5 🔥 Acute Tox. 4, H302
CAS: 122-39-4	diphenylamine
EINECS: 204-539-4	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331
Index number: 612-026-00-5	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410
CAS: 85-98-3	1,3-diethyldiphenylurea
EINECS: 201-645-2	Acute Tox. 4, H302
	Aquatic Chronic 3, H412
CAS: 1309-48-4	magnesium oxide
EINECS: 215-171-9	substance with a Community workplace exposure limit
Index number: 025-199-09-0	
CAS: 69012-64-2	Silica-Amorphous Silica fume
EINECS: 273-761-1	substance with a Community workplace exposure limit
CAS: 7439-89-6	iron
EINECS: 231-096-4	substance with a Community workplace exposure limit
	(Cont'd. on pag

(Cont'd. from page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

	(Cont'd. from page 4)			
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit			
CAS: 7704-34-9 EINECS: 231-722-6 Index number: 016-094-00-1	sulfur Irrit. 2, H315			
CAS: 1314-23-4 EINECS: 215-227-2	zirconium dioxide substance with a Community workplace exposure limit			
CAS: 10022-31-8 EINECS: 233-020-5 Index number: 056-002-00-7	barium nitrate Acute Tox. 4, H302; Acute Tox. 4, H332			
SVHC	SVHC			
15245-44-0 lead 2,4,6-trinitro	-m-phenylene dioxide/ lead styphnate			
	lazard Statements refer to section 16. e identity and exact percentages are being withheld as a trade secret.			
• Notable Trace Components	· Notable Trace Components (≤ 0,1% w/w)			
CAS: 15245-44-0 EINECS: 239-290-0 Index number: 609-019-00-4	lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate Unst. Expl., H200 Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332			
CAS: 592-87-0 EINECS: 209-774-6 Index number: 082-001-00-6	lead dithiocyanate Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332			

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Remove breathing equipment only after contaminated clothing have been completely removed.

After inhalation:

Remove victim to fresh air.

Seek immediate medical advice.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After skin contact:

Immediately remove any clothing soiled by the product.

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Cont'd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

Revision: December 1, 2015

(Cont'd. from page 5) · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. · 4.2 Most important symptoms and effects, both acute and delayed Asthma attacks Blast injury if mishandled. Allergic reactions May cause respiratory irritation. Breathing difficulty Coughing Irritant to eves. Irritant to skin and mucous membranes. Hazards Danger of blast or crush-type injuries. Harmful in contact with skin. Danger of impaired breathing. 4.3 Indication of any immediate medical attention and special treatment needed Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects. Contains [(2-chlorophenyl)methylene]malononitrile. May produce an allergic reaction. Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants. Monitor circulation, possible shock treatment. Treat skin and mucous membrane with antihistamine and corticoid preparations. If necessary oxygen respiration treatment. Medical supervision for at least 48 hours. **SECTION 5: Firefighting measures** 5.1 Extinguishing media • Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

· For safety reasons unsuitable extinguishing agents: None.

• 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

• 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

(Cont'd. on page 7)

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

(Cont'd. from page 6)

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities. Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Remove persons from danger area. Ensure adequate ventilation Protect from heat. Isolate area and prevent access. · 6.2 Environmental precautions: No special measures required. · 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Dispose contaminated material as waste according to section 13. Send for recovery or disposal in suitable receptacles. Clean the affected area carefully; suitable cleaners are: Warm water and cleansing agent · 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Handle with care. Avoid jolting, friction and impact. Avoid breathing dust. Use only in well ventilated areas. · Information about fire - and explosion protection: Protect from heat. Keep respiratory protective device available. Emergency cooling must be available in case of nearby fire. 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

(Cont'd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

(Cont'd. from page 7)

• **Information about storage in one common storage facility:** Store away from foodstuffs. Store away from flammable substances.

• Further information about storage conditions: Store in dry conditions.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· 8.1 Control parameters			
Ingradiante with limit values	that require	monitoring	at the y

. .

•	with limit values that require monitoring at the workplace:
	agnesium oxide
PEL (USA)	Long-term value: 15* mg/m ³
	fume; *total particulate
TLV (USA)	Long-term value: 10* mg/m ³
	*as inhalable fraction
EL (Canada)	Short-term value: 10** mg/m ³
	Long-term value: 10* 3** mg/m ³ *inhalable fume;**respirable dust and fume
EV/(Capada)	Long-term value: 10 mg/m ³
	linhalable
69012-64-2 S	ilica-Amorphous Silica fume
	TLV withdrawn
()	Long-term value: 4* 1,5** mg/m ³
	fume *total; **respirable
EV (Canada)	Long-term value: 2 mg/m ³
(, , , , , , , , , , , , , , , , , , ,	respirable
55-63-0 glyce	erol trinitrate / nitroglycerin
PEL (USA)	Ceiling limit: 2 mg/m ³ , 0,2 ppm
	Skin
REL (USA)	Short-term value: 0,1 mg/m ³
	Skin
TLV (USA)	Long-term value: 0,46 mg/m³, 0,05 ppm
	Skin
EL (Canada)	Long-term value: 0,05 ppm Skin
EV (Canada)	Long-term value: 0,5 mg/m³, 0,05 ppm Skin
2698-41-1 [/2	-chlorophenyl)methylene]malononitrile
	Long-term value: 0,4 mg/m ³ , 0,05 ppm
	Cont'd. on page

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

	(Cont'd. from page 8)
REL (USA)	Ceiling limit: 0,4 mg/m³, 0,05 ppm
TLV (USA)	Ceiling limit: 0,39 mg/m³, 0,05 ppm Skin
EL (Canada)	Ceiling limit: 0,05 ppm Skin
EV (Canada)	Ceiling limit: 0,4 mg/m³, 0,05 ppm Skin
7439-89-6 iro	bn
EV (Canada)	Long-term value: 1* 5** mg/m³ as iron;*salts, water-soluble;**welding fume
7440-50-8 co	pper
PEL (USA)	Long-term value: 1* 0,1** mg/m ³ as Cu *dusts and mists **fume
REL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume
TLV (USA)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume; as Cu
EL (Canada)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume, as Cu
EV (Canada)	Long-term value: 0,2* 1** mg/m³ as copper, *fume;**dust and mists
1314-23-4 zir	conium dioxide
PEL (USA)	Long-term value: 5 mg/m ³ as Zr
REL (USA)	Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ as Zr
TLV (USA)	Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ as Zr
EL (Canada)	Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ as Zr
8050-09-7 Ro	
TLV (USA)	DSEN, RSEN, L
EL (Canada)	
122-39-4 dip	•
REL (USA)	Long-term value: 10 mg/m ³
TLV (USA)	Long-term value: 10 mg/m ³
EL (Canada)	Long-term value: 10 mg/m ³
EV (Canada)	Long-term value: 10 mg/m ³
-	(Cont'd. on page 10)

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

15245-44-0 le	Cont'd. from page dioxide/ lead styphnate (Cont'd. from page dioxide/ lead styphnate	
	Long-term value: 0,05 mg/m ³	
	as Pb, Skin (organic compounds)	
	arium nitrate	
IOELV (EU)	Long-term value: 0,5 mg/m³ as Ba	
PEL (USA)	Long-term value: 0,5 mg/m³ as Ba	
REL (USA)	Long-term value: 0,5 mg/m³ as Ba	
TLV (USA)	Long-term value: 0,5 mg/m³ as Ba	
EL (Canada)	Long-term value: 0,5 mg/m³ as Ba	
1345-04-6 an	timony sulphide	
PEL (USA)	Long-term value: 0,5 mg/m ³ as Sb	
REL (USA)	Long-term value: 0,5 mg/m³ as Sb	
TLV (USA)	Long-term value: 0,5 mg/m³ as Sb	
EL (Canada)	Long-term value: 0,5 mg/m³ as Sb	
DNELs No fu	rther relevant information available.	
PNECs No fu	rther relevant information available.	
8.2 Exposure	e controls	
	measures Provide adequate ventilation.	
	tective equipment:	
	ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals.	
	emove all soiled and contaminated clothing.	
	dust / smoke / mist.	
	with the eyes and skin.	
Keep away from foodstuffs, beverages and feed.		
Wash hands before breaks and at the end of work. • Respiratory protection:		
	r	
Resp	iratory protection required.	
Wear positive quantities.	e pressure NIOSH or European EN149 vapor respirators when deploying product in I	
uuannies.		

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

· Protection of hands:

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

(Cont'd. from page 10)



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

Body protection: Protective work clothing
Limitation and supervision of exposure into the environment No further relevant information available.
Risk management measures See Section 7 for additional information. Organizational measures should be in place for all activities involving this product. No further relevant information available.

9.1 Information on basic physical General Information	and chemical properties
Appearance: Form:	Solid metal container containing liquid and solid contents.
Colour:	According to product specification
Odour:	Odourless
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	Not determined.
Flash point:	Not applicable.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

		(Cont'd. from page 1
· Flammability (solid, gaseous):	Not determined.	
Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Heating may cause an explosion.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
· Density:	Not determined.	
Relative density	Not determined.	
· Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Danger of explosion.

Toxic fumes may be released if heated above the decomposition point.

Contact with acids releases toxic gases.

Acts as an oxidising agent on organic materials such as wood, paper and fats.

- Reacts with strong alkali.
- 10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Nitrogen oxides

(Cont'd. on page 13)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

Sulphur oxides (SOx)

(Cont'd. from page 12)

SECTION 11: Toxicological information

Acute toxicity

Toxic if swallowed or if inhaled. Harmful in contact with skin.

· LD/LC50 values relevant for classification:

		rol trinitrate / nitroglycerin
Oral	LD50	115 mg/kg (mouse)

LD50 115 mg/kg (mouse)

105 mg/kg (rat) Dermal LD50 29 mg/kg (rat)

280 mg/kg (rabbit)

2698-41-1 [(2-chlorophenyl)methylene]malononitrile

Oral LD50 178 mg/kg (rat)

122-39-4 diphenylamine

Oral LD50 1120 mg/kg (rat)

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

Oral LD50 650 mg/kg (rat)

Primary irritant effect:

Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not possess these effects.

Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eve irritation.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Additional toxicological information:

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

Acute effects (acute toxicity, irritation and corrosivity):

Irritating to eyes, respiratory system and skin.

Inhalation may cause irritation to the respiratory system.

Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

Repeated exposures may result in skin and/or respiratory sensitivity.

(Cont'd. on page 14)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

(Cont'd. from page 13)

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
 Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• **Reproductive toxicity** Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:

The product contains materials that are harmful to the environment.

2698-41-1 [(2-chlorophenyl)methylene]malononitrile

EC50 0,2-0,3 mg/kg (Oncorhynchus mykiss)

• **12.2 Persistence and degradability** No further relevant information available.

· 12.3 Bioaccumulative potential May be accumulated in organism

• **12.4 Mobility in soil** No further relevant information available.

- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

(Cont'd. on page 15)

Printing date December 1, 2015

Revision: December 1, 2015

(Cont'd. from page 14)

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	UN0301	
 14.2 UN proper shipping name DOT, IMDG, IATA 	Ammunition Tear-producing with burster, expelli charge or propelling charge	
· ADR	0301 Ammunition Tear-producing with bursto expelling charge or propelling charge	
· 14.3 Transport hazard class(es)		
· DOT		
1.4 TOXIC s		
· Class · Label	1.4 1.4G+6.1+8	
· ADR, IMDG		
· Class	1.4	
·Label	1.4G+6.1+8	
·IATA		
· Class	1.4G	
· Label	1.4G+6.1+8	
 14.4 Packing group DOT, ADR, IMDG, IATA 	II	
 14.5 Environmental hazards: Marine pollutant: 	No	
	(Cont'd. on page	

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHŚ

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

	(Cont'd. from page 15)
· Special marking (IATA):	
Cargo Aircraft Only.	
· 14.6 Special precautions for user	Not applicable.
· EMS Number:	<u>F-A</u> ,S-Q
· 14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	UN0301, Ammunition Tear-producing with burster, expelling charge or propelling charge, 1.4G (6.1+8), II

SECTION 15: Regulatory information

 $^{\cdot}$ 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ United States (USA)

· SARA

· Section 3	55 (extremely hazardous substances):
None of th	e ingredients are listed.
· Section 3	13 (Specific toxic chemical listings):
7757-79-1	potassium nitrate
55-63-0	glycerol trinitrate / nitroglycerin
7440-50-8	copper
7440-66-6	zinc metal
· TSCA (To	xic Substances Control Act):
All ingredie	ents are listed.
Chemical	on 65 (California): s known to cause cancer: trace quantities.
15245-44-	0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate
592-87-	0 lead dithiocyanate
Present in	s known to cause reproductive toxicity for females: trace quantities.
None of th	e ingredients are listed.
	s known to cause reproductive toxicity for males: trace quantities.
None of th	e ingredients are listed.
	s known to cause developmental toxicity: trace quantities.
15245-44-	0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate (Cont'd. on page 17

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

<u> </u>		(Cont'd. from page
	lead dithiocyanate	
	nic Categories	
	onmental Protection Agency)	
7440-50-8	•••	D
	potassium perchlorate	NL
	zinc metal	D, I, II
10022-31-8	barium nitrate	D, CBD(inh), NL(ora
•	national Agency for Research on Cancer)	
	Silica-Amorphous Silica fume	
	-86-9 silicon dioxide	
1345-04-6	antimony sulphide	
· NIOSH-Ca	(National Institute for Occupational Safety and Hea	alth)
	ingredients are listed.	
· Canada		
	Domestic Substances List (DSL)	
All ingredier	nts are listed.	
· Canadian I	ngredient Disclosure list (limit 0.1%)	
122-39-4 d	iphenylamine	
	ngredient Disclosure list (limit 1%)	
	magnesium oxide	
2698-41-1	2698-41-1 [(2-chlorophenyl)methylene]malononitrile	
7440-50-8	copper	
Directive 2	012/18/EU	
· Named dar	ngerous substances - ANNEX I	
None of the	ingredients are listed.	
-	lations, limitations and prohibitive regulations	
	s of very high concern (SVHC) according to REAC	•
15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphna	te

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H200 Unstable explosives.

H201 Explosive; mass explosion hazard.

H225 Highly flammable liquid and vapour.

H271 May cause fire or explosion; strong oxidiser.

(Cont'd. on page 18)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

(Cont'd. from page 17) H272 May intensify fire; oxidiser. H300 Fatal if swallowed. H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eve irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Expl. 1.1: Explosives, Division 1.1 Expl. 1.4: Explosives, Division 1.4 Unst. Expl.: Explosives, Unstable explosives Flam. Liq. 2: Flammable liquids, Hazard Category 2 Ox. Sol. 1: Oxidising Solids, Hazard Category 1 Ox. Sol. 2: Oxidising Solids, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 1: Acute toxicity, Hazard Category 1 Acute Tox. 4: Acute toxicity, Hazard Category 4 Acute Tox. 2: Acute toxicity, Hazard Category 2 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

(Cont'd. on page 19)

GHS

Printing date December 1, 2015

Revision: December 1, 2015

(Cont'd. from page 18)

Trade name: Muzzle Blast 37mm Powder Dispersion Round, CS

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 • **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com