

GHS

Printing date: September 26, 2014

Revision: September 26, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>37MM Liquid Ferret - OC</u>
 Article number: 1160 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 Application of the substance / the mixture Explosive product.
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 Further information obtainable from: Customer Care Department
• 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585
SECTION 2: Hazards identification
• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 • exploding bomb
Expl. 1.4 H204 Fire or projection hazard.
health hazard
Carc. 2 H351 Suspected of causing cancer.
Acute Tox. 4 H302 Harmful if swallowed.
Acute Tox. 4 H312 Harmful in contact with skin.
Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xn; Harmful
R40: Limited evidence of a carcinogenic effect. (Contd. on page 2)

GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

	(Contd. of page
🗙 Xi; Irrit	ant
R36/37/38:	Irritating to eyes, respiratory system and skin.
	gerous for the environment
R51/53:	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	Heating may cause an explosion. Risk of explosion if heated under confinement. n concerning particular hazards for human and environment:
, preparatior	ct has to be labelled due to the calculation procedure of the "General Classification guideline for its of the EU" in the latest valid version.
	t ion system: fication is according to the latest editions of the EU-lists, and extended by company ar ata
The class	fication is in accordance with the latest editions of international substances lists, and ted by information from technical literature and by information provided by the company.
2.2 Label e	
Labelling	according to Regulation (EC) No 1272/2008
The produc	t is classified and labelled according to the CLP regulation.
Hazard pic	tograms
· ·	
	$\wedge \wedge$
<u> </u>	
GHS01 GH	IS07 GHS08
Signal wo	rd Warning
Signal wo Hazard-de	rd Warning termining components of labelling:
Signal wo Hazard-de dichlorome	rd Warning termining components of labelling: thane
Signal wo Hazard-de dichlorome glycerol trir	rd Warning termining components of labelling: thane nitrate
Signal wo Hazard-de dichlorome glycerol trir	rd Warning termining components of labelling: thane nitrate
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204	rd Warning termining components of labelling: thane hitrate tements Fire or projection hazard.
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31	rd Warning termining components of labelling: thane hitrate tements Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled.
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31	rd Warning termining components of labelling: thane hitrate tements Fire or projection hazard.
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H315	rd Warning termining components of labelling: thane hitrate tements Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled.
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H315 H319	rd Warning termining components of labelling: thane itrate itrate tements Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation.
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H315 H319 H351	rd Warning termining components of labelling: thane hitrate tements Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer.
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H315 H319 H351 H335	rd Warning termining components of labelling: thane hitrate tements Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation.
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H302+H31 H315 H319 H351 H355 Precaution	rd Warning termining components of labelling: thane hitrate tements Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. hary statements
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H302+H31 H315 H319 H351 H355 Precaution The follow	rd Warning termining components of labelling: thane hitrate tements Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. hary statements ng Precautionary Statements are applicable only to the general GHS regulations and not the
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H315 H319 H351 H355 Precaution The follow specific CL	rd Warning termining components of labelling: thane hitrate tements Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. hary statements ng Precautionary Statements are applicable only to the general GHS regulations and not th P regulation: P374.
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H315 H319 H351 H335 Precaution The follow specific CL P210	rd Warning termining components of labelling: thane hitrate tements Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. hary statements ng Precautionary Statements are applicable only to the general GHS regulations and not th P regulation: P374. Keep away from heat/sparks/open flames/hot surfaces No smoking.
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H315 H319 H351 H335 Precaution The follow specific CL P210 P250	rd Warning termining components of labelling: thane itrate tements Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. hary statements ng Precautionary Statements are applicable only to the general GHS regulations and not th P regulation: P374. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not subject to grinding/shock/friction.
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H315 H319 H351 H355 Precaution The follow specific CL P210 P250 P261	rd Warning termining components of labelling: thane itrate tements Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. hary statements ng Precautionary Statements are applicable only to the general GHS regulations and not th P regulation: P374. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not subject to grinding/shock/friction. Avoid breathing mist/vapours/spray.
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H315 H319 H351 H355 Precaution The follow specific CL P210 P250 P261 P281	rd Warning termining components of labelling: thane thane itrate ttements Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. hary statements ng Precautionary Statements are applicable only to the general GHS regulations and not th P regulation: P374. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not subject to grinding/shock/friction. Avoid breathing mist/vapours/spray. Use personal protective equipment as required.
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H315 H319 H351 H355 Precaution The follow specific CL P210 P250 P261 P281 P264	rd Warning termining components of labelling: thane ititrate ititrate Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. hary statements ng Precautionary Statements are applicable only to the general GHS regulations and not th P regulation: P374. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not subject to grinding/shock/friction. Avoid breathing mist/vapours/spray. Use personal protective equipment as required. Wash thoroughly after handling.
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H315 H319 H351 H351 H355 Precaution The follow specific CL P210 P250 P261 P281 P264	rd Warning termining components of labelling: thane itrate ttements Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. hary statements ng Precautionary Statements are applicable only to the general GHS regulations and not th P regulation: P374. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not subject to grinding/shock/friction. Avoid breathing mist/vapours/spray. Use personal protective equipment as required. Wash thoroughly after handling. 1+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
Signal wo Hazard-de dichlorome glycerol trir Hazard sta H204 H302+H31 H315 H319 H351 H351 H355 Precaution The follow specific CL P210 P250 P261 P261 P281 P264	rd Warning termining components of labelling: thane ititrate ititrate Fire or projection hazard. 2+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. hary statements ng Precautionary Statements are applicable only to the general GHS regulations and not th P regulation: P374. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not subject to grinding/shock/friction. Avoid breathing mist/vapours/spray. Use personal protective equipment as required. Wash thoroughly after handling.

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

	(Contd. of page 2)
P373	DO NOT fight fire when fire reaches explosives.
P374	Fight fire with normal precautions from a reasonable distance.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
P372	breathing. Explosion risk in case of fire.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
 Additional inform 	
Contains Rosin. N	lay produce an allergic reaction.
	ly flammable in use.
Hazard descripti	
· WHMIS-symbols	
	rial causing immediate and serious toxic effects
E - Corrosive mat	naterial causing other toxic effects
F - Dangerously r	
\ [™] _/ !_/ť	₩ ČY (K)
· NFPA ratings (so	cale () - 4)
•	
Health	
23 Fire =	
V Keacti	vity = 3
· HMIS-ratings (sc	ale 0 - 4)
HEALTH 1 Healt	th = *1
FIRE O Fire =	= 0
REACTIVITY 3 Reac	tivity = 3
Warning: Contain	s lead salt(s). Long-term health hazard.
-	n Health Hazard Substances
75-09-2 dichloror	
· 2.3 Other hazard	
	and vPvB assessment
· PBT: Not applical	
· vPvB: Not applica	
• Explosive Produ	
	F ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use
	result of careful planning and observance of the best known practices. The explosives
	ber that he is dealing with a powerful force and that various devices and methods have
	to assist him in directing this force. He should realize that this force, if misdirected, may
either kill or injure	both him and his fellow workers.
	(Contd. on page 4)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

(Contd. of page 3)

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

CAS: 75-09-2	dichloromethane	>60%
EINECS: 200-838-9	Xn R40	
Index number: 602-004-00-3		
	🚸 Carc. 2, H351	
CAS: 8023-77-6	Oleoresin Capsicum	10-20%
EINECS: 288-920-0	🗙 Xn R21/22; 🗙 Xi R36/38	
	🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 9004-70-0	Nitrocellulose, colloided, granular	1-5%
EC number: 603-037-0	E R3	
	Expl. 1.1, H201	
CAS: 55-63-0	glycerol trinitrate	1-5%
EINECS: 200-240-8	😡 T+ R26/27/28; 🎇 E R3; 🌄 N R51/53	
Index number: 603-034-00-X		
	Unst. Expl., H200	
	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 STOT RE 2, H373	
	Aquatic Chronic 2, H411	
	Flam. Liq. 2, H225	
CAS: 7757-79-1	potassium nitrate	1-5%
EINECS: 231-818-8	A O R8	1070
	© Ox. Sol. 2, H272	
CAS: 8050-09-7	Rosin	< 1,0%
EINECS: 232-475-7	🗙 Xi R43	
Index number: 650-015-00-7	🚯 Skin Sens. 1, H317	
	the wording of the listed risk phrases refer to section 16.	
Notable Trace Components	s (≤ 0.1% w/w)	

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

	(Contd. of page 4)
CAS: 122-39-4	diphenylamine
EINECS: 204-539-4	😡 T R23/24/25; 🌄 N R50/53
Index number: 612-026-00-5	R33
	 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT RE 2, H373
	🕉 Aquatic Acute 1, H400; Aquatic Chronic 1, H410
CAS: 15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide
EINECS: 239-290-0 Index number: 609-019-00-4	😡 T Repr. Cat. 1, 3 R61; 🗙 Xn R62-20/22; 🎇 E R3; 擬 N R50/53 R33
	🗞 Unst. Expl., H200
	Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332
	Acute 1 ox. 4, H302; Acute 1 ox. 4, H332

SECTION 4: First aid measures

· 4.1 Description of first aid measures	
General information:	
Immediately remove any clothing soiled by the product.	
Take affected persons out into the fresh air.	
Symptoms of poisoning may even occur after several hours; therefore medical observat	tion for at least 48
hours after the accident.	
· After inhalation:	
Remove victim to fresh air.	
Seek medical help for symptoms or if unconscious.	
After skin contact:	
Immediately wash with water and soap and rinse thoroughly.	
If skin irritation continues, consult a doctor.	
· After eye contact:	
Remove contact lenses if worn.	
Rinse opened eye for several minutes under running water. If symptoms persist, consult	a doctor.
· After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; call for medical help immediately.	
• 4.2 Most important symptoms and effects, both acute and delayed	
May cause respiratory irritation.	
Coughing	
Breathing difficulty	
Blast injury if mishandled.	
Slight irritant effect on skin and mucous membranes.	
Irritant to eyes.	
Irritant to skin and mucous membranes.	
· Hazards	
Danger of blast or crush-type injuries.	
Danger of impaired breathing.	
Suspected of causing cancer.	
	(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

• 4.3 Indication of any immediate medical attention and special treatment needed
 Contains methylene chloride.
 Product may produce physical injury if mishandled. Treatment of these injuries should be based on the

Product may produce physical injury if mishandled. Treatment of these injuries should be based on t blast and compression effects.

If necessary oxygen respiration treatment.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

· 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Handle with care. Avoid jolting, friction and impact. Use only in well ventilated areas.

- Information about fire and explosion protection: Protect from heat. Keep respiratory protective device available. Emergency cooling must be available in case of nearby fire.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

· Ingredients v	\cdot Ingredients with limit values that require monitoring at the workplace:	
75-09-2 dich	oromethane	
PEL (USA)	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910,1052	
REL (USA)	See Pocket Guide App. A	
TLV (USA)	Long-term value: 174 mg/m³, 50 ppm BEI	
EL (Canada)	Long-term value: 25 ppm IARC 2B	
EV (Canada)	Long-term value: 175 mg/m ³ , 50 ppm	
		(Contd. on page 8)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

		(Contd. of page 7
55-63-0 glyce		
PEL (USA)	Ceiling limit: 2 mg/m ³ , 0,2 ppm Skin	
REL (USA)	Short-term value: 0,1 mg/m³ Skin	
TLV (USA)	Long-term value: 0,46 mg/m³, 0,05 ppm Skin	
EL (Canada)	Long-term value: 0,05 ppm Skin	
EV (Canada)	Long-term value: 0,5 mg/m³, 0,05 ppm Skin	
8050-09-7 Ro	osin	
TLV (USA)	DSEN, RSEN, L	
EL (Canada)		
, ,	rther relevant information available.	
	rther relevant information available.	
· Ingredients v	vith biological limit values:	
75-09-2 dichl	oromethane	
Ti Pa	edium: urine ime: end of shift arameter: Dichloromethane (semi-quantitative) formation: The lists valid during the making were used as basis.	
• General prot The usual pre Do not inhale Do not inhale Keep away fro Immediately r Wash hands I Avoid contact Respiratory p	Attective equipment: ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals. dust / smoke / mist. gases / fumes / aerosols. om foodstuffs, beverages and feed. emove all soiled and contaminated clothing. before breaks and at the end of work. with the eyes and skin. protection:	
	iratory protection required.	
Protection of	f hands:	
Prote	ective gloves	
Wear gloves	when handling deployed rounds.	(Contd. on page

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

(Contd. of page 8)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment
- No further relevant information available.
- Risk management measures
 See Section 7 for additional information.
 Organizational measures should be in place for all activities involving this product.
 No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Appearance:	
Form: Colour:	Solid metal container containing liquid and solid contents. According to product specification
· Odour:	Odourless
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. Undetermined.
· Flash point:	Not applicable.
 Flammability (solid, gaseous): 	Not determined.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Heating may cause an explosion. (Contd. on page 10)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

Dynamic: Kinematic:	Not applicable. Not applicable. No further relevant information available.	
· Viscosity:		
Partition coefficient (n-octanol	/water): Not determined.	
Solubility in / Miscibility with water:	Insoluble.	
 Vapour density Evaporation rate 	Not applicable. Not applicable.	
Relative density	Not determined.	
Density:	Not determined.	
Vapour pressure:	Not applicable.	
Lower: Upper:	Not determined. Not determined.	
• Explosion limits:		(Contd. of pa

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions Toxic fumes may be released if heated above the decomposition point. Reacts with strong acids and alkali. Reacts violently with oxidising agents. Danger of explosion. Reacts with certain metals.
10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.
10.5 Incompatible materials: Oxidizers
10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Sulphur oxides (SOx) Chlorine compounds

(Contd. on page 11)

GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

(Contd. of page 10)

 11.1 Information on toxicological effects Acute toxicity: 		
· LD/LC50 values relevant for classification:		
75-09-2 d		
Oral	LD50	1600 mg/kg (rat)
		88 mg/l (rat)
		in Capsicum
Oral	LD50	3000 mg/kg (rat)
Dermal	LD50	>2500 mg/kg (mouse)
55-63-0 g	-	nitrate
Oral	LD50	115 mg/kg (mouse)
		105 mg/kg (rat)
Dermal	LD50	29 mg/kg (rat)
		280 mg/kg (rabbit)
Sensitising Additiona The prod	g effect the Il toxicolo uct shows	v skin contact is possible by prolonged exposure. rough inhalation is possible by prolonged exposure. ogical information: s the following dangers according to the calculation method of the General EU lines for Preparations as issued in the latest version:
Normal has by wearin above list contains t product, r generated Acute effe Inhalation Causes sk Repeated	andling of g appropr ed TLV's the variou which ma ects (acut may caus kin and eye dose tox	n adsorption. the undeployed product poses little or no health hazards, One should avoid inhalatio riate respiratory protection when exposed to the chemical ingredients of the product or when exposed to the post ignition by-products. This product is a cansister whic us components completely sealed within. Therefore, under normal handling of this are to any harmful materials will occur. When the product is used, particles may be ay be irritating to the eyes and the respiratory tract. te toxicity, irritation and corrosivity): se irritation to the respiratory system. e irritation. cicity: Causes damage to organs through prolonged or repeated exposure. nogenity, mutagenicity and toxicity for reproduction):

(Contd. on page 12)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

(Contd. of page 11)

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN-Number
- \cdot DOT, ADR, IMDG, IATA
- 14.2 UN proper shipping name
- \cdot DOT, IATA

UN0301


Ammunition Tear-producing with burster, expelling charge or propelling charge 0301 Ammunition Tear-producing with burster, expelling

· ADR

(Contd. on page 13)

Printing date: September 26, 2014

Revision: September 26, 2014



(Contd. on page 14)

GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

(Contd. of page 13)

SECTION 15: Regulatory information • 15.1 Safety, health and environmental regulations/legislation specific for th • United States (USA)	e substance or mixtur
· SARA	
Section 355 (extremely hazardous substances): None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
75-09-2 dichloromethane	
55-63-0 glycerol trinitrate 7757-79-1 potassium nitrate	
•	
• TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
Chemicals known to cause cancer: 75-09-2 dichloromethane	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity: Present in trace quantities.	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
75-09-2 dichloromethane	
· IARC (International Agency for Research on Cancer)	
75-09-2 dichloromethane	2
· TLV (Threshold Limit Value established by ACGIH)	
75-09-2 dichloromethane	A
• NIOSH-Ca (National Institute for Occupational Safety and Health)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
75-09-2 dichloromethane	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
75-09-2 dichloromethane	
	(Contd. on page

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

(Contd. of page 14)

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients are listed.

• Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H200 Unstable explosives.
- H201 Explosive; mass explosion hazard.
- H225 Highly flammable liquid and vapour.
- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H310 Fatal in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

R21/22 Harmful in contact with skin and if swallowed.

R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.

- R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.
- R33 Danger of cumulative effects.
- R36/38 Irritating to eyes and skin.
- R40 Limited evidence of a carcinogenic effect.
- R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R8 Contact with combustible material may cause fire.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 16)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - OC

(Contd. of page 15) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Expl. 1.1: Explosives, Division 1.1 Expl. 1.4: Explosives, Division 1.4 Unst. Expl.: Explosives, Unstable explosives Flam. Liq. 2: Flammable liquids, Hazard Category 2 Ox. Sol. 2: Oxidising Solids, Hazard Category 2 Acute Tox. 2: Acute toxicity, Hazard Category 2 Acute Tox. 4: Acute toxicity, Hazard Category 4 Acute Tox. 1: Acute toxicity, Hazard Category 1 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 2: Carcinogenicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 · Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com