

GHS

Printing date: September 26, 2014

Revision: September 26, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>37MM Liquid Ferret - CN</u>
 Article number: 1161 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 Application of the substance / the mixture Explosive product.
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 Further information obtainable from: Customer Care Department
• 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585
SECTION 2: Hazards identification
• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 • exploding bomb
Expl. 1.4 H204 Fire or projection hazard.
skull and crossbones
Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H311 Toxic in contact with skin. Acute Tox. 1 H330 Fatal if inhaled.
health hazard
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Carc. 2 H351 Suspected of causing cancer.
Skin Irrit. 2H315 Causes skin irritation.Eye Irrit. 2H319 Causes serious eye irritation.Skin Sens. 1H317 May cause an allergic skin reaction.(Contd. on page 2)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

STOT SE 3	(Contd. of page 1 H335 May cause respiratory irritation.
	according to Directive 67/548/EEC or Directive 1999/45/EC
T+; Very to	•
R26:	Very toxic by inhalation.
😡 T; Toxic	
R24/25:	Toxic in contact with skin and if swallowed.
🗙 Xn; Harmf	ful
R40:	Limited evidence of a carcinogenic effect.
🗙 Xn; Sensit	tising
R42/43:	May cause sensitisation by inhalation and skin contact.
🗙 Xi; Irritant	
R36/37/38:	Irritating to eyes, respiratory system and skin.
R5-44-52/53:	Heating may cause an explosion. Risk of explosion if heated under confinement. Harmfu to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	ation is in accordance with the latest editions of international substances lists, and i by information from technical literature and by information provided by the company.
	ording to Regulation (EC) No 1272/2008
	classified and labelled according to the CLP regulation. grams
GHS01 GHS0	grams
<u> </u>	grams
Signal word D	G GHS08
Hazard-detern 2-chloroacetop dichlorometha glycerol trinitra Rosin	Grams 6 GHS08 Danger mining components of labelling: phenone ne ate
Hazard-detern 2-chloroacetop dichlorometha glycerol trinitra Rosin Hazard staten	Grams 6 GHS08 Danger mining components of labelling: phenone ne ate

GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

	(Contd. of	page 2)
	1 Toxic if swallowed or in contact with skin.	
H330	Fatal if inhaled.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H317	May cause an allergic skin reaction.	
H351	Suspected of causing cancer.	
H335	May cause respiratory irritation.	
 Precaution 	nary statements	
The followi	ring Precautionary Statements are applicable only to the general GHS regulations and n	ot the
specific CL	P regulation: P374.	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P250	Do not subject to grinding/shock/friction.	
P260	Do not breathe mist/vapours/spray.	
P284	Wear respiratory protection.	
P280	Wear protective clothing / eye protection.	
P202	Do not handle until all safety precautions have been read and understood.	
P305+P351	1+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact len	ses, if
	present and easy to do. Continue rinsing.	,
P373	DO NOT fight fire when fire reaches explosives.	
P342+P311		an.
P374	Fight fire with normal precautions from a reasonable distance.	
P372	Explosion risk in case of fire.	
P308+P313	•	
P333+P313		
P302+P352		
P403+P233		
P501	Dispose of contents/container in accordance with local/regional/national/interna	ational
	regulations.	
· Additional	l information:	
	ne highly flammable in use.	
· Hazard des		
· WHMIS-sy		
	y toxic material causing immediate and serious toxic effects	
	y toxic material causing other toxic effects	
	ive material	
	rously reactive material	
i Daligon		
	!) ピッ(w)	
• NFPA ratin	ngs (scale 0 - 4)	
	Health = 4	
	Fire = 0	
	Reactivity = 3	
	(Contd. on	page 4)
	(cond. or	F-490 1)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

EINECS: 200-838-9 Index number: 602-004-00-3

🚸 Carc. 2, H351

(Contd. of page 3)

	(Con	td. of page 3
\cdot HMIS-ratings (scale 0 -	4)	
HEALTH ^{*4} Health = *4		
FIRE I Fire = 0		
Reactivity 3 Reactivity =	3	
Warning: Contains lead s	salt(s). Long-term health hazard.	
· HMIS Long Term Health	h Hazard Substances	
75-09-2 dichloromethan	e	
2.3 Other hazards		
• Results of PBT and vPv	vB assessment	
• PBT: Not applicable.		
• vPvB: Not applicable. • Explosive Product Noti		
	IDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents	s in the u
	of careful planning and observance of the best known practices. The	
	at he is dealing with a powerful force and that various devices and me	
	thim in directing this force. He should realize that this force, if misdir	
	im and his fellow workers.	
all applicable federal, sta as to how to use any ex	by or under the direction of competent, experienced persons in accounte, and local laws, regulations, or ordinances. If you have any question product, DO NOT USE IT before consulting with your supervisor have a supervisor. If your supervisor has any questions or doubts refore use.	s or doul isor, or t
•	osition/information on ingredients	
 3.2 Mixtures Description: Mixture of s 	substances listed below with nonhazardous additions.	
Dangerous component	s:	
CAS: 532-27-4	2-chloroacetophenone	
EINECS: 208-531-1	😡 T+ R26; 😡 T R24/25; 🗙 Xn R42/43; 🗙 Xi R37/38-41	40-60%
		40-60%
	Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 1, H330	40-60%
	🚯 Resp. Sens. 1, H334	40-60%
	& Resp. Sens. 1, H334 Eye Dam. 1, H318	40-60%
CAS: 75-09-2	🚯 Resp. Sens. 1, H334	40-60%

(Contd. on page 5)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

	(Cont	d. of page 4)
CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular E R3 Expl. 1.1, H201	1-5%
CAS: 55-63-0 EINECS: 200-240-8 Index number: 603-034-00-X	glycerol trinitrate T + R26/27/28; E R3; N R51/53 R33 Ounst. Expl., H200 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 STOT RE 2, H373 Aquatic Chronic 2, H411 Flam. Liq. 2, H225	1-5%
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate O R8 O X. Sol. 2, H272	1-5%
CAS: 8050-09-7 EINECS: 232-475-7 Index number: 650-015-00-7	Rosin ★ Xi R43 ◆ Skin Sens. 1, H317	< 1,0%
· Additional information: For	the wording of the listed risk phrases refer to section 16.	
Notable Trace Components	s (≤ 0,1% w/w)	
CAS: 122-39-4 EINECS: 204-539-4 Index number: 612-026-00-5		
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 15245-44-0 EINECS: 239-290-0 Index number: 609-019-00-4	lead 2,4,6-trinitro-m-phenylene dioxide T Repr. Cat. 1, 3 R61; Xn R62-20/22; E R3; N R50/53 R33	
	 Unst. Expl., H200 Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332 	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Remove breathing equipment only after contaminated clothing have been completely removed.

· After inhalation:

Remove victim to fresh air.

Seek immediate medical advice.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. on page 6)

Printing date: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

Revision: September 26, 2014

(Contd. of page 5) · After skin contact: Immediately remove any clothing soiled by the product. Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. · 4.2 Most important symptoms and effects, both acute and delayed Asthma attacks Allergic reactions Blast injury if mishandled. May cause respiratory irritation. Breathing difficulty Coughing Irritant to eyes. Irritant to skin and mucous membranes. Hazards Danger of blast or crush-type injuries. Danger of impaired breathing. Suspected of causing cancer. 4.3 Indication of any immediate medical attention and special treatment needed Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects. Contains methylene chloride. Contains [(2-chlorophenyl)methylene]malononitrile. May produce an allergic reaction. Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants. Monitor circulation, possible shock treatment. Treat skin and mucous membrane with antihistamine and corticoid preparations. If necessary oxygen respiration treatment. Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

· For safety reasons unsuitable extinguishing agents: None.

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities. Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Remove persons from danger area. Ensure adequate ventilation Protect from heat. Isolate area and prevent access. 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Inform respective authorities in case of seepage into water course or sewage system. · 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Dispose contaminated material as waste according to item 13. Send for recovery or disposal in suitable receptacles. Clean the affected area carefully; suitable cleaners are: Warm water and cleansing agent · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Handle with care. Avoid jolting, friction and impact. Use only in well ventilated areas.
- Information about fire and explosion protection: Protect from heat.

(Contd. on page 8)

GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

Keep respiratory protective device available. Emergency cooling must be available in case of nearby fire.

• 7.2 Conditions for safe storage, including any incompatibilities • Storage:

• Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame.

- Information about storage in one common storage facility: Store away from foodstuffs. Store away from flammable substances.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

-	8.1 Control parameters		
-	vith limit values that require monitoring at the workplace	e:	
532-27-4 2-cł	nloroacetophenone		
PEL (USA)	Long-term value: 0,3 mg/m ³ , 0,05 ppm		
REL (USA)	Long-term value: 0,3 mg/m³, 0,05 ppm		
TLV (USA)	Long-term value: 0,32 mg/m ³ , 0,05 ppm		
EL (Canada)	Long-term value: 0,05 ppm S		
EV (Canada)	Long-term value: 0,32 mg/m ³ , 0,05 ppm		
75-09-2 dichl	oromethane		
PEL (USA)	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910,1052		
REL (USA)	See Pocket Guide App. A		
TLV (USA)	Long-term value: 174 mg/m³, 50 ppm BEI		
EL (Canada)	Long-term value: 25 ppm IARC 2B		
EV (Canada)	Long-term value: 175 mg/m ³ , 50 ppm		
55-63-0 glyce	erol trinitrate		
PEL (USA)	Ceiling limit: 2 mg/m ³ , 0,2 ppm Skin		
REL (USA)	Short-term value: 0,1 mg/m ³ Skin		
TLV (USA)	Long-term value: 0,46 mg/m³, 0,05 ppm Skin		
		(Contd. on page	

(Contd. of page 7)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

		(Contd. of page
EL (Canada)	Long-term value: 0,05 ppm Skin	
EV (Canada)	Long-term value: 0,5 mg/m³, 0,05 ppm Skin	
8050-09-7 Ro	osin	
TLV (USA)	DSEN, RSEN, L	
EL (Canada)		
122-39-4 dip	•	
· · ·	Long-term value: 10 mg/m ³	
()	Long-term value: 10 mg/m ³	
. ,	Long-term value: 10 mg/m ³	
, ,	Long-term value: 10 mg/m ³	
	rther relevant information available.	
	rther relevant information available.	
-	vith biological limit values:	
75-09-2 dich		
BEI (USA) 0	3 mg/L edium: urine	
	ime: end of shift	
	arameter: Dichloromethane (semi-quantitative)	
Additional in	formation: The lists valid during the making were used as basis.	
General prot The usual prot Immediately r Do not inhale Do not inhale Avoid contact Keep away fr	ective equipment: ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals. emove all soiled and contaminated clothing. dust / smoke / mist. gases / fumes / aerosols. with the eyes and skin. om foodstuffs, beverages and feed.	
Wash hands • Respiratory	before breaks and at the end of work. protection:	
Resp	iratory protection required.	
· Protection o	f hands:	
Prote	ective gloves	
The glove ma	when handling deployed rounds. Iterial has to be impermeable and resistant to the product/ the substance/ t the glove material on consideration of the penetration times, rates of	
uegrauation.		(Contd. on page 1

(Contd. on page 10)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

(Contd. of page 9)

• Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment
- No further relevant information available.
- **Risk management measures** See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

 Appearance: Form: Colour: Odour: Odour threshold: 	Solid metal container containing liquid and solid contents. According to product specification Odourless Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. Undetermined.
· Flash point:	Not applicable.
 Flammability (solid, gaseous): 	Not determined.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Heating may cause an explosion.
 Explosion limits: Lower: 	Not determined.

(Contd. on page 11)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

		(Contd. of page 10)
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density:	Not determined.	
 Relative density 	Not determined.	
· Vapour density	Not applicable.	
 Evaporation rate 	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient (n-octand	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
 9.2 Other information 	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Danger of explosion.

Toxic fumes may be released if heated above the decomposition point.

- Contact with acids releases toxic gases.
- Acts as an oxidising agent on organic materials such as wood, paper and fats.

Reacts with strong alkali.

Reacts with certain metals.

- 10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Nitrogen oxides

Sulphur oxides (SOx)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values relevant for classification:

532-27-4 2-chloroacetophenone

Oral LD50 50 mg/kg (rat)

(Contd. on page 12)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

Oral	chlorome	ethane
	LD50	1600 mg/kg (rat)
Inhalative		88 mg/l (rat)
55-63-0 gl		
Oral	LD50	115 mg/kg (mouse)
		105 mg/kg (rat)
Dermal	LD50	29 mg/kg (rat)
Dennar	LDOU	280 mg/kg (rabbit)
Primary ir	witcost off	
does not p on the ski on the eye Sensitisati Sensitisati Additiona Normal ha by wearing above liste contains t product, n generated The product Classificat Irritant Harmful Danger the Severe all	oosess the in: Irritant e: Irritating tion: on possib on possib on possib I toxicolo andling of g appropr ed TLV's the variou which ma uct show tion Guide rough skir ergic skin	<pre>xposure to dusts/mists/spray/vapours released during deployment. Unused prod use effects. to skin and mucous membranes. g effect. le through inhalation. le through skin contact. ogical information: the undeployed product poses little or no health hazards, One should avoid inhala iate respiratory protection when exposed to the chemical ingredients of the prod or when exposed to the post ignition by-products. This product is a cansister while s components completely sealed within. Therefore, under normal handling of are to any harmful materials will occur. When the product is used, particles may any be irritating to the eyes and the respiratory tract. s the following dangers according to the calculation method of the General lines for Preparations as issued in the latest version: n adsorption. reaction, bronchial spasms and anaphylactic shock are possible. te toxicity, irritation and corrosivity): e irritation to the respiratory system.</pre>

- · 12.1 Toxicity
- \cdot Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 13)

GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

(Contd. of page 12)

- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number		
· DOT, ADR, IMDG, IATA	UN0301	
 14.2 UN proper shipping name 		
· DOT, IMDG, IATA	Ammunition Tear-producing with burster, expelling	
	charge or propelling charge	
· ADR	0301 Ammunition Tear-producing with burster, expelling	
	charge or propelling charge	
 14.3 Transport hazard class(es) 		
· DOT		
· Class	1.4	
	(Contd. on page 14)	

Printing date: September 26, 2014

Revision: September 26, 2014

	(Contd. of page 1
Label	1.4G+6.1+8
ADR, IMDG	
Class	1.4
Label	1.4G+6.1+8
IATA	
Class	1.4G
Label	1.4G+6.1+8
14.4 Packing group DOT, ADR, IMDG, IATA	Ш
14.5 Environmental hazard	
Marine pollutant:	No
Special marking (IATA):	
Cargo Aircraft Only.	
14.6 Special precautions fo	
EMS Number:	<u>F-A</u> ,S-Q
Segregation groups	Liquid halogenated hydrocarbons
14.7 Transport in bulk acco MARPOL73/78 and the IBC	
UN "Model Regulation":	UN0301, Ammunition Tear-producing with burste
e model togulation .	expelling charge or propelling charge, 1.4G (6.1+8), II

SECTION 15: Regulatory information

 15.1 Safety United State SARA 	y, health and environmental regulations/legislation specific for the substance or mixture tes (USA)
· Section 35	5 (extremely hazardous substances):
None of the	e ingredients are listed.
· Section 31	3 (Specific toxic chemical listings):
532-27-4	2-chloroacetophenone
75-09-2	dichloromethane
55-63-0	glycerol trinitrate
7757-79-1	potassium nitrate
	(Contd. on page 15)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

	(Contd. of page
• TSCA (Toxic Substances Control Act): All ingredients are listed.	
Proposition 65 (California):	
· Chemicals known to cause cancer:	
75-09-2 dichloromethane	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide • Chemicals known to cause reproductive toxicity for females:	
Present in trace quantities.	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males: Present in trace quantities.	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity: Present in trace quantities.	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide	
Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
75-09-2 dichloromethane	
· IARC (International Agency for Research on Cancer)	
75-09-2 dichloromethane	2
· TLV (Threshold Limit Value established by ACGIH)	
532-27-4 2-chloroacetophenone	ł
75-09-2 dichloromethane	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
75-09-2 dichloromethane	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
75-09-2 dichloromethane	
· Canadian Ingredient Disclosure list (limit 1%)	
532-27-4 2-chloroacetophenone	
• Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of th and the SDS contains all the information required by the Controlled Proc	
\cdot Substances of very high concern (SVHC) according to REACH, Arti	icle 57
None of the ingredients are listed.	

GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

(Contd. of page 15) • **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTIO	ON 16: Other information
	mation is based on our present knowledge. However, this shall not constitute a guarantee for an roduct features and shall not establish a legally valid contractual relationship.
Relevant	phrases
H200	Unstable explosives.
H201	Explosive; mass explosion hazard.
H225	Highly flammable liquid and vapour.
H272	May intensify fire; oxidiser.
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
R24/25	Toxic in contact with skin and if swallowed.
R26	Very toxic by inhalation.
R26/27/2	8 Very toxic by inhalation, in contact with skin and if swallowed.
R3	Extreme risk of explosion by shock, friction, fire or other sources of ignition.
R33	Danger of cumulative effects.
R37/38	Irritating to respiratory system and skin.
R40	Limited evidence of a carcinogenic effect.
R41	Risk of serious damage to eyes.
R42/43	May cause sensitisation by inhalation and skin contact.
R43	May cause sensitisation by skin contact.
R51/53 R8	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Contact with combustible material may cause fire.
ADR: Accc Internationa IMDG: Inter DOT: US D IATA: Interr GHS: Globa ACGIH: Am EINECS: E ELINCS: Eu CAS: Cherr NFPA: Nati HMIS: Haza	Ations and acronyms: brd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the al Carriage of Dangerous Goods by Road) mational Maritime Code for Dangerous Goods epartment of Transportation hational Air Transport Association ally Harmonised System of Classification and Labelling of Chemicals herican Conference of Governmental Industrial Hygienists uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances hical Abstracts Service (division of the American Chemical Society) onal Fire Protection Association (USA) ardous Materials Identification System (USA) orkplace Hazardous Materials Information System (Canada)
DNEL: Deri	ved No-Effect Level (REACH) (Contd. on page 1

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 37MM Liquid Ferret - CN

(Contd. of page 16) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Expl. 1.1: Explosives, Division 1.1 Expl. 1.4: Explosives, Division 1.4 Unst. Expl.: Explosives, Unstable explosives Flam. Liq. 2: Flammable liquids, Hazard Category 2 Ox. Sol. 2: Oxidising Solids, Hazard Category 2 Acute Tox. 2: Acute toxicity, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 1: Acute toxicity, Hazard Category 1 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 2: Carcinogenicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 · Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com