

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

1 Identification

- **Product identifier**
- **Trade name: 40MM CN Ferret Powder Barricade**
- **Product code: 2291 (1304416)**
- **Recommended use and restriction on use**
- **Recommended use:** Crowd Control Device
- **Restrictions on use:** Contact manufacturer/supplier
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Safariland, LLC
13386 International Parkway
Jacksonville, FL 32218
Customer Care (800) 347-1200
- **Information department:** Customer Care Department
- **Emergency telephone number:**
ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)



2 Hazard(s) identification

- **Classification of the substance or mixture**
- Expl. 1.4 H204 Fire or projection hazard.
- Acute Tox. 3 H301 Toxic if swallowed.
- Acute Tox. 2 H310 Fatal in contact with skin.
- Acute Tox. 1 H330 Fatal if inhaled.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2A H319 Causes serious eye irritation.
- Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS01 GHS06 GHS07 GHS08

- **Signal word:** Danger

- **Hazard statements:**

H204 Fire or projection hazard.
H301 Toxic if swallowed.
H310+H330 Fatal in contact with skin or if inhaled.
H315 Causes skin irritation.

(Cont'd. on page 2)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CN Ferret Powder Barricade

(Cont'd. of page 1)

- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.

· **Precautionary statements:**

The following Precautionary Statements are applicable only to the general GHS regulations and not the specific CLP regulation: P374.

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P250 Do not subject to grinding/shock/friction.
- P260 Do not breathe dust.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P284 [In case of inadequate ventilation] wear respiratory protection.
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P330 Rinse mouth.
- P302+P352 If on skin: Wash with plenty of soap and water.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a poison center/doctor if you feel unwell.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor.
- P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
- P370+P380 In case of fire: Evacuate area.
- P372 Explosion risk in case of fire.
- P373 DO NOT fight fire when fire reaches explosives.
- P401 Store in accordance with local/regional/national/international regulations.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



Warning: Contains lead salt(s). Long-term health hazard.

· **Other hazards**

· **Explosive Product Notice**

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that they are dealing with a powerful force and that various devices and methods

(Cont'd. on page 3)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CN Ferret Powder Barricade

(Cont'd. of page 2)













have been developed to assist them in directing this force. They should realize that this force, if misdirected, may either kill or injure both themselves and their fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, **DO NOT USE IT** before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, they should consult the manufacturer before use.

3 Composition/information on ingredients




· **Chemical characterization: Mixtures**

· **Components:**

532-27-4	2-chloroacetophenone  Acute Tox. 2, H300; Acute Tox. 2, H310; Acute Tox. 2, H330  Resp. Sens. 1, H334  Eye Dam. 1, H318  Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	40-60%
1309-48-4	Magnesium oxide	20-40%
9004-70-0	Nitrocellulose, colloided, granular  Expl. 1.1, H201	5-10%
55-63-0	glycerol trinitrate / nitroglycerin  Unst. Expl., H200  Flam. Liq. 2, H225  Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330  STOT RE 2, H373	5-10%
8050-09-7	Rosin  Skin Sens. 1, H317	0.1-1%
7439-89-6	Iron	0.1-1%
7440-50-8	Copper	0.1-1%
122-39-4	diphenylamine  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331  STOT RE 2, H373	0.1-1%

· **Additional information:** For the wording of the listed Hazard Statements, refer to section 16.

· **Notable Trace Components (< 0.1% w/w)**

15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate  Unst. Expl., H200  Repr. 1A, H360; STOT RE 2, H373  Acute Tox. 4, H302; Acute Tox. 4, H332
------------	---

4 First-aid measures

· **Description of first aid measures**

· **General information:**

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CN Ferret Powder Barricade

(Cont'd. of page 3)

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Remove breathing apparatus only after contaminated clothing have been completely removed.

· **After inhalation:**

Remove victim to fresh air.

Seek immediate medical advice.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· **After skin contact:**

Immediately remove any clothing soiled by the product.

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· **Most important symptoms and effects, both acute and delayed:**

Asthma attacks

Blast injury if mishandled.

Allergic reactions

May cause respiratory irritation.

Breathing difficulty

Coughing

Causes eye irritation.

Irritant to skin and mucous membranes.

· **Danger:**

May cause sensitisation by inhalation and skin contact.

Toxic if swallowed.

Fatal if inhaled.

Fatal in contact with skin.

Danger of blast or crush-type injuries.

Danger of impaired breathing.

· **Indication of any immediate medical attention and special treatment needed:**

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

Contains [(2-chlorophenyl)methylene]malononitrile. May produce an allergic reaction.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

In cases of irritation to the lungs, initial treatment with corticosteroid inhalants.

Monitor circulation, possible shock treatment.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

5 Fire-fighting measures

(Cont'd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CN Ferret Powder Barricade

(Cont'd. of page 4)

- **Extinguishing media**

- **Suitable extinguishing agents:**

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- **For safety reasons unsuitable extinguishing agents:** None.

- **Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

- **Advice for firefighters**

- **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

- **Additional information:**

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions.

Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation.

Protect from heat.

Isolate area and prevent access.

- **Environmental precautions** No special measures required.

- **Methods and material for containment and cleaning up**

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CN Ferret Powder Barricade

(Cont'd. of page 5)

7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
 - Handle with care. Avoid jolting, friction and impact.
 - Avoid breathing dust.
 - Use only in well ventilated areas.
- **Information about protection against explosions and fires:**
 - Protect from heat.
 - Keep respiratory protective device available.
 - Emergency cooling must be available in case of nearby fire.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**
 - Avoid storage near extreme heat, ignition sources or open flame.
- **Information about storage in one common storage facility:**
 - Store away from foodstuffs.
 - Store away from flammable substances.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

532-27-4 2-chloroacetophenone

PEL (USA)	Long-term value: 0.3 mg/m ³ , 0.05 ppm
REL (USA)	Long-term value: 0.3 mg/m ³ , 0.05 ppm
TLV (USA)	Long-term value: 0.32 mg/m ³ , 0.05 ppm
EL (Canada)	Long-term value: 0.05 ppm
	S
EV (Canada)	Long-term value: 0.32 mg/m ³ , 0.05 ppm
LMPE (Mexico)	Long-term value: 0.05 ppm
	A4

1309-48-4 Magnesium oxide

PEL (USA)	Long-term value: 15* mg/m ³ fume; *total particulate
TLV (USA)	Long-term value: 10* mg/m ³ *as inhalable fraction
EL (Canada)	Short-term value: 10** mg/m ³ Long-term value: 10* 3** mg/m ³ *inhalable fume;**respirable dust and fume
EV (Canada)	Long-term value: 10 mg/m ³ inhalable
LMPE (Mexico)	Long-term value: 10* mg/m ³

(Cont'd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CN Ferret Powder Barricade

(Cont'd. of page 6)

	A4, *fracción respirable
55-63-0 glycerol trinitrate / nitroglycerin	
PEL (USA)	Ceiling limit value: 2 mg/m ³ , 0.2 ppm Skin
REL (USA)	Short-term value: 0.1 mg/m ³ Skin
TLV (USA)	Long-term value: 0.46 mg/m ³ , 0.05 ppm Skin
EL (Canada)	Long-term value: 0.05 ppm Skin
EV (Canada)	Long-term value: 0.5 mg/m ³ , 0.05 ppm Skin
LMPE (Mexico)	Long-term value: 0.05 ppm PIEL
8050-09-7 Rosin	
TLV (USA)	DSEN, RSEN, L
EL (Canada)	S(D), S(R)
LMPE (Mexico)	SEN, (L)
7439-89-6 Iron	
EV (Canada)	Long-term value: 1* 5** mg/m ³ as iron;*salts, water-soluble;**welding fume
LMPE (Mexico)	Long-term value: 1 mg/m ³
7440-50-8 Copper	
PEL (USA)	Long-term value: 1* 0.1** mg/m ³ as Cu *dusts and mists **fume
REL (USA)	Long-term value: 1* 0.1** mg/m ³ as Cu *dusts and mists **fume
TLV (USA)	Long-term value: 1* 0.2** mg/m ³ *dusts and mists; **fume; as Cu
EL (Canada)	Long-term value: 1* 0.2** mg/m ³ *dusts and mists; **fume, as Cu
EV (Canada)	Long-term value: 0.2* 1** mg/m ³ as copper, *fume;**dust and mists
LMPE (Mexico)	Long-term value: 0.2* 1** mg/m ³ *humo (como Cu);**polvo y niebla (como Cu)
122-39-4 diphenylamine	
REL (USA)	Long-term value: 10 mg/m ³
TLV (USA)	Long-term value: 10 mg/m ³
EL (Canada)	Long-term value: 10 mg/m ³
EV (Canada)	Long-term value: 10 mg/m ³
LMPE (Mexico)	Long-term value: 10 mg/m ³ A4

Exposure controls

(Cont'd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CN Ferret Powder Barricade

(Cont'd. of page 7)

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Immediately remove all soiled and contaminated clothing.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· **Engineering controls:**

Provide adequate ventilation.

Use only outdoors or in a well-ventilated area.

· **Breathing equipment:**



Respiratory protection required.

· **Protection of hands:**



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Safety glasses

· **Body protection:** Protective work clothing

· **Limitation and supervision of exposure into the environment**

No relevant information available.

· **Risk management measures**

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No relevant information available.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

(Cont'd. on page 9)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CN Ferret Powder Barricade

(Cont'd. of page 8)

· Appearance:	
Form:	Solid metal container containing liquid and solid contents.
Color:	According to product specification
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	Not determined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Heating may cause an explosion.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density:	Not determined.
· Relative density:	Not determined.
· Vapor density:	Not applicable.
· Evaporation rate:	Not applicable.
· Solubility in / Miscibility with Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Other information	No relevant information available.

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Danger of explosion.
Toxic fumes may be released if heated above the decomposition point.
Contact with acids releases toxic gases.
Acts as an oxidizing agent on organic materials such as wood, paper and fats.
Reacts with strong alkali.
- **Conditions to avoid** Sources of ignition, open flame, incompatible materials.

(Cont'd. on page 10)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CN Ferret Powder Barricade

(Cont'd. of page 9)

- **Incompatible materials** No relevant information available.
- **Hazardous decomposition products**
Carbon monoxide and carbon dioxide
Nitrogen oxides
Sulfur oxides (SOx)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	100-300 mg/kg (rat)
Dermal	LD50	75-200 mg/kg
Inhalative	LC50/4h	0.1-0.15 mg/l

532-27-4 2-chloroacetophenone

Oral	LD50	50 mg/kg (rat)
------	------	----------------

55-63-0 glycerol trinitrate / nitroglycerin

Oral	LD50	115 mg/kg (mouse) 105 mg/kg (rat)
Dermal	LD50	29 mg/kg (rat) 280 mg/kg (rabbit)

122-39-4 diphenylamine

Oral	LD50	1,120 mg/kg (rat)
------	------	-------------------

- **Primary irritant effect:**
- **On the skin:**
Not a skin irritant in unused form. Vapors/particles from used product are irritating to skin.
Irritant to skin and mucous membranes.
- **On the eye:**
Not an eye irritant in unused form. Vapors/particles from delployed product are a serious eye irritant.
Irritating effect.
- **Sensitization:** May cause sensitisation by inhalation and skin contact.

- **IARC (International Agency for Research on Cancer):**

15245-44-0 | lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

2B

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable route(s) of exposure:**

Ingestion.
Inhalation.
Eye contact.
Skin contact.

(Cont'd. on page 11)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CN Ferret Powder Barricade

(Cont'd. of page 10)

- **Acute effects (acute toxicity, irritation and corrosivity):**
 Danger of blast or crush-type injuries.
 Irritating to eyes, respiratory system and skin.
 Fatal if inhaled.
 Fatal in contact with skin.
 Toxic if swallowed.
- **Repeated dose toxicity:**
 May cause damage to organs through prolonged or repeated exposure.
 Repeated exposures may result in skin and/or respiratory sensitivity.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** May cause respiratory irritation.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity** The product contains materials that are harmful to the environment.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** May be accumulated in organism
- **Mobility in soil:** No relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information**
- **General notes:**
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.
 Harmful to aquatic organisms
 Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.
 The user of this material has the responsibility to dispose of unused material, residues and containers in

(Cont'd. on page 12)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CN Ferret Powder Barricade

(Cont'd. of page 11)

compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· DOT, ADR, IMDG, IATA UN0301

· **UN proper shipping name**

· DOT Ammunition Tear-producing with burster, expelling charge or propelling charge

· ADR 0301 Ammunition Tear-producing with burster, expelling charge or propelling charge

· IMDG, IATA Ammunition Tear-producing with burster, expelling charge or propelling charge

· **Transport hazard class(es)**

· DOT



· Class 1.4

· Label 1.4G+6.1+8

· ADR, IMDG



· Class 1.4

· Label 1.4G+6.1+8

· IATA



· Class 1.4G

· Label 1.4G+6.1+8

· **Packing group**

· DOT, ADR, IMDG, IATA II

· **Environmental hazards**

· Marine pollutant: No

(Cont'd. on page 13)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CN Ferret Powder Barricade

(Cont'd. of page 12)

- | | |
|--|-----------------|
| · Special precautions for user | Not applicable. |
| · EMS Number: | F-A,S-Q |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

- **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 313 (Specific toxic chemical listings):**

532-27-4	2-chloroacetophenone
55-63-0	glycerol trinitrate / nitroglycerin
7757-79-1	Potassium nitrate

- **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

- **Proposition 65 (California)**
- **Chemicals known to cause cancer:**
Present in trace quantities.

15245-44-0 | lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

- **Chemicals known to cause developmental toxicity for females:**
Present in trace quantities.

None of the ingredients are listed.

- **Chemicals known to cause developmental toxicity for males:**
Present in trace quantities.

None of the ingredients are listed.

- **Chemicals known to cause developmental toxicity:**
Present in trace quantities.

15245-44-0 | lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

- **EPA (Environmental Protection Agency):**

7440-50-8 | Copper

D

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **Canadian Domestic Substances List (DSL) (Substances not listed.):**

All ingredients listed on DSL or NDSL.

(Cont'd. on page 14)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CN Ferret Powder Barricade

(Cont'd. of page 13)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Expl. 1.1: Explosives – Division 1.1

Expl. 1.4: Explosives – Division 1.4

Unst. Expl.: Explosives – Unstable explosive

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 1: Acute toxicity – Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com