# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

#### Printing date: August 22, 2018

Revision: August 22, 2018

#### **1** Identification

#### Product identifier

• Trade name: <u>40MM CS Ferret Powder Barricade</u> • Product code: 2292 (1304417)

· Recommended use and restriction on use

- · Recommended use: Crowd Control Device
- · Restrictions on use: Contact manufacturer/supplier

 Details of the supplier of the Safety Data Sheet
 Manufacturer/Supplier: Safariland, LLC
 13386 International Parkway
 Jacksonville, FL 32218
 Customer Care (800) 347-1200
 Information department: Customer Care Department

 Emergency telephone number: ChemTel Inc.
 (800)255-3924 (North America)
 +1 (813)248-0585 (International)

# 2 Hazard(s) identification

# · Classification of the substance or mixture

Expl. 1.4 H204 Fire or projection hazard.

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.

- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2A H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- Skin Sens. 1 H317 May cause an allergic skin reaction.
- STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

# <sup>·</sup> Label elements

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



Signal word: Danger
Hazard statements:
H204 Fire or projection hazard.
H301+H311 Toxic if swallowed or in contact with skin.
H330 Fatal if inhaled.

(Cont'd. on page 2)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

#### Trade name: 40MM CS Ferret Powder Barricade (Cont'd. of page 1) H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. **Precautionary statements:** The following Precautionary Statements are applicable only to the general GHS regulations and not the specific CLP regulation: P374. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P240 Ground/bond container and receiving equipment. P250 Do not subject to grinding/shock/friction. P260 Do not breathe dust. Wash thoroughly after handling. P264 P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eve protection/face protection. P284 [In case of inadequate ventilation] wear respiratory protection. P301+P310 If swallowed: Immediately call a poison center/doctor. Rinse mouth. P330 If on skin: Wash with plenty of soap and water. P302+P352 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/attention if you feel unwell. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor. P361+P364 Take off immediately all contaminated clothing and wash it before reuse. P370+P380 In case of fire: Evacuate area. P372 Explosion risk in case of fire. P373 DO NOT fight fire when fire reaches explosives. P401 Store in accordance with local/regional/national/international regulations. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · NFPA ratings (scale 0 - 4) Health = 4Fire = 0Instability = 4· HMIS-ratings (scale 0 - 4) HEALTH \*3 Health = \*3 0 EIRE Fire = 0**REACTIVITY** A Reactivity = 4 Warning: Contains lead salt(s). Long-term health hazard. \* - Indicates a long term health hazard from repeated or prolonged exposures. (Cont'd. on page 3)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

#### Trade name: 40MM CS Ferret Powder Barricade

(Cont'd. of page 2)

# • Other hazards • Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that they are dealing with a powerful force and that various devices and methods have been developed to assist them in directing this force. They should realize that this force, if misdirected, may either kill or injure both themself and their fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, they should consult the manufacturer before use.

Compone	nts:	
1309-48-4	Magnesium oxide	40-60%
2698-41-1	<ul> <li>[(2-chlorophenyl)methylene]malononitrile</li> <li>Acute Tox. 3, H301; Acute Tox. 2, H330</li> <li>Resp. Sens. 1, H334</li> <li>Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335</li> </ul>	20-40%
9004-70-0	Nitrocellulose, colloided, granular ⓒ Expl. 1.1, H201	5-10%
55-63-0	glycerol trinitrate / nitroglycerin Unst. Expl., H200 Flam. Liq. 2, H225 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 STOT RE 2, H373	5-10%
8050-09-7	Rosin ♦ Skin Sens. 1, H317	0.1-19
7439-89-6	Iron	0.1-19
7440-50-8	Copper	0.1-19
122-39-4	diphenylamine Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT RE 2, H373	0.1-1%
Additional	information: For the wording of the listed Hazard Statements, refer to section 16.	-
Notable Tr	race Components (< 0.1% w/w)	
15245-44-(	<ul> <li>lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate</li> <li>Unst. Expl., H200</li> <li>Repr. 1A, H360; STOT RE 2, H373</li> <li>Acute Tox. 4, H302; Acute Tox. 4, H332</li> </ul>	

(Cont'd. on page 4)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

# Trade name: 40MM CS Ferret Powder Barricade

(Cont'd. of page 3)

4 First-aid measures
· Description of first aid measures
General information:
Immediately remove any clothing soiled by the product.
Take affected persons out into the fresh air.
Do not leave affected persons unattended.
Remove breathing apparatus only after contaminated clothing have been completely removed.
After inhalation:
Remove victim to fresh air.
Seek immediate medical advice.
Provide oxygen treatment if affected person has difficulty breathing. In case of irregular breathing or respiratory arrest provide artificial respiration.
· After skin contact:
Immediately remove any clothing soiled by the product.
Brush off loose particles from skin.
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
· After eye contact:
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
Most important symptoms and effects, both acute and delayed:
Asthma attacks
Blast injury if mishandled.
Allergic reactions May cause respiratory irritation.
Breathing difficulty
Coughing
Causes eye irritation.
Irritant to skin and mucous membranes.
· Danger:
Danger of blast or crush-type injuries.
Danger of impaired breathing.
Indication of any immediate medical attention and special treatment needed:
Product may produce physical injury if mishandled. Treatment of these injuries should be based on the
blast and compression effects.
Contains [(2-chlorophenyl)methylene]malononitrile. May produce an allergic reaction.
Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.
Monitor circulation, possible shock treatment.
Treat skin and mucous membrane with antihistamine and corticoid preparations.
If necessary oxygen respiration treatment.
Medical supervision for at least 48 hours.

# 5 Fire-fighting measures

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CS Ferret Powder Barricade

(Cont'd. of page 4)

# <sup>·</sup> Extinguishing media

# · Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

# · For safety reasons unsuitable extinguishing agents: None.

# • Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

# • Advice for firefighters

# · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

# Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

# 6 Accidental release measures

# <sup>•</sup> Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation.

Protect from heat.

Isolate area and prevent access.

Environmental precautions No special measures required.

• Methods and material for containment and cleaning up

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

# **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 6)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

# Trade name: 40MM CS Ferret Powder Barricade

(Cont'd. of page 5)

# 7 Handling and storage

# <sup>.</sup> Handling

• Precautions for safe handling:

Handle with care. Avoid jolting, friction and impact. Avoid breathing dust.

Use only in well ventilated areas.

• Information about protection against explosions and fires: Protect from heat. Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

#### • Conditions for safe storage, including any incompatibilities • Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No relevant information available.

8 Exposure co	8 Exposure controls/personal protection		
<sup>.</sup> Control paran	· Control parameters		
· Components w	· Components with limit values that require monitoring at the workplace:		
1309-48-4 Magi	nesium oxide		
PEL (USA)	Long-term value: 15* mg/m³ fume; *total particulate		
TLV (USA)	Long-term value: 10* mg/m³ *as inhalable fraction		
EL (Canada)	Short-term value: 10** mg/m³ Long-term value: 10* 3** mg/m³ *inhalable fume;**respirable dust and fume		
EV (Canada)	Long-term value: 10 mg/m³ inhalable		
LMPE (Mexico)	Long-term value: 10* mg/m³ A4, *fracción respirable		
2698-41-1 [(2-c	2698-41-1 [(2-chlorophenyl)methylene]malononitrile		
PEL (USA)	Long-term value: 0.4 mg/m³, 0.05 ppm		
REL (USA)	Ceiling limit value: 0.4 mg/m³, 0.05 ppm Skin		
TLV (USA)	Ceiling limit value: (0.39) NIC-0.39* mg/m³, (0.05) NIC-0.05* ppm *inhalable fraction and vapor;Skin		
EL (Canada)	Ceiling limit value: 0.05 ppm Skin, S(D)		
		(Cont'd. on page 7)	

# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CS Ferret Powder Barricade

		(Cont'd. of page 6)	
EV (Canada)	Ceiling limit value: 0.4 mg/m³, 0.05 ppm Skin		
LMPE (Mexico)	Ceiling limit value: 0.05 ppm A4, PIEL		
55-63-0 glycero	bl trinitrate / nitroglycerin		
PEL (USA)	Ceiling limit value: 2 mg/m³, 0.2 ppm Skin		
REL (USA)	Short-term value: 0.1 mg/m³ Skin		
TLV (USA)	Long-term value: 0.46 mg/m³, 0.05 ppm Skin		
EL (Canada)	Long-term value: 0.05 ppm Skin		
EV (Canada)	Long-term value: 0.5 mg/m³, 0.05 ppm Skin		
LMPE (Mexico)	Long-term value: 0.05 ppm PIEL		
8050-09-7 Rosi	n		
TLV (USA)	DSEN, RSEN, L		
EL (Canada)	S(D), S(R)		
LMPE (Mexico)	SEN, (L)		
7439-89-6 Iron			
EV (Canada)	Long-term value: 1* 5** mg/m³ as iron;*salts, water-soluble;**welding fume		
LMPE (Mexico)	Long-term value: 1 mg/m³		
7440-50-8 Cop	per		
PEL (USA)	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume		
REL (USA)	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume		
TLV (USA)	Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume; as Cu		
EL (Canada)	Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume, as Cu		
EV (Canada)	Long-term value: 0.2* 1** mg/m³ as copper, *fume;**dust and mists		
LMPE (Mexico)	Long-term value: 0.2* 1** mg/m³ *humo (como Cu);**polvo y niebla (como Cu)		
122-39-4 diphe	nylamine		
REL (USA)	Long-term value: 10 mg/m³		
TLV (USA)	Long-term value: 10 mg/m³		
EL (Canada)	Long-term value: 10 mg/m³		
EV (Canada)	Long-term value: 10 mg/m³		
		(Cont'd. on page	

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CS Ferret Powder Barricade

(Cont'd. of page 7)

LMPE (Mexico) Long-term value: 10 mg/m<sup>3</sup>

# • Exposure controls

# General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Immediately remove all soiled and contaminated clothing.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

# • Engineering controls:

Provide adequate ventilation.

Use only outdoors or in a well-ventilated area.

# Breathing equipment:



Respiratory protection required.

# Protection of hands:



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

# Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# Eye protection:



Safety glasses

· Body protection: Protective work clothing

Limitation and supervision of exposure into the environment

No relevant information available.

Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product. No relevant information available.

(Cont'd. on page 9)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

# Trade name: 40MM CS Ferret Powder Barricade

(Cont'd. of page 8)

9 Physical and chemical proper	rties		
Information on basic physical and chemical properties			
<ul> <li>Appearance:</li> <li>Form:</li> <li>Color:</li> <li>Odor:</li> <li>Odor threshold:</li> </ul>	Solid metal container containing liquid and solid contents. According to product specification Odorless Not determined.		
<ul> <li>pH-value:</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Not applicable. Not determined. Not determined.		
· Flash point:	Not applicable.		
· Flammability (solid, gaseous):	Not determined.		
· Auto-ignition temperature:	Not determined.		
· Decomposition temperature:	Not determined.		
· Danger of explosion:	Heating may cause an explosion.		
<ul> <li>Explosion limits</li> <li>Lower:</li> <li>Upper:</li> </ul>	Not determined. Not determined.		
· Vapor pressure:	Not applicable.		
<ul> <li>Density:</li> <li>Relative density:</li> <li>Vapor density:</li> <li>Evaporation rate:</li> </ul>	Not determined. Not determined. Not applicable. Not applicable.		
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Insoluble.		
· Partition coefficient (n-octanol/water): Not determined.			
<ul> <li>Viscosity</li> <li>Dynamic:</li> <li>Kinematic:</li> <li>Other information</li> </ul>	Not applicable. Not applicable. No relevant information available.		

# 10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability:

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

# Possibility of hazardous reactions

Danger of explosion.

Toxic fumes may be released if heated above the decomposition point.

Contact with acids releases toxic gases.

(Cont'd. on page 10)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CS Ferret Powder Barricade

(Cont'd. of page 9)

Acts as an oxidizing agent on organic materials such as wood, paper and fats. Reacts with strong alkali. · Conditions to avoid Sources of ignition, open flame, incompatible materials.

· Incompatible materials No relevant information available.

· Hazardous decomposition products

Carbon monoxide and carbon dioxide Nitrogen oxides Sulfur oxides (SOx)

11 Toxicological information	
------------------------------	--

 Information on toxicological effects • Acute toxicity:

· LD/LC50 values that are relevant for classification:

**ATE (Acute Toxicity Estimate)** 250-550 mg/kg (rat) Oral LD50 LD50 Dermal 250-500 mg/kg

Inhalative LC50/4h 0.1-0.2 mg/l

2698-41-1 [(2-chlorophenyl)methylene]malononitrile LD50 Oral 178 mg/kg (rat)

55-63-0 glycerol trinitrate / nitroglycerin

Oral LD50 115 mg/kg (mouse) 105 mg/kg (rat) LD50 Dermal 29 mg/kg (rat)

280 mg/kg (rabbit) 122-39-4 diphenylamine

LD50 Oral

1,120 mg/kg (rat) Primary irritant effect:

· On the skin:

Not a skin irritant in unused form. Vapors/particles from used product are irritating to skin.

Irritant to skin and mucous membranes.

On the eye:

Not an eye irritant in unused form. Vapors/particles from delpoyed product are a serious eye irritant. Irritating effect.

· Sensitization: May cause sensitisation by inhalation and skin contact.

· IARC (International Agency for Research on Cancer):

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate 2B NTP (National Toxicology Program): None of the ingredients are listed. **OSHA-Ca** (Occupational Safety & Health Administration): None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

(Cont'd. on page 11)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CS Ferret Powder Barricade

(Cont'd. of page 10)

Inhalation. Eve contact. Skin contact. • Acute effects (acute toxicity, irritation and corrosivity): Danger of blast or crush-type injuries. Irritating to eyes, respiratory system and skin. Fatal if inhaled. Toxic if swallowed or in contact with skin. Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure. Repeated exposures may result in skin and/or respiratory sensitivity. · Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Based on available data, the classification criteria are not met. • **Reproductive toxicity:** Based on available data, the classification criteria are not met. · **STOT-single exposure:** May cause respiratory irritation. • STOT-repeated exposure: Causes damage to organs through prolonged or repeated exposure. · Aspiration hazard: Based on available data, the classification criteria are not met. **12 Ecological information** <sup>·</sup> Toxicity · Aquatic toxicity The product contains materials that are harmful to the environment. 2698-41-1 [(2-chlorophenyl)methylene]malononitrile EC50 0.2-0.3 mg/kg (Oncorhynchus mykiss) · Persistence and degradability No relevant information available. · Bioaccumulative potential: May be accumulated in organism • Mobility in soil: No relevant information available. · Ecotoxical effects: · Remark: Harmful to fish · Additional ecological information · General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage svstem.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

# <sup>•</sup> Results of PBT and vPvB assessment

• **PBT:** Not applicable.

#### • **vPvB:** Not applicable.

· Other adverse effects No relevant information available.

# **13 Disposal considerations**

# · Waste treatment methods

(Cont'd. on page 12)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

# Trade name: 40MM CS Ferret Powder Barricade

(Cont'd. of page 11)

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

# <sup>·</sup> Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

<sup>·</sup> UN-Number · DOT, ADR, IMDG, IATA	UN0301
· UN proper shipping name · DOT	Ammunition Tear-producing with burster, expelling charge or propelling charge
· ADR · IMDG, IATA	0301 Ammunition Tear-producing with burster expelling charge or propelling charge Ammunition Tear-producing with burster, expelling
	charge or propelling charge
<sup>·</sup> Transport hazard class(es)	
DOT	
· Class · Label	1.4 1.4G+6.1+8
· ADR, IMDG	
· Class · Label	1.4 1.4G+6.1+8
·IATA	
Class	1.4G
· Label	1.4G+6.1+8

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

# Revision: August 22, 2018

Trade name: 40MM CS Ferret Powder Barricade

		(Cont'd. of page 12)
· DOT, ADR, IMDG, IATA	II	
<ul> <li>Environmental hazards</li> <li>Marine pollutant:</li> </ul>	No	
<ul> <li>Special precautions for user</li> <li>EMS Number:</li> </ul>	Not applicable. <u>F-A</u> ,S-Q	
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	<b>k II of</b> Not applicable.	

# **15 Regulatory information**

<ul> <li>Safety, health and environmental regulations/legislation specific mixture</li> <li>United States (USA)</li> <li>SARA</li> </ul>	for the substance or
· Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
55-63-0 glycerol trinitrate / nitroglycerin	
7757-79-1 Potassium nitrate	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
Proposition 65 (California)     Chemicals known to cause cancer:     Present in trace quantities.     15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate	
<ul> <li>Chemicals known to cause developmental toxicity for females: Present in trace quantities.</li> </ul>	
None of the ingredients are listed.	
<ul> <li>Chemicals known to cause developmental toxicity for males: Present in trace quantities.</li> </ul>	
None of the ingredients are listed.	
<ul> <li>Chemicals known to cause developmental toxicity: Present in trace quantities.</li> </ul>	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate	
EPA (Environmental Protection Agency):	
7440-50-8 Copper	D
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
	(Cont'd. on page 14)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018

Revision: August 22, 2018

Trade name: 40MM CS Ferret Powder Barricade

(Cont'd. of page 13)

#### Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients listed on DSL or NDSL.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### • Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Expl. 1.1: Explosives - Division 1.1 Expl. 1.4: Explosives - Division 1.4 Unst. Expl.: Explosives - Unstable explosive Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 1: Acute toxicity – Category 1 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com