

Printing date: September 18, 2014 Revision: September 18, 2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 12 GA CN Muzzle Blast
- · Article number: 3041
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Explosive product.
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway

Jacksonville, FL 32218

Customer Care (800) 347-1200

- · Further information obtainable from: Customer Care Department
- · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.



exploding bomb

Expl. 1.4 H204 Fire or projection hazard.



skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 1 H330 Fatal if inhaled.



health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

(Contd. on page 2)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

(Contd. of page 1)

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

Aguatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R20/22: Harmful by inhalation and if swallowed.

Xn; Sensitising

R42/43: May cause sensitisation by inhalation and skin contact.

Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

R5-44-52/53: Heating may cause an explosion. Risk of explosion if heated under confinement. Harmful

to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS01 GHS06 GHS08

· Signal word Danger

· Hazard-determining components of labelling:

2-chloroacetophenone glycerol trinitrate Rosin

diphenylamine

· Hazard statements

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

H204 Fire or projection hazard.

H301+H311 Toxic if swallowed or in contact with skin.

H330 Fatal if inhaled.

(Contd. on page 3)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

(Contd. of page 2) Causes skin irritation.

H315

H319 Causes serious eve irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

The following Precautionary Statements are applicable only to the general GHS regulations and not the specific CLP regulation: P374.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P250 Do not subject to grinding/shock/friction.

Do not breathe dust/fume/gas/mist/vapours/spray. P260

P284 Wear respiratory protection.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P373 DO NOT fight fire when fire reaches explosives.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

P374 Fight fire with normal precautions from a reasonable distance.

P372 Explosion risk in case of fire.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. P302+P352

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Can become highly flammable in use.

- · Hazard description:
- · WHMIS-symbols:


D1B - Toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects

- E Corrosive material
- F Dangerously reactive material



· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



(Contd. on page 4)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

(Contd. of page 3)

Warning: Contains lead salt(s). Long-term health hazard.

· HMIS Long Term Health Hazard Substances

122-39-4 diphenylamine

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

CAS: 532-27-4 EINECS: 208-531-1	2-chloroacetophenone ☐ T+ R26; ☐ T R24/25; ☐ Xn R42/43; ☐ Xi R37/38-41 ☐ Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 1, H330 ☐ Resp. Sens. 1, H334 ☐ Eye Dam. 1, H318	20-40%
CAS: 1309-48-4 EINECS: 215-171-9 Index number: 025-199-09-0	Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 magnesium oxide substance with a Community workplace exposure limit	20-40%
CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular E R3 Expl. 1.1, H201	10-20%

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

		td. of page
CAS: 55-63-0 EINECS: 200-240-8 Index number: 603-034-00-X	glycerol trinitrate T+ R26/27/28; E R3; N R51/53 R33 Unst. Expl., H200 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 TOT RE 2, H373 Aquatic Chronic 2, H411 Flam. Liq. 2, H225	10-20%
CAS: 7631-86-9 EINECS: 231-545-4	silicon dioxide	5-10%
CAS: 8050-09-7 EINECS: 232-475-7 Index number: 650-015-00-7	Rosin X Xi R43 ♦ Skin Sens. 1, H317	1-5%
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	0,5-2%
CAS: 122-39-4 EINECS: 204-539-4 Index number: 612-026-00-5	diphenylamine ☐ T R23/24/25; ☐ N R50/53 R33 ☐ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 ☐ STOT RE 2, H373 ☐ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	< 1,0%
CAS: 7440-66-6	zinc metal N R50/53 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	< 1,0%
· Additional information: For	the wording of the listed risk phrases refer to section 16.	
· Notable Trace Components	(≤ 0,1% w/w)	
CAS: 15245-44-0 EINECS: 239-290-0 Index number: 609-019-00-4		3
	Unst. Expl., H200 Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Remove breathing equipment only after contaminated clothing have been completely removed.

· After inhalation:

Remove victim to fresh air.

Seek immediate medical advice.

(Contd. on page 6)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

(Contd. of page 5)

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After skin contact:

Immediately remove any clothing soiled by the product.

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Asthma attacks

Allergic reactions

Blast injury if mishandled.

May cause respiratory irritation.

Breathing difficulty

Coughing

Irritant to eyes.

Irritant to skin and mucous membranes.

· Hazards

Danger of blast or crush-type injuries.

Danger of impaired breathing.

4.3 Indication of any immediate medical attention and special treatment needed

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

Contains [(2-chlorophenyl)methylene]malononitrile. May produce an allergic reaction.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

Monitor circulation, possible shock treatment.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

(Contd. on page 7)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

(Contd. of page 6)

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

- 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Handle with care. Avoid jolting, friction and impact.

Avoid breathing dust

Use only in well ventilated areas.

· Information about fire - and explosion protection:

Protect from heat.

Keep respiratory protective device available.

(Contd. on page 8)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

(Contd. of page 7)

Emergency cooling must be available in case of nearby fire.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

532-27-4 2-chloroacetophenone

PEL (USA)	Long-term value: 0,3 mg/m³, 0,05 ppm
REL (USA)	Long-term value: 0,3 mg/m³, 0,05 ppm
TLV (USA)	Long-term value: 0,32 mg/m³, 0,05 ppm

EL (Canada) Long-term value: 0,05 ppm

S

EV (Canada) Long-term value: 0,32 mg/m³, 0,05 ppm

1309-48-4 magnesium oxide

PEL (USA)	Long-term value	: 15* mg/m³
-----------	-----------------	-------------

fume; *total particulate

TLV (USA) Long-term value: 10* mg/m³

*as inhalable fraction

EL (Canada) Short-term value: 10** mg/m³

Long-term value: 10* 3** mg/m³

*inhalable fume; ** respirable dust and fume

EV (Canada) Long-term value: 10 mg/m³

inhalable

55-63-0 glycerol trinitrate

PEL (USA)	Ceiling limit:	2 mg/m^3 ,	0,2 ppm
-----------	----------------	----------------------	---------

Skir

REL (USA) Short-term value: 0,1 mg/m³

Skin

TLV (USA) Long-term value: 0,46 mg/m³, 0,05 ppm

Skin

(Contd. on page 9)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

(Contd. of page 8)

EL (Canada) Long-term value: 0,05 ppm

Skin

EV (Canada) Long-term value: 0,5 mg/m³, 0,05 ppm

Skin

8050-09-7 Rosin

TLV (USA) DSEN, RSEN, L

EL (Canada) S

7440-50-8 copper

PEL (USA) Long-term value: 1* 0,1** mg/m³

as Cu *dusts and mists **fume

REL (USA) Long-term value: 1* 0,1** mg/m³

as Cu *dusts and mists **fume

TLV (USA) Long-term value: 1* 0,2** mg/m³

*dusts and mists; **fume; as Cu

EL (Canada) Long-term value: 1* 0,2** mg/m³

*dusts and mists; **fume, as Cu

EV (Canada) Long-term value: 0,2* 1** mg/m³ as copper, *fume;**dust and mists

- h - m - d - m - l - m -

122-39-4 diphenylamine

REL (USA) Long-term value: 10 mg/m³ TLV (USA) Long-term value: 10 mg/m³

EL (Canada) Long-term value: 10 mg/m³

EV (Canada) Long-term value: 10 mg/m³

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection:



Respiratory protection required.

(Contd. on page 10)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

· Protection of hands:

(Contd. of page 9)



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Solid metal container containing liquid and solid contents.

Colour: According to product specification

Odour:
Odour threshold:
pH-value:
Odourless
Not determined.
Not applicable.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.

Flash point:
Not applicable.

Not determined.

(Contd. on page 11)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

(Contd. of page 10)

Auto/Self-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

Self-igniting: Product is not self-igniting.

• Danger of explosion: Heating may cause an explosion.

· Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

Vapour pressure:
Not applicable.

Density:
Relative density
Not determined.
Vapour density
Not applicable.
Evaporation rate
Not applicable.

· Solubility in / Miscibility with

water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Danger of explosion.

Toxic fumes may be released if heated above the decomposition point.

Contact with acids releases toxic gases.

Acts as an oxidising agent on organic materials such as wood, paper and fats.

Reacts with strong alkali.

- 10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Sulphur oxides (SOx)

(Contd. on page 12)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

(Contd. of page 11)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

 LD/LC50 values relevant 	ant for classification:
---	-------------------------

532-27-4 2-chloroacetophenone

Oral LD50 50 mg/kg (rat)

55-63-0 glycerol trinitrate

Oral LD50 115 mg/kg (mouse)

105 mg/kg (rat)

Dermal LD50 29 mg/kg (rat)

280 mg/kg (rabbit)

122-39-4 diphenylamine

Oral LD50 1120 mg/kg (rat)

· Primary irritant effect:

Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not posess these effects.

- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitisation:

Sensitisation possible through inhalation.

Sensitisation possible through skin contact.

· Additional toxicological information:

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Harmful

Danger through skin adsorption.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

· Acute effects (acute toxicity, irritation and corrosivity):

Inhalation may cause irritation to the respiratory system.

· Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

Repeated exposures may result in skin and/or respiratory sensitivity.

(Contd. on page 13)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

(Contd. of page 12)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN-Number
- · DOT, ADR, IMDG, IATA

· 14.2 UN proper shipping name

· DOT, IMDG, IATA

UN0301

Ammunition Tear-producing with burster, expelling charge or propelling charge

(Contd. on page 14)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

(Contd. of page 13) 0301 Ammunition Tear-producing with burster,

expelling charge or propelling charge

· 14.3 Transport hazard class(es)

· DOT

· ADR



· Class 1.4

1.4G+6.1+8 · Label

· ADR, IMDG



· Class 1.4

· Label 1.4G+6.1+8

·IATA



· Class 1.4G · Label 1.4G+6.1+8

· 14.4 Packing group

· DOT, ADR, IMDG, IATA Ш

· 14.5 Environmental hazards:

· Marine pollutant: No

· Special marking (IATA):



Cargo Aircraft Only.

· 14.6 Special precautions for user Not applicable. · EMS Number: <u>F-A</u>,S-Q

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": UN0301, Ammunition Tear-producing with burster, expelling charge or propelling charge, 1.4G (6.1+8), II

(Contd. on page 15)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

(Contd. of page 14)

SECTION 15: Regulatory information	
 15.1 Safety, health and environmental regulations/legislation specific for the substance United States (USA) SARA 	or mixture
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
532-27-4 2-chloroacetophenone	
55-63-0 glycerol trinitrate	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
Chemicals known to cause cancer: Propert in trace quantities	
Present in trace quantities. 15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide	
• Chemicals known to cause reproductive toxicity for females:	
Present in trace quantities.	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
Present in trace quantities.	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
Present in trace quantities.	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide · Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
7440-50-8 copper	D
7440-66-6 zinc metal	D, I, II
	D, 1, 11
· IARC (International Agency for Research on Cancer) 7631-86-9 silicon dioxide	
	3
• TLV (Threshold Limit Value established by ACGIH)	Λ.4
532-27-4 2-chloroacetophenone	A4
1309-48-4 magnesium oxide 122-39-4 diphenylamine	A4
	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· Canada	
Canadian Domestic Substances List (DSL) All ingredients are listed.	
All ingredients are listed.	td. on page 16)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

		(Contd. of page 15)
· Canadian	Ingredient Disclosure list (limit 0.1%)	
122-39-4	diphenylamine	
· Canadian	Ingredient Disclosure list (limit 1%)	
532-27-4	2-chloroacetophenone	
1309-48-4	magnesium oxide	
7631-86-9	silicon dioxide	

· Other regulations, limitations and prohibitive regulations

Irritating to respiratory system and skin.

Risk of serious damage to eyes.

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

R37/38

R41

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases			
H200	Unstable explosives.		
H201	Explosive; mass explosion hazard.		
H225	Highly flammable liquid and vapour.		
H300	Fatal if swallowed.		
H301	Toxic if swallowed.		
H310	Fatal in contact with skin.		
H311	Toxic in contact with skin.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H330	Fatal if inhaled.		
H331	Toxic if inhaled.		
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
H335	May cause respiratory irritation.		
H373	May cause damage to organs through prolonged or repeated exposure.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.		
R24/25	Toxic in contact with skin and if swallowed.		
R26	Very toxic by inhalation.		
R26/27/28	Very toxic by inhalation, in contact with skin and if swallowed.		
R3	Extreme risk of explosion by shock, friction, fire or other sources of ignition.		
R33	Danger of cumulative effects.		

(Contd. on page 17)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 12 GA CN Muzzle Blast

(Contd. of page 16)

R42/43 May cause sensitisation by inhalation and skin contact.

R43 May cause sensitisation by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Expl. 1.1: Explosives, Division 1.1

Expl. 1.4: Explosives, Division 1.4

Unst. Expl.: Explosives, Unstable explosives

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 2: Acute toxicity, Hazard Category 2

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 1: Acute toxicity, Hazard Category 1

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1

Chin Cons. 4. Consideration Chin Hannel Catagory

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com