

GHS

Printing date: September 26, 2014

Revision: September 26, 2014


SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>12 GA OC Powder Barricade</u>
 Article number: 3090 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
Application of the substance / the mixture Explosive product.
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 Further information obtainable from: Customer Care Department
• 1.4 Emergency telephone number: ChemTel Inc.
(800)255-3924, +1 (813)248-0585
SECTION 2: Hazards identification
 • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411. • exploding bomb
Expl. 1.4 H204 Fire or projection hazard.
environment
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
STOT SE 3 H335 May cause respiratory irritation.
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant
R37: Irritating to respiratory system.
N; Dangerous for the environment
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R5-44: Heating may cause an explosion. Risk of explosion if heated under confinement. (Contd. on page 2)

GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade



(Contd. on page 3)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade (Contd. of page 2) Hazard description: · WHMIS-symbols: D2B - Toxic material causing other toxic effects F - Dangerously reactive material · NFPA ratings (scale 0 - 4) Health = 3 Fire = 2Reactivity = 3 · HMIS-ratings (scale 0 - 4) HEALTH ³ Health = 3 FIRE 2 Fire = 2**REACTIVITY** Reactivity = 3 Warning: Contains lead salt(s). Long-term health hazard. · HMIS Long Term Health Hazard Substances 122-39-4 diphenylamine 15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. · Explosive Product Notice PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers. WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product. DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 4)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade

CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular E R3	20-40%
	Expl. 1.1, H201	
CAS: 55-63-0 EINECS: 200-240-8 Index number: 603-034-00-X	glycerol trinitrate	20-40%
	 Unst. Expl., H200 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 STOT RE 2, H373 Aquatic Chronic 2, H411 Flam. Liq. 2, H225 	
CAS: 1309-48-4 EINECS: 215-171-9 Index number: 025-199-09-0	magnesium oxide substance with a Community workplace exposure limit	20-40%
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate O R8 O X. Sol. 2, H272	1-5%
CAS: 8050-09-7 EINECS: 232-475-7 Index number: 650-015-00-7	Rosin	1-5%
CAS: 112945-52-5	Silicon Dioxide (Amorphous)	1-5%
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	0,5-2%
CAS: 122-39-4 EINECS: 204-539-4 Index number: 612-026-00-5		< 1,0%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 85-98-3 EINECS: 201-645-2	1,3-diethyldiphenylurea Xn R22 ♦ Acute Tox. 4, H302 Aquatic Chronic 3, H412	< 1,0%
CAS: 7440-66-6	zinc metal N R50/53 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	< 1,0%
CAS: 8023-77-6 EINECS: 288-920-0	Oleoresin Capsicum	< 1,0%

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade

 • Notable Trace Components (≤ 0,1% w/w)

 CAS: 15245-44-0

 EINECS: 239-290-0

 Index number: 609-019-00-4

 With the state of the

SECTION 4: First aid measures

· 4.1 Description of first aid measures · General information: Immediately remove any clothing soiled by the product. Take affected persons out into the fresh air. · After inhalation: Remove victim to fresh air. Seek medical help for symptoms or if unconscious. · After skin contact: Brush off loose particles from skin. If skin irritation continues, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. · 4.2 Most important symptoms and effects, both acute and delayed May cause respiratory irritation. Coughing Breathing difficulty Blast injury if mishandled. Slight irritant effect on skin and mucous membranes. Irritant to eves. · Hazards Danger of blast or crush-type injuries. Danger of impaired breathing. 4.3 Indication of any immediate medical attention and special treatment needed Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects. If necessary oxygen respiration treatment.

(Contd. on page 6)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade

(Contd. of page 5)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
 During heating or in case of fire poisonous gases are produced.
 Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of
 many cartridges at once is unlikely.
 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- Additional information

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Sp should be handled carefully. Do not subject materials to mechanical shock or extreme material will normally not require emergency response team capabilities. Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Remove persons from danger area. Ensure adequate ventilation Protect from heat. Isolate area and prevent access. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Dispose contaminated material as waste according to item 13. 		
Send for recovery or disposal in suitable receptacles.		
6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment		
See Section 8 for information on personal protection equipment.	(0	

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Handle with care. Avoid jolting, friction and impact.

Use only in well ventilated areas.

• Information about fire - and explosion protection: Protect from heat. Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients v	with limit values that require monitoring at the workplace:	
1309-48-4 ma	agnesium oxide	
PEL (USA)	Long-term value: 15* mg/m ³ fume; *total particulate	
TLV (USA)	Long-term value: 10* mg/m³ *as inhalable fraction	
EL (Canada)	Short-term value: 10** mg/m³ Long-term value: 10* 3** mg/m³ *inhalable fume;**respirable dust and fume	
EV (Canada)	Long-term value: 10 mg/m³ inhalable	
55-63-0 glyce	erol trinitrate	
PEL (USA)	Ceiling limit: 2 mg/m³, 0,2 ppm Skin	
REL (USA)	Short-term value: 0,1 mg/m³ Skin	
TLV (USA)	Long-term value: 0,46 mg/m³, 0,05 ppm Skin	
		(Contd. on page 8)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade


		ontd. of page 7)
EL (Canada) Long-term value: 0,05 ppm Skin	
EV (Canada	i) Long-term value: 0,5 mg/m³, 0,05 ppm Skin	
8050-09-7 F	losin	
TLV (USA)	DSEN, RSEN, L	
EL (Canada	·	
	phenylamine	
REL (USA)		
TLV (USA)	• •	
EL (Canada) Long-term value: 10 mg/m ³	
· ·	i) Long-term value: 10 mg/m ³	
7440-50-8 c	••	
PEL (USA)	Long-term value: 1* 0,1** mg/m ³ as Cu *dusts and mists **fume	
REL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume	
TLV (USA)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume; as Cu	
EL (Canada) Long-term value: 1* 0,2** mg/m ³ *dusts and mists; **fume, as Cu	
EV (Canada	 Long-term value: 0,2* 1** mg/m³ as copper, *fume;**dust and mists 	
15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide	
EV (Canada	 Long-term value: 0,05 mg/m³ as Pb, Skin (organic compounds) 	
· PNECs No 1	urther relevant information available. further relevant information available. information: The lists valid during the making were used as basis.	
· General pro	rotective equipment: otective and hygienic measures:	
Do not inhal	recautionary measures are to be adhered to when handling chemicals. e dust / smoke / mist. from foodstuffs, beverages and feed.	
Immediately	remove all soiled and contaminated clothing. s before breaks and at the end of work.	
· Respiratory	<i>/</i> protection: ve pressure NIOSH or European EN149 vapor respirators when deploying proc	luct in large
quantities.	e respiratory protective device when high concentrations are present.	0
		ntd. on page 9)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade

(Contd. of page 8)





Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment
- No further relevant information available.
- · Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:	
Form:	Solid metal container containing liquid and solid contents. Solid
Colour:	According to product specification
· Odour:	Odourless
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. Undetermined.
· Flash point:	Not applicable.

(Contd. on page 10)

GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade

		(Contd. of page 9)
\cdot Flammability (solid, gaseous):	Not determined.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Heating may cause an explosion.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapour pressure:	Not applicable.	
 Density: Relative density Vapour density Evaporation rate 	Not determined. Not determined. Not applicable. Not applicable.	
 Solubility in / Miscibility with water: 	Insoluble.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
 Viscosity: Dynamic: Kinematic: • 9.2 Other information 	Not applicable. Not applicable. No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and alkali.

Reacts violently with oxidising agents.

Danger of explosion.

- 10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.
- · 10.5 Incompatible materials: Oxidizers
- 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide Nitrogen oxides Sulphur oxides (SOx)

(Contd. on page 11)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade

(Contd. of page 10)

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

55-63-0 glycerol trinitrate

Oral LD50 115 mg/kg (mouse)

105 mg/kg (rat)

Dermal LD50 29 mg/kg (rat)

280 mg/kg (rabbit)

122-39-4 diphenylamine

Oral LD50 1120 mg/kg (rat)

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide

Oral LD50 650 mg/kg (rat)

· Primary irritant effect:

on the skin:

Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.

• on the eye:

Not an eye irritant in unused form. Vapors/particles from used product are possibly irritating to eyes.

· Sensitisation: No sensitising effects known.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

• Acute effects (acute toxicity, irritation and corrosivity):

Inhalation may cause irritation to the respiratory system.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential May be accumulated in organism
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish

(Contd. on page 12)

GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade

(Contd. of page 11)

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.


Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information · 14.1 UN-Number · DOT, ADR, IMDG, IATA UN0301 · 14.2 UN proper shipping name · DOT, IATA Ammunition Tear-producing with burster, expelling charge or propelling charge · ADR 0301 Ammunition Tear-producing with burster, expelling charge or propelling charge, ENVIRONMENTALLY HAZÁRDOÚS · IMDG Ammunition Tear-producing with burster, expelling charge or propelling charge, MARINE POLLUTANT (Contd. on page 13)

Printing date: September 26, 2014

Revision: September 26, 2014



(Contd. on page 14)

GHS

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade

(Contd. of page 13)

	ty, health and environmental regulations/legislation specific for the substance or mi ates (USA)	ixtui
· Section 3	55 (extremely hazardous substances):	
None of th	e ingredients are listed.	
· Section 3	13 (Specific toxic chemical listings):	
55-63-0	glycerol trinitrate	
7440-50-8	copper	
· TSCA (To	xic Substances Control Act):	
All ingredi	ents are listed.	
• Chemical Present in	on 65 (California): s known to cause cancer: trace quantities.	
15245-44-	0 lead 2,4,6-trinitro-m-phenylene dioxide	
· Chemical	s known to cause reproductive toxicity for females:	
None of th	e ingredients are listed.	
· Chemical	s known to cause reproductive toxicity for males:	
None of th	e ingredients are listed.	
Present in	s known to cause developmental toxicity: trace quantities.	
	0 lead 2,4,6-trinitro-m-phenylene dioxide	
-	enic Categories	
•	ironmental Protection Agency)	_
7440-50-8		D
		D, I,
•	ernational Agency for Research on Cancer)	
	e ingredients are listed.	
-	eshold Limit Value established by ACGIH)	
	magnesium oxide	A
	diphenylamine	A
	a (National Institute for Occupational Safety and Health)	
	e ingredients are listed.	
	Domestic Substances List (DSL)	
All ingredi	ents are listed. Ingredient Disclosure list (limit 0.1%)	

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade

(Contd. of page 14)

· Canadian Ingredient Disclosure list (limit 1%)

1309-48-4 magnesium oxide

7440-50-8 copper

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

 \cdot Substances of very high concern (SVHC) according to REACH, Article 57

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H200 Unstable explosives.
- H201 Explosive; mass explosion hazard.
- H225 Highly flammable liquid and vapour.
- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- R21/22 Harmful in contact with skin and if swallowed.
- R22 Harmful if swallowed.
- R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.
- R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.
- R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.
- R33 Danger of cumulative effects.
- R36/38 Irritating to eyes and skin.
- R43 May cause sensitisation by skin contact.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

(Contd. on page 16)

Printing date: September 26, 2014

Revision: September 26, 2014

Trade name: 12 GA OC Powder Barricade

(Contd. of page 15) R8 Contact with combustible material may cause fire. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Expl. 1.1: Explosives, Division 1.1 Expl. 1.4: Explosives, Division 1.4 Unst. Expl.: Explosives, Unstable explosives Flam. Liq. 2: Flammable liquids, Hazard Category 2 Ox. Sol. 2: Oxidising Solids, Hazard Category 2 Acute Tox. 2: Acute toxicity, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Acute Tox. 1: Acute toxicity, Hazard Category 1 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Čategory 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com