

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 11, 2018

Revision: December 11, 2018

1 Identification

- **Product identifier**

- **Trade name:** First Defense® .2 Percent MK-2 Stream OC Aerosol
First Defense® .2 Percent MK-3 Stream OC Aerosol
First Defense® .2 Percent MK-4 Stream OC Aerosol
First Defense® .2 Percent MK-6 Stream OC Aerosol
First Defense® .2 Percent MK-9 Stream OC Aerosol

- **Product code:**

MK-2: 56125 (1030651)
MK-3: 5039 (1011715)
MK-4: 5049 (1011719)
MK-6: 5069 (1011722)
MK-9: 5099 (1011726)

- **Recommended use and restriction on use**

- **Recommended use:** Crowd Control Device
- **Restrictions on use:** Contact manufacturer/supplier

- **Details of the supplier of the Safety Data Sheet**

- **Manufacturer/Supplier:**

Safariland, LLC
13386 International Parkway
Jacksonville, FL 32218 USA
Customer Care (800) 347-1200



- **Emergency telephone number:**

ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)

2 Hazard(s) identification

- **Classification of the substance or mixture**

Press. Gas H280 Contains gas under pressure; may explode if heated.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.

- **Additional information:**

There are no other hazards not otherwise classified that have been identified.
0 % of the mixture consists of component(s) of unknown toxicity.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS04 GHS07

- **Signal word:** Warning

(Cont'd. on page 2)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 11, 2018

Revision: December 11, 2018

Trade name: First Defense® .2 Percent MK-2 Stream OC Aerosol
First Defense® .2 Percent MK-3 Stream OC Aerosol
First Defense® .2 Percent MK-3 Stream OC Aerosol
First Defense® .2 Percent MK-6 Stream OC Aerosol
First Defense® .2 Percent MK-9 Stream OC Aerosol

(Cont'd. of page 1)

· **Hazard statements:**

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· **Precautionary statements:**

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.






P410+P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

64-17-5	Ethanol  Flam. Liq. 2, H225  Eye Irrit. 2A, H319	20-40%
8023-77-6	Oleoresin Capsicum  Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	10%
57-55-6	Propylene glycol	5-10%
7727-37-9	nitrogen  Press. Gas, H280 Simple Asphyxiant	0-20%
811-97-2	Norflurane  Press. Gas, H280 Simple Asphyxiant	0-20%
29118-24-9	(1E)-1,3,3,3-Tetrafluoro-1-propene Simple Asphyxiant	0-20%

· **Additional information:**

Propellant will be 1234-ze, norflurane, nitrogen or mixture of these propellants.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

(Cont'd. on page 3)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 11, 2018

Revision: December 11, 2018

Trade name: First Defense® .2 Percent MK-2 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-6 Stream OC Aerosol
 First Defense® .2 Percent MK-9 Stream OC Aerosol

(Cont'd. of page 2)

4 First-aid measures

- **Description of first aid measures**
- **General information:** Take affected persons out into the fresh air.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Unlikely route of exposure.
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**
Coughing
Gastric or intestinal disorders when ingested.
Irritating to eyes, respiratory system and skin.
- **Danger:** No relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**
If necessary oxygen respiration treatment.
If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**
Danger of receptacles bursting because of high vapor pressure if heated.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information:** Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
For large spills, wear protective clothing.
Ensure adequate ventilation.

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 11, 2018

Revision: December 11, 2018

Trade name: First Defense® .2 Percent MK-2 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-6 Stream OC Aerosol
 First Defense® .2 Percent MK-9 Stream OC Aerosol

(Cont'd. of page 3)

- **Environmental precautions** No special measures required.
- **Methods and material for containment and cleaning up**
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to item 13.
 Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
 Use only in well ventilated areas.
 Avoid splashes or spray in enclosed areas.
 Keep out of reach of children.
- **Information about protection against explosions and fires:**
 Pressurized container: May burst if heated.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**
 Observe official regulations on storing packagings with pressurized containers.
 Store in a cool location.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
 Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.
- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**

64-17-5 Ethanol

PEL (USA)	Long-term value: 1900 mg/m ³ , 1000 ppm
REL (USA)	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV (USA)	Short-term value: 1880 mg/m ³ , 1000 ppm
EL (Canada)	Short-term value: 1000 ppm
EV (Canada)	Long-term value: 1,900 mg/m ³ , 1,000 ppm
LMPE (Mexico)	Long-term value: 1000 ppm
	A3

7727-37-9 Nitrogen

(Cont'd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 11, 2018

Revision: December 11, 2018

Trade name: First Defense® .2 Percent MK-2 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-6 Stream OC Aerosol
 First Defense® .2 Percent MK-9 Stream OC Aerosol

(Cont'd. of page 4)

TLV (USA)	withdrawn TLV, see App. F; simple asphyxiant
EL (Canada)	Simple asphyxiant
LMPE (Mexico)	Asfixiante simple

57-55-6 Propylene glycol

WEEL (USA)	Long-term value: 10 mg/m ³
EV (Canada)	Long-term value: 155* 10** mg/m ³ , 50* ppm *vapour and aerosol;**aerosol only

- **Exposure controls**
- **Engineering measures** Provide adequate ventilation.
- **General protective and hygienic measures:**
 The usual precautionary measures for handling chemicals should be followed.
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Do not inhale gases / fumes / aerosols.
 Avoid contact with the eyes and skin.
- **Engineering controls:** No relevant information available.
- **Breathing equipment:** Use suitable respiratory protective device when high concentrations are present.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment**
 No relevant information available.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **Appearance:**
 - **Form:** Aerosol
 - **Color:** According to product specification
- **Odor:** Pungent
- **Odor threshold:** Not determined.

(Cont'd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 11, 2018

Revision: December 11, 2018

Trade name: First Defense® .2 Percent MK-2 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-6 Stream OC Aerosol
 First Defense® .2 Percent MK-9 Stream OC Aerosol

(Cont'd. of page 5)

· pH-value:	Not determined.
· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	> 104 °C (>219.2 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	371 °C (699.8 °F)
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	3.5 Vol %
Upper:	15.0 Vol %
· Oxidizing properties:	Non-oxidizing.
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
· Density:	Not determined.
· Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No relevant information available.

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**
 Danger of receptacles bursting because of high vapor pressure if heated.
- **Possibility of hazardous reactions**
 Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid** No relevant information available.
- **Incompatible materials** No relevant information available.
- **Hazardous decomposition products** Possible in traces.

(Cont'd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 11, 2018

Revision: December 11, 2018

Trade name: First Defense® .2 Percent MK-2 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-6 Stream OC Aerosol
 First Defense® .2 Percent MK-9 Stream OC Aerosol

(Cont'd. of page 6)

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

8023-77-6 Oleoresin Capsicum

Oral	LD50	3000 mg/kg (rat)
Dermal	LD50	>2500 mg/kg (mouse)

· Primary irritant effect:

- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Subacute to chronic toxicity:** No relevant information available.

· IARC (International Agency for Research on Cancer):

64-17-5	Ethanol	1
---------	---------	---

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Inhalation.
 Eye contact.
 Skin contact.

- **Acute effects (acute toxicity, irritation and corrosivity):** Irritating to eyes, respiratory system and skin.
- **Repeated dose toxicity:** No relevant information available.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.

· Additional ecological information

· General notes:

(Cont'd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 11, 2018

Revision: December 11, 2018

Trade name: First Defense® .2 Percent MK-2 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-6 Stream OC Aerosol
 First Defense® .2 Percent MK-9 Stream OC Aerosol

(Cont'd. of page 7)

Negative ecological effects are, according to the current state of knowledge, not expected.

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· **Uncleaned packagings**

- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**

· **DOT, ADR/RID/ADN, IMDG, IATA** UN1950

· **UN proper shipping name**

· **DOT** Aerosols, non-flammable
 · **ADR/RID/ADN** 1950 AEROSOLS
 · **IMDG** AEROSOLS
 · **IATA** AEROSOLS, non-flammable

· **Transport hazard class(es)**

· **DOT**



· **Class** 2.2

· **Label** 2.2

· **ADR/RID/ADN**



(Cont'd. on page 9)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 11, 2018

Revision: December 11, 2018

Trade name: First Defense® .2 Percent MK-2 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-6 Stream OC Aerosol
 First Defense® .2 Percent MK-9 Stream OC Aerosol

(Cont'd. of page 8)

· Class	2.2 5A
· Label	2.2

· IMDG, IATA



· Class	2.2
· Label	2.2

· Packing group	
· DOT, ADR/RID/ADN, IMDG, IATA	II

· Environmental hazards	
· Marine pollutant:	No

· Special precautions for user	Not applicable.
· Danger code (Kemler):	20
· EMS Number:	F-D,S-U

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
---------------------------------------------------------------------------	-----------------

· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

· Section 302 (extremely hazardous substances):	
-------------------------------------------------	--

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):	
-------------------------------------------------	--

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):	
---------------------------------------------------	--

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)	
---------------------------------------	--

All ingredients are listed.

(Cont'd. on page 10)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 11, 2018

Revision: December 11, 2018

Trade name: First Defense® .2 Percent MK-2 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-3 Stream OC Aerosol
 First Defense® .2 Percent MK-6 Stream OC Aerosol
 First Defense® .2 Percent MK-9 Stream OC Aerosol

(Cont'd. of page 9)

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5	Ethanol
---------	---------

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5	Ethanol
---------	---------

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

64-17-5	Ethanol	1
---------	---------	---

· **Canadian Domestic Substances List (DSL) (Substances not listed.):**

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Press. Gas: Gases under pressure – Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

(Cont'd. on page 11)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 11, 2018

Revision: December 11, 2018

Trade name: First Defense® .2 Percent MK-2 Stream OC Aerosol
First Defense® .2 Percent MK-3 Stream OC Aerosol
First Defense® .2 Percent MK-3 Stream OC Aerosol
First Defense® .2 Percent MK-6 Stream OC Aerosol
First Defense® .2 Percent MK-9 Stream OC Aerosol

(Cont'd. of page 10)

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com