Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 17, 2020

1 Identification	
· Product identifier	
<ul> <li>Trade name: First Defense® .2% MK-# Stream OC Aerosol Reflex First Defense® .4% MK-# Stream OC Aerosol Reflex First Defense® .7% MK-# Stream OC Aerosol Reflex First Defense® 1.3% MK-# Stream OC Aerosol Reflex</li> <li>Product code:</li> </ul>	
58195 (1322447) :.2% 58395 (1322450): .4% 58795 (1322449): .7% 58895 (1322453): 1.3%	
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Crowd Control Device</li> <li>Restrictions on use: Contact manufacturer/supplier</li> </ul>	
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: Safariland, LLC</li> <li>13386 International Parkway</li> <li>Jacksonville, FL 32218</li> <li>Customer Care (800) 347-1200</li> <li>Information department: Customer Care Department</li> </ul>	
<ul> <li>Emergency telephone number: ChemTel Inc. (800)255-3924 (North America)</li> <li>+1 (813)248-0585 (International)</li> </ul>	
2 Hazard(s) identification	
· Classification of the substance or mixture	
Press. Gas H280 Contains gas under pressure; may explode if heated.	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
STOT SE 3 H335 May cause respiratory irritation.	
<ul> <li>Additional information:</li> <li>There are no other hazards not otherwise classified that have been identified.</li> <li>0 % of the mixture consists of component(s) of unknown toxicity.</li> </ul>	
<ul> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS</li> <li>Hazard pictograms:</li> </ul>	5).
GHS04 GHS07	
· Signal word: Warning · Hazard statements:	
H280 Contains gas under pressure; may explode if heated.	(Cont'd. on page 2)

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 17, 2020

Trade name: First Defense® .2% MK-# Stream OC Aerosol Reflex First Defense® .4% MK-# Stream OC Aerosol Reflex First Defense® .7% MK-# Stream OC Aerosol Reflex First Defense® 1.3% MK-# Stream OC Aerosol Reflex			
	(Cont'd. of page 1)		
H315 Causes s			
	erious eye irritation. e respiratory irritation.		
· Precautionary			
P261	Avoid breathing mist, vapors, or spray.		
P264	Wash thoroughly after handling.		
P271	Use only outdoors or in a well-ventilated area.		
P280	Wear protective gloves and eye protection.		
P302+P352	If on skin: Wash with plenty of water.		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,		
	if present and easy to do. Continue rinsing.		
P312	Call a poison center/doctor if you feel unwell.		
P332+P313	If skin irritation occurs: Get medical advice/attention.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P337+P313	If eye irritation persists: Get medical advice/attention.		
P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
P405	Store locked up.		
P410+P403	Protect from sunlight. Store in a well-ventilated place.		
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.		

# 3 Composition/information on ingredients

# · Chemical characterization: Mixtures

· Componer 112-34-5	2-(2-butoxyethoxy)ethanol	>20%
	🚯 Eye Irrit. 2A, H319	
57-55-6	Propylene glycol	<20%
8023-77-6	Oleoresin Capsicum	<10%
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
7727-37-9	Nitrogen	Varies
	Simple Asphyxiant	
· Additional	information:	
Propellant	will be 1234-ze, norflurane, nitrogen or mixture of these propellants.	

### For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

### **4 First-aid measures**

### <sup>•</sup> Description of first aid measures

- General information: Take affected persons out into the fresh air.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 17, 2020

#### Trade name: First Defense® .2% MK-# Stream OC Aerosol Reflex First Defense® .4% MK-# Stream OC Aerosol Reflex First Defense® .7% MK-# Stream OC Aerosol Reflex First Defense® 1.3% MK-# Stream OC Aerosol Reflex

(Cont'd. of page 2) If skin irritation or rash occurs: Get medical advice/attention. · After eve contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Coughing Dizziness Irritant to skin and mucous membranes. Causes eye irritation. May cause respiratory irritation. Gastric or intestinal disorders when ingested. · Danger: No relevant information available. · Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment.

# **5** Fire-fighting measures

- <sup>·</sup> Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture
- Danger of receptacles bursting because of high vapor pressure if heated.
- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: Use large quantities of foam as it is partially destroyed by the product.

# 6 Accidental release measures

# <sup>•</sup> Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. For large spills, wear protective clothing.

Ensure adequate ventilation.

- Environmental precautions No special measures required.
- Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

# Reference to other sections

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 17, 2020

Trade name: First Defense® .2% MK-# Stream OC Aerosol Reflex First Defense® .4% MK-# Stream OC Aerosol Reflex First Defense® .7% MK-# Stream OC Aerosol Reflex First Defense® 1.3% MK-# Stream OC Aerosol Reflex

(Cont'd. of page 3)

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

### · Handling

### • Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Information about protection against explosions and fires:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120  $^{\circ}$ F / 49  $^{\circ}$ C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

### · Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

• Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the container bursting.

• Specific end use(s) No relevant information available.

8 Exposure controls	personal	protection
---------------------	----------	------------

### <sup>•</sup> Control parameters

· Components with limit values that require monitoring at the workplace:			
7727-37-9 Nitro	ogen		
TLV (USA)	withdrawn TLV, see App. F; simple asphyxiant		
EL (Canada)	Simple asphyxiant		
LMPE (Mexico)	Asfixiante simple		
112-34-5 2-(2-b	utoxyethoxy)ethanol		
TLV (USA)	Long-term value: 67.5* mg/m³, 10* ppm *Inhalable fraction and vapor		
57-55-6 Propyle	ene glycol		
WEEL (USA)	Long-term value: 10 mg/m <sup>3</sup>		
EV (Canada)	Long-term value: 155* 10** mg/m³, 50* ppm *vapour and aerosol;**aerosol only		
· General protec	ntrols easures Provide adequate ventilation. etive and hygienic measures: autionary measures for handling chemicals should be followed.	(Cont'd on page 5)	

(Cont'd. on page 5)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 17, 2020

Trade name: First Defense® .2% MK-# Stream OC Aerosol Reflex First Defense® .4% MK-# Stream OC Aerosol Reflex First Defense® .7% MK-# Stream OC Aerosol Reflex First Defense® 1.3% MK-# Stream OC Aerosol Reflex

(Cont'd. of page 4)

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. · Engineering controls: No relevant information available. • **Breathing equipment:** Use suitable respiratory protective device when high concentrations are present. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection:



Safety glasses

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment

No relevant information available.

Information on basic physical a	ind chemical properties	
Appearance:		
Form:	Aerosol	
Color:	According to product specification	
Odor:	Pungent	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not applicable, as aerosol.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 17, 2020

#### Trade name: First Defense® .2% MK-# Stream OC Aerosol Reflex First Defense® .4% MK-# Stream OC Aerosol Reflex First Defense® .7% MK-# Stream OC Aerosol Reflex First Defense® 1.3% MK-# Stream OC Aerosol Reflex

		(Cont'd. of page
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density:	Not determined.	
· Relative density:	Not determined.	
· Vapor density:	Not determined.	
· Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
<sup>·</sup> Other information	No relevant information available.	

# **10 Stability and reactivity**

· Reactivity: No relevant information available.

- · Chemical stability:
- Thermal decomposition / conditions to be avoided:
- Danger of receptacles bursting because of high vapor pressure if heated.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products Possible in traces.

# 11 Toxicological information

## · Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

# · LD/LC50 values that are relevant for classification:

### ATE (Acute Toxicity Estimate)

Oral LD50 57143 mg/kg (rat)

(Cont'd. on page 7)

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 17, 2020

#### Trade name: First Defense® .2% MK-# Stream OC Aerosol Reflex First Defense® .4% MK-# Stream OC Aerosol Reflex First Defense® .7% MK-# Stream OC Aerosol Reflex First Defense® 1.3% MK-# Stream OC Aerosol Reflex

			(Cont'd. of page 6
Dermal	LD50	>4538 mg/kg	
112-34-	-5 2-(2-	butoxyethoxy)ethanol	
Oral		5660 mg/kg (rat)	
		4000 mg/kg (rabbit)	
		oresin Capsicum	
Oral	LD50	3000 mg/kg (rat)	
Dermal	LD50	>2500 mg/kg (mouse)	
• On the • On the • Sensiti	<b>skin:</b>   eye: C zation:	n <b>t effect:</b> rritant to skin and mucous membranes. auses eye irritation. No sensitizing effects known. h <b>ronic toxicity:</b> No relevant information available.	
		tional Agency for Research on Cancer):	
None of	f the ing	gredients are listed.	
· NTP (N	ationa	Toxicology Program):	
None of	f the ing	gredients are listed.	
· OSHA-	Ca (Oc	cupational Safety & Health Administration):	
None of	f the ing	gredients are listed.	
Inhalation Eye corr Skin co Acute of Irritating Irritating Repeat Germ co Carcino STOT-so STOT-so	on. ntact. effects g to eye g to res g to skii ed dos cell mu ogenic luctive single ( repeate	piratory system. <b>a</b> <b>b</b> <b>c toxicity:</b> No relevant information available. <b>tagenicity:</b> Based on available data, the classification criteria are not met. <b>ity:</b> Based on available data, the classification criteria are not met. <b>toxicity:</b> Based on available data, the classification criteria are not met. <b>toxicity:</b> Based on available data, the classification criteria are not met. <b>toxicity:</b> Based on available data, the classification criteria are not met. <b>toxicity:</b> Based on available data, the classification criteria are not met. <b>toxicity:</b> Based on available data, the classification criteria are not met.	
· Aspirat	tion ha	zard: Based on available data, the classification criteria are not met.	

# 12 Ecological information

· Toxicity

- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 17, 2020

Trade name: First Defense® .2% MK-# Stream OC Aerosol Reflex First Defense® .4% MK-# Stream OC Aerosol Reflex First Defense® .7% MK-# Stream OC Aerosol Reflex First Defense® 1.3% MK-# Stream OC Aerosol Reflex

#### · General notes:

(Cont'd. of page 7)

Negative ecological effects are, according to the current state of knowledge, not expected. • **Other adverse effects** No relevant information available.

### **13 Disposal considerations**

### · Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

### <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, ADR/RID/ADN, IMDG, IATA	UN1950
UN proper shipping name	
DOT	Aerosols, non-flammable
ADR/RID/ADN	1950 AEROSOLS
IMDG	AEROSOLS
ΙΑΤΑ	AEROSOLS, non-flammable
Class	2.2
Label	2.2
ADR/RID/ADN	
Class	2.2 5A
01855	

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 17, 2020

### Trade name: First Defense® .2% MK-# Stream OC Aerosol Reflex First Defense® .4% MK-# Stream OC Aerosol Reflex First Defense® .7% MK-# Stream OC Aerosol Reflex First Defense® 1.3% MK-# Stream OC Aerosol Reflex

		(Cont'd. of page
· IMDG, IATA		
<b>~</b>		
· Class	2.2	
·Label	2.2	
<ul> <li>Packing group</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	II	
· Environmental hazards · Marine pollutant:	No	
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> </ul>	Not applicable. 20 F-D,S-U	
<ul> <li>Transport in bulk according to Annex II or MARPOL73/78 and the IBC Code</li> </ul>	f Not applicable.	

### **15 Regulatory information**

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

### · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

### · Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

### Proposition 65 (California)

Chemicals known to cause cancer:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5 Ethanol

### · Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for males:

(Cont'd. on page 10)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 17, 2020

Trade name: First Defense® .2% MK-# Stream OC Aerosol Reflex First Defense® .4% MK-# Stream OC Aerosol Reflex First Defense® .7% MK-# Stream OC Aerosol Reflex First Defense® 1.3% MK-# Stream OC Aerosol Reflex

(Cont'd. of page 9)

None of the ingredients are listed.

#### Chemicals known to cause developmental toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5 Ethanol

#### • EPA (Environmental Protection Agency):

None of the ingredients are listed.

### IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

### · Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Press. Gas: Gases under pressure - Compressed gas Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com