

Printing date: May 27, 2015

Page 1/17

SECTION 1 undertaking	: Identification of the substance/mixture and of the company/
· 1.1 Product ide	entifier
· Trade name: 37	7/40 Muzzle Blast CN
	: 6241 entified uses of the substance or mixture and uses advised against ant information available.
 Application of 	the substance / the mixture Explosive product.
Manufacturer/S Safariland, LLC 13386 Internatic Jacksonville, FL Customer Care	onal Parkway . 32218
ChemTel Inc.	telephone number: +1 (813)248-0585
SECTION 2:	Hazards identification
· Classification a	
exploui	
Expl. 1.4	H204 Fire or projection hazard.
skull and	d crossbones
Acute Tox. 3	H301 Toxic if swallowed.
Acute Tox. 3	H311 Toxic in contact with skin.
Acute Tox. 1	H330 Fatal if inhaled.
health h	azard
Resp. Sens. 1	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
	(Contd. on page 2)

Printing date: May 27, 2015

Revision: May 27, 2015

Trade name: 37/40 Muzzle Blast CN
(Contd. of page 1)
Skin Sens. 1H317 May cause an allergic skin reaction.STOT SE 3H335 May cause respiratory irritation.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xn; Harmful
R20/22: Harmful by inhalation and if swallowed.
Xn; Sensitising
R42/43: May cause sensitisation by inhalation and skin contact.
Xi; Irritant
R36/37/38: Irritating to eyes, respiratory system and skin.
R5-44-52/53: Heating may cause an explosion. Risk of explosion if heated under confinement. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
 Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS01 GHS06 GHS08
· Signal word Danger
Hazard-determining components of labelling: 2-chloroacetophenone glycerol trinitrate / nitroglycerin Rosin diphenylamine Hazard statements The following blogged Otatements one combined by the table of the Full membridged and the UC OUC
The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412. H204 Fire or projection hazard. H301+H311 Toxic if swallowed or in contact with skin. H330 Fatal if inhaled.
(Contd. on page 3)

Printing date: May 27, 2015

Revision: May 27, 2015

Trade name: 37/40 Muzzle Blast CN (Contd. of page 2) H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects. · Precautionary statements The following Precautionary Statements are applicable only to the general GHS regulations and not the specific CLP regulation: P374. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210 P250 Do not subject to grinding/shock/friction. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P284 Wear respiratory protection. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. DO NOT fight fire when fire reaches explosives. P373 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. P342+P311 P374 Fight fire with normal precautions from a reasonable distance. P372 Explosion risk in case of fire. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P403+P233 Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · Additional information: EUH209 Can become highly flammable in use. · Hazard description: · WHMIS-symbols: D1B - Toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects E - Corrosive material F - Dangerously reactive material · NFPA ratings (scale 0 - 4) Health = 4Fire = 0Reactivity = 3· HMIS-ratings (scale 0 - 4) HEALTH *3 Health = *3 FIRE 0 Fire = 0REACTIVITY 3 Reactivity = 3 (Contd. on page 4)

Printing date: May 27, 2015

Revision: May 27, 2015

(Contd. of page 3)

Trade name: 37/40 Muzzle Blast CN

Warning: Contains lead salt(s). Long-term health hazard.

· HMIS Long Term Health Hazard Substances

122-39-4 diphenylamine

· 2.3 Other hazards

\cdot Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

3.2 Mixtures Description: Mixture of subs	tances listed below with nonhazardous additions.	
· Dangerous components:		
CAS: 532-27-4 EINECS: 208-531-1	2-chloroacetophenone T + R26; T R24/25; Xn R42/43; Xi R37/38-41 Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 1, H330 Resp. Sens. 1, H334 Eye Dam. 1, H318 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	20-409
CAS: 1309-48-4 EINECS: 215-171-9 Index number: 025-199-09-0	magnesium oxide substance with a Community workplace exposure limit	20-40%
CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular E R3 Expl. 1.1, H201	10-20%

Revision: May 27, 2015

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: May 27, 2015

Trade name: 37/40 Muzzle Blast CN

	(Conte	d. of page 4)
CAS: 55-63-0	glycerol trinitrate / nitroglycerin	10-20%
EINECS: 200-240-8	🧕 T+ R26/27/28; 🌉 E R3; 🜄 N R51/53	
Index number: 603-034-00-X		
	Unst. Expl., H200 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330	
	STOT RE 2, H373	
	Aquatic Chronic 2, H411	
	Flam. Liq. 2, H225	
CAS: 7631-86-9	silicon dioxide	5-10%
EINECS: 231-545-4		
CAS: 8050-09-7	Rosin	1-5%
EINECS: 232-475-7	🗙 Xi R43	
Index number: 650-015-00-7		
CAS: 7440-50-8	copper	0,5-2%
EINECS: 231-159-6	substance with a Community workplace exposure limit	4.00/
CAS: 122-39-4 EINECS: 204-539-4	diphenylamine	< 1,0%
Index number: 612-026-00-5	😡 T R23/24/25; 🌄 N R50/53 R33	
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
	STOT RE 2, H373	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 7440-66-6	zinc metal	< 1,0%
	₩ N R50/53	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	the wording of the listed risk phrases refer to section 16.	
Notable Trace Components	(≤ 0,1% w/w)	
CAS: 15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide	
EINECS: 239-290-0	🧕 T Repr. Cat. 1, 3 R61; 🗙 Xn R62-20/22; 🎬 E R3; 🌄 N R50/53	3
Index number: 609-019-00-4		
	Unst. Expl., H200 & Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Acute Tox. 4, H302; Acute Tox. 4, H332	
	V , , , , , , , , , , , , , , , , , , ,	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

 General information: Immediately remove any clothing soiled by the product. Take affected persons out into the fresh air. Do not leave affected persons unattended. Remove breathing equipment only after contaminated clothing have been completely removed.
 After inhalation: Remove victim to fresh air. Seek immediate medical advice.

(Contd. on page 6)

Printing date: May 27, 2015

Revision: May 27, 2015

Trade name: 37/40 Muzzle Blast CN
(Contd. of page 5)
Provide oxygen treatment if affected person has difficulty breathing.
In case of irregular breathing or respiratory arrest provide artificial respiration.
· After skin contact:
Immediately remove any clothing soiled by the product.
Brush off loose particles from skin.
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
After eye contact:
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
 4.2 Most important symptoms and effects, both acute and delayed
Asthma attacks
Blast injury if mishandled.
Allergic reactions
May cause respiratory irritation.
Breathing difficulty
Coughing
Irritant to eyes.
Irritant to skin and mucous membranes.
· Hazards
Danger of blast or crush-type injuries.
Danger of impaired breathing.
 4.3 Indication of any immediate medical attention and special treatment needed
Product may produce physical injury if mishandled. Treatment of these injuries should be based on the
blast and compression effects.
Contains [(2-chlorophenyl)methylene]malononitrile. May produce an allergic reaction.
Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.
In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.
Monitor circulation, possible shock treatment.
Treat skin and mucous membrane with antihistamine and corticoid preparations.
If necessary oxygen respiration treatment.
Medical supervision for at least 48 hours.
SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

(Contd. on page 7)

Printing date: May 27, 2015

Revision: May 27, 2015

Trade name: 37/40 Muzzle Blast CN

(Contd. of page 6)

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

· Additional information

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities. Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Remove persons from danger area. Ensure adequate ventilation Protect from heat. Isolate area and prevent access. · 6.2 Environmental precautions: No special measures required. · 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Dispose contaminated material as waste according to item 13. Send for recovery or disposal in suitable receptacles. Clean the affected area carefully; suitable cleaners are: Warm water and cleansing agent · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Handle with care. Avoid jolting, friction and impact. Avoid breathing dust. Use only in well ventilated areas.
Information about fire - and explosion protection: Protect from heat.

(Contd. on page 8)

Printing date: May 27, 2015

Revision: May 27, 2015

(Contd. of page 7)

Trade name: 37/40 Muzzle Blast CN

Keep respiratory protective device available. Emergency cooling must be available in case of nearby fire.

· 7.2 Conditions for safe storage, including any incompatibilities · Storage:

· Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame. · Information about storage in one common storage facility:

Store away from foodstuffs. Store away from flammable substances.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

8.1 Control narameters

· 8.1 Control p	Darameters	
· Ingredients v	with limit values that require monitoring at the workplace:	
532-27-4 2-cl	hloroacetophenone	
PEL (USA)	Long-term value: 0,3 mg/m ³ , 0,05 ppm	
REL (USA)	Long-term value: 0,3 mg/m ³ , 0,05 ppm	
TLV (USA)	Long-term value: 0,32 mg/m ³ , 0,05 ppm	
EL (Canada)	Long-term value: 0,05 ppm S	
EV (Canada)	Long-term value: 0,32 mg/m ³ , 0,05 ppm	
1309-48-4 ma	agnesium oxide	
PEL (USA)	Long-term value: 15* mg/m ³ fume; *total particulate	
TLV (USA)	Long-term value: 10* mg/m ³ *as inhalable fraction	
EL (Canada)	Short-term value: 10** mg/m ³ Long-term value: 10* 3** mg/m ³ *inhalable fume;**respirable dust and fume	
EV (Canada)	Long-term value: 10 mg/m ³ inhalable	
55-63-0 glyce	erol trinitrate / nitroglycerin	
PEL (USA)	Ceiling limit: 2 mg/m³, 0,2 ppm Skin	
REL (USA)	Short-term value: 0,1 mg/m³ Skin	
TLV (USA)	Long-term value: 0,46 mg/m³, 0,05 ppm Skin	
		(Contd. on page 9)

Printing date: May 27, 2015

Revision: May 27, 2015

Trade name: 37/40 Muzzle Blast CN

	Long torm value: 0.05 ppm	(Contd. of page
EL (Canada)	Long-term value: 0,05 ppm Skin	
EV (Canada)	Long-term value: 0,5 mg/m³, 0,05 ppm Skin	
8050-09-7 Ro	sin	
TLV (USA)	DSEN, RSEN, L	
EL (Canada)	S	
7440-50-8 co	pper	
PEL (USA)	Long-term value: 1* 0,1** mg/m ³ as Cu *dusts and mists **fume	
REL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume	
TLV (USA)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume; as Cu	
EL (Canada)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume, as Cu	
EV (Canada)	Long-term value: 0,2* 1** mg/m³ as copper, *fume;**dust and mists	
122-39-4 dipł	nenylamine	
REL (USA)	Long-term value: 10 mg/m ³	
TLV (USA)	Long-term value: 10 mg/m ³	
EL (Canada)	Long-term value: 10 mg/m ³	
EV (Canada)	Long-term value: 10 mg/m ³	
· PNECs No fu	rther relevant information available. rther relevant information available. formation: The lists valid during the making were used as basis.	
General prote The usual pre- Immediately r Do not inhale Avoid contact Keep away free	tective equipment: ective and hygienic measures: cautionary measures are to be adhered to when handling chemicals. emove all soiled and contaminated clothing. dust / smoke / mist. with the eyes and skin. om foodstuffs, beverages and feed. before breaks and at the end of work.	
Resp	iratory protection required.	(Contd. on page 1

Printing date: May 27, 2015

Revision: May 27, 2015

Trade name: 37/40 Muzzle Blast CN

(Contd. of page 9)

· Protection of hands:



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No further relevant information available.
- · Risk management measures
- See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

SECTION 9: Physical and chemical properties

 Appearance: Form: Colour: Odour: Odour threshold: 	Solid metal container containing liquid and solid con According to product specification Odourless Not determined.	tents.
pH-value:	Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not Determined. Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined. (Cor	ntd. on page 11)

Printing date: May 27, 2015

Revision: May 27, 2015

Trade name: 37/40 Muzzle Blast CN (Contd. of page 10) Auto/Self-ignition temperature: Not determined. · Decomposition temperature: Not determined. · Self-igniting: Product is not self-igniting. · Danger of explosion: Heating may cause an explosion. · Explosion limits: Lower: Not determined. Not determined. Upper: Not applicable. · Vapour pressure: · Density: Not determined. · Relative density Not determined. Not applicable. · Vapour density · Evaporation rate Not applicable. · Solubility in / Miscibility with water: Insoluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Not applicable. **Dynamic:** Kinematic: Not applicable. · 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. 10.3 Possibility of hazardous reactions Danger of explosion. Toxic fumes may be released if heated above the decomposition point. Contact with acids releases toxic gases. Acts as an oxidising agent on organic materials such as wood, paper and fats. Reacts with strong alkali.
 10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials. 10.5 Incompatible materials: No further relevant information available.
10.6 Hazardous decomposition products:
Carbon monoxide and carbon dioxide Nitrogen oxides
Sulphur oxides (SOx)

(Contd. on page 12)

Printing date: May 27, 2015

Revision: May 27, 2015

Trade name: 37/40 Muzzle Blast CN

(Contd. of page 11)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

532-27-4 2-chloroacetophenone

Oral LD50 50 mg/kg (rat)

55-63-0 glycerol trinitrate / nitroglycerin

Oral LD50 115 mg/kg (mouse)

105 mg/kg (rat)

Dermal LD50 29 mg/kg (rat)

280 mg/kg (rabbit)

122-39-4 diphenylamine Oral LD50 1120 mg/kg (rat)

Primary irritant effect:

Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not posess these effects.

• on the skin: Irritant to skin and mucous membranes.

- · on the eye: Irritating effect.
- · Sensitisation:

Sensitisation possible through inhalation.

Sensitisation possible through skin contact.

· Additional toxicological information:

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Harmful

Danger through skin adsorption.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

· Acute effects (acute toxicity, irritation and corrosivity):

Inhalation may cause irritation to the respiratory system.

· Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

Repeated exposures may result in skin and/or respiratory sensitivity.

(Contd. on page 13)

Printing date: May 27, 2015

Revision: May 27, 2015

Trade name: 37/40 Muzzle Blast CN

(Contd. of page 12)

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

· DOT, ADR, IMDG, IATA

UN0301

(Contd. on page 14)

Printing date: May 27, 2015

Revision: May 27, 2015

rade name: 37/40 Muzzle Blast CN	
 · 14.2 UN proper shipping name · DOT, IMDG, IATA · ADR · 14.3 Transport hazard class(es) · DOT 	(Contd. of page 13 Ammunition Tear-producing with burster, expellin charge or propelling charge 0301 Ammunition Tear-producing with burster expelling charge or propelling charge
· Class · Label · ADR, IMDG	1.4 1.4G+6.1+8
· Class · Label	1.4 1.4G+6.1+8
 Class Label 14.4 Packing group DOT, ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: Special marking (IATA): 	1.4G 1.4G+6.1+8 II No
 Cargo Aircraft Only. 14.6 Special precautions for user EMS Number: 14.7 Transport in bulk according to Annex MARPOL73/78 and the IBC Code UN "Model Regulation": 	Not applicable. <u>F-A</u> ,S-Q t II of Not applicable. UN0301, Ammunition Tear-producing with burste expelling charge or propelling charge, 1.4G (6.1+8), II

(Contd. on page 15)

Printing date: May 27, 2015

Revision: May 27, 2015

Trade name: 37/40 Muzzle Blast CN

(Contd. of page 14)

 15.1 Safety, health and environmental regulations/legislation specific for United States (USA) SARA 	r the substance or mixtu
· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
532-27-4 2-chloroacetophenone	
55-63-0 glycerol trinitrate / nitroglycerin	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
Chemicals known to cause cancer:	
Present in trace quantities.	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide	
Chemicals known to cause reproductive toxicity for females: Present in trace quantities.	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males: Present in trace quantities.	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
Present in trace quantities.	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide	
Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
7440-50-8 copper 7440-66-6 zinc metal	D, I,
	D, I,
· IARC (International Agency for Research on Cancer)	
7631-86-9 silicon dioxide	
• TLV (Threshold Limit Value established by ACGIH)	
532-27-4 2-chloroacetophenone	A
1309-48-4 magnesium oxide	A
122-39-4 diphenylamine	A
\cdot NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
· Canada	
 Canadian Domestic Substances List (DSL) 	

Printing date: May 27, 2015

Revision: May 27, 2015

Trade name: 37/40 Muzzle Blast CN

(Contd. of page 15)

· Canadian Ingredient Disclosure list (limit 0.1%)

122-39-4 diphenylamine

· Canadian Ingredient Disclosure list (limit 1%)

532-27-4 2-chloroacetophenone

1309-48-4 magnesium oxide

7631-86-9 silicon dioxide

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H200 Unstable explosives.
- H201 Explosive; mass explosion hazard.
- H225 Highly flammable liquid and vapour.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

- R24/25 Toxic in contact with skin and if swallowed.
- R26 Very toxic by inhalation.
- R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.
- R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.
- R33 Danger of cumulative effects.
- R37/38 Irritating to respiratory system and skin.

(Contd. on page 17)

Printing date: May 27, 2015

Revision: May 27, 2015

Trade name: 37/40 Muzzle Blast CN (Contd. of page 16) R41 Risk of serious damage to eyes. R42/43 May cause sensitisation by inhalation and skin contact. R43 May cause sensitisation by skin contact. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Expl. 1.1: Explosives, Division 1.1 Expl. 1.4: Explosives, Division 1.4 Unst. Expl.: Explosives, Unstable explosives Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 2: Acute toxicity, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 1: Acute toxicity, Hazard Category 1 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com