# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 18, 2017 Revision: October 18, 2017

#### 1 Identification

· Product identifier

· Trade name: 40MM BIP Collapsible Gel Round, OC

Product code: 6420 (1201718)

· Recommended use and restriction on use

· Recommended use: Crowd Control Device

· Restrictions on use: Contact manufacturer/supplier

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway

Jacksonville, FL 32218

Customer Care (800) 347-1200

· Information department: Customer Care Department



ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)



#### 2 Hazard(s) identification

#### · Classification of the substance or mixture

Explosive classifications are not required for WHMIS.

Expl. 1.4 H204 Fire or projection hazard.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Additional information:

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

- · Label elements
- · GHS label elements

Elements relevant to explosives are not used in Canada.

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





**GHS01 GHS07** 

· Signal word: Warning

· Hazard statements:

H204 Fire or projection hazard.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

(Cont'd. on page 2)

Page: 2/13

# Safety Data Sheet

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 18, 2017 Revision: October 18, 2017

Trade name: 40MM BIP Collapsible Gel Round, OC

(Cont'd. of page 1)

#### · Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P250 Do not subject to grinding/shock/friction.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P372 Explosion risk in case of fire.

P373 DO NOT fight fire when fire reaches explosives.

P374 Fight fire with normal precautions from a reasonable distance. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · NFPA ratings (scale 0 - 4)



Health = 1 Fire = 0

Reactivity = 3

#### · HMIS-ratings (scale 0 - 4)

Warning: Contains lead salt(s). Long-term health hazard.



Health = 1Fire = 0

REACTIVITY 3 Reactivity = 3

Other hazards

#### · Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that they are dealing with a powerful force and that various devices and methods have been developed to assist them in directing this force. They should realize that this force, if misdirected, may either kill or injure both themself and their fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, they should consult the manufacturer before use.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
1309-48-4	magnesium oxide	60-80%
9004-70-0	Nitrocellulose, colloided, granular Expl. 1.1, H201	5-10%
	(Cont'd	l. on page 3)

Page: 3/13

# **Safety Data Sheet**

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 18, 2017 Revision: October 18, 2017

Trade name: 40MM BIP Collapsible Gel Round, OC

		d. of page 2)
8023-77-6	Oleoresin Capsicum	1-5%
	① Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
7439-89-6	iron	0.1-1%
7440-50-8	copper	0.1-1%
122-39-4	diphenylamine Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT RE 2, H373	0.1-1%

#### · Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

#### · Notable Trace Components (< 0.1% w/w)

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

Onst. Expl., H200

🕉 Repr. 1A, H360; STOT RE 2, H373

Acute Tox. 4, H302; Acute Tox. 4, H332

#### 4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

After inhalation:

Remove victim to fresh air.

Seek medical help for symptoms or if unconscious.

After skin contact:

Brush off loose particles from skin.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Blast injury if mishandled.

Coughing

Breathing difficulty

Irritating to eyes, respiratory system and skin.

· Danger:

Danger of blast or crush-type injuries.

Danger of impaired breathing.

Indication of any immediate medical attention and special treatment needed:

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

(Cont'd. on page 4)

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 18, 2017 Revision: October 18, 2017

Trade name: 40MM BIP Collapsible Gel Round, OC

(Cont'd. of page 3)

If necessary oxygen respiration treatment.

### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

DO NOT fight fire when fire reaches explosives.

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Fire or projection hazard.

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

#### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation.

Protect from heat.

Isolate area and prevent access.

#### Environmental precautions

Inform respective authorities in case of seepage into water course or sewage system.

# · Methods and material for containment and cleaning up

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

#### Reference to other sections

See Section 7 for information on safe handling.

(Cont'd. on page 5)

Page: 5/13

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 18, 2017 Revision: October 18, 2017

Trade name: 40MM BIP Collapsible Gel Round, OC

(Cont'd. of page 4)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

- ·Handling
- Precautions for safe handling:

Handle with care. Avoid jolting, friction and impact.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Protect from heat.

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

· Control paran	· Control parameters		
· Components with limit values that require monitoring at the workplace:			
1309-48-4 mag	1309-48-4 magnesium oxide		
PEL (USA)	Long-term value: 15* mg/m³ fume; *total particulate		
TLV (USA)	Long-term value: 10* mg/m³ *as inhalable fraction		
EL (Canada)	Short-term value: 10** mg/m³ Long-term value: 10* 3** mg/m³ *inhalable fume;**respirable dust and fume		
EV (Canada)	Long-term value: 10 mg/m³ inhalable		
LMPE (Mexico)	Long-term value: 10* mg/m³ A4, *fracción respirable		
7439-89-6 iron			
EV (Canada)	Long-term value: 1* 5** mg/m³ as iron;*salts, water-soluble,**welding fume		
LMPE (Mexico)	Long-term value: 1 mg/m³		
		(Cont'd. on page 6)	

Page: 6/13

# **Safety Data Sheet**

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 18, 2017 Revision: October 18, 2017

Trade name: 40MM BIP Collapsible Gel Round, OC

		(Cont'd. of page 5)
7440-50-8 copper		
PEL (USA)	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume	
REL (USA)	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume	
TLV (USA)	Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume; as Cu	
EL (Canada)	Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume, as Cu	
EV (Canada)	Long-term value: 0.2* 1** mg/m³ as copper, *fume;**dust and mists	
LMPE (Mexico)	Long-term value: 0.2* 1** mg/m³ *humo (como Cu);**polvo y niebla (como Cu)	
122-39-4 diphe	nylamine	
REL (USA)	Long-term value: 10 mg/m³	
TLV (USA)	Long-term value: 10 mg/m³	
EL (Canada)	Long-term value: 10 mg/m³	
EV (Canada)	Long-term value: 10 mg/m³	
LMPE (Mexico)	Long-term value: 10 mg/m³ A4	

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Do not inhale dust / smoke / mist.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

Use suitable respiratory protective device when high concentrations are present.

Protection of hands:



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be (Cont'd. on page 7)

Page: 7/13

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 18, 2017 Revision: October 18, 2017

Trade name: 40MM BIP Collapsible Gel Round, OC

(Cont'd. of page 6)

checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

#### · Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

#### Limitation and supervision of exposure into the environment

No relevant information available.

### · Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No relevant information available.

# 9 Physical and chemical properties

Information on basic physical a	and chemical properties
Appearance: Form: Color: Odor: Odor threshold:	Plastic and methal container containing solid contents. According to product specification Odorless Not determined.
pH-value: Melting point/Melting range: Boiling point/Boiling range:	Not applicable. Not determined. Not determined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Danger of explosion:	Heating may cause an explosion.
Explosion limits Lower: Upper:	Not determined. Not determined.
Vapor pressure:	Not applicable.
Density: Relative density: Vapor density:	Not determined. Not determined. Not applicable.

(Cont'd. on page 8)

Page: 8/13

# **Safety Data Sheet**

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 18, 2017 Revision: October 18, 2017

Trade name: 40MM BIP Collapsible Gel Round, OC

(Cont'd. of page 7)

• **Evaporation rate:** Not applicable.

· Solubility in / Miscibility with

Water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

• Other information No relevant information available.

#### 10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability:
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Risk of explosion if heated under confinement.

· Possibility of hazardous reactions

Fire or projection hazard.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and alkali.

Reacts violently with oxidizing agents.

- · Conditions to avoid Sources of ignition, open flame, incompatible materials.
- Incompatible materials Oxidizers
- · Hazardous decomposition products

Carbon monoxide and carbon dioxide

Nitrogen oxides

Sulfur oxides (SOx)

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acute Toxicity Estimate)           Oral         LD50         >5,000 mg/kg (rat)           Dermal         LD50         >5,000 mg/kg           Inhalative         LC50/4h         >100 mg/l	· LD/LC50 v	· LD/LC50 values that are relevant for classification:		
Dermal LD50 >5,000 mg/kg	ATE (Acu	ATE (Acute Toxicity Estimate)		
	Oral	LD50	>5,000 mg/kg (rat)	
Inhalative LC50/4h >100 mg/l	Dermal	LD50	>5,000 mg/kg	
	Inhalative	LC50/4h	>100 mg/l	

8023-77-6 Oleoresin Capsicum		
Oral	LD50	3,000 mg/kg (rat)
Dermal	LD50	>2,500 mg/kg (mouse)

(Cont'd. on page 9)

Page: 9/13

# **Safety Data Sheet**

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 18, 2017 Revision: October 18, 2017

Trade name: 40MM BIP Collapsible Gel Round, OC

(Cont'd. of page 8)

#### 122-39-4 diphenylamine

Oral LD50 1,120 mg/kg (rat)

- · Primary irritant effect:
- · On the skin:

Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not possess these effects.

Irritant to skin and mucous membranes.

On the eye:

Not an eye irritant in unused form. Vapors/particles from delpoyed product are a serious eye irritant. Irritating effect.

- · Sensitization: No sensitizing effects known.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

R

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): Danger of blast or crush-type injuries.
- · Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- **STOT-single exposure:** May cause respiratory irritation.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity Toxic for aquatic organisms
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: May be accumulated in organism
- · Mobility in soil: No relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Cont'd. on page 10)

Page: 10/13

# Safety Data Sheet

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 18, 2017 Revision: October 18, 2017

Trade name: 40MM BIP Collapsible Gel Round, OC

(Cont'd. of page 9)

Also poisonous for fish and plankton in water bodies.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- Other adverse effects No relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	UN0301	
UN proper shipping name		
· DOT, IATA	Ammunition Tear-producing with burster, expelling charge or propelling charge	
· ADR	0301 AMMUNITION TEAR-PRODUCING with burster, expelling charge	
·IMDG	AMMUNITION TEAR-PRODUCING with burster, expelling charge or propelling charge	
	(Cont'd. on page 11)	

Page: 11/13

# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 18, 2017 Revision: October 18, 2017

Trade name: 40MM BIP Collapsible Gel Round, OC

	(Cont'd. of page 10
· Transport hazard class(es)	
· DOT	
1.4 (1.5 ) (1.5	
· Class · Label	1.4 1.4G, 6.1, 8
·ADR	
1.4 (5.5)	
· Class · Label	1.4 1.4G+6.1+8
· IMDG	
1.4 G	
· Class · Label	1.4 1.4G/6.1/8
·IATA	
1.4 G	
· Class · Label	1.4 1.4G (6.1, 8)
· Packing group · DOT, ADR, IMDG, IATA	II
· Environmental hazards	Not applicable.
· Special precautions for user · EMS Number:	Not applicable. <u>F-A</u> ,S-Q
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.

(Cont'd. on page 12)

Page: 12/13

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 18, 2017 Revision: October 18, 2017

Trade name: 40MM BIP Collapsible Gel Round, OC

(Cont'd. of page 11)

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- Chemicals known to cause cancer:

Present in trace quantities.

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

Present in trace quantities.

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

- · Carcinogenic categories
- EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision October 18, 2017 / -

(Cont'd. on page 13)

Page: 13/13

# **Safety Data Sheet**

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 18, 2017 Revision: October 18, 2017

Trade name: 40MM BIP Collapsible Gel Round, OC

(Cont'd. of page 12)

#### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

Expl. 1.1: Explosives – Division 1.1

Expl. 1.4: Explosives - Division 1.4

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

#### · Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com