

GHS

Printing date: September 10, 2014

Revision: September 10, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
<ul> <li>Trade name: <u>40MM ER LE 250 Shot Training Kit</u></li> </ul>
<ul> <li>Article number: 6530LE</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> </ul>
· Application of the substance / the mixture Explosive product.
<ul> <li>1.3 Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: Safariland, LLC</li> <li>13386 International Parkway</li> <li>Jacksonville, FL 32218</li> <li>Customer Care (800) 347-1200</li> <li>Further information obtainable from: Customer Care Department</li> </ul>
• <b>1.4 Emergency telephone number:</b> ChemTel Inc. (800)255-3924, +1 (813)248-0585
SECTION 2: Hazards identification
<ul> <li>• 2.1 Classification of the substance or mixture</li> <li>• Classification according to Regulation (EC) No 1272/2008</li> <li>The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.</li> </ul>
<ul> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>The following Hazard Statements are applicable only to the EU regulations and not the US GHS</li> </ul>
Classification according to Regulation (EC) No 1272/2008     The following Hazard Statements are applicable only to the EU regulations and not the US GHS     regulation: H411.
Classification according to Regulation (EC) No 1272/2008     The following Hazard Statements are applicable only to the EU regulations and not the US GHS     regulation: H411.     exploding bomb     Expl. 1.4 H204 Fire or projection hazard.
Classification according to Regulation (EC) No 1272/2008 The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.     exploding bomb Expl. 1.4 H204 Fire or projection hazard.      environment
<ul> <li>Classification according to Regulation (EC) No 1272/2008         The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.     </li> <li>exploding bomb     </li> <li>Expl. 1.4 H204 Fire or projection hazard.</li> <li>environment         Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.     </li> </ul>

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: 40MM ER LE 250 Shot Training Kit

(Contd. of page 1)

# • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms

This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).



#### · Signal word Warning

#### · Hazard statements

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.

H204 Fire or projection hazard.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

The following Precautionary Statements are applicable only to the general GHS regulations and not the specific CLP regulation: P374.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P250 Do not subject to grinding/shock/friction.

P373 DO NOT fight fire when fire reaches explosives.

P374 Fight fire with normal precautions from a reasonable distance.

P372 Explosion risk in case of fire.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Additional information:
- Can become highly flammable in use.
- · Hazard description:
- · WHMIS-symbols:
- F Dangerously reactive material



· NFPA ratings (scale 0 - 4)



Health = 0Fire = 0Reactivity = 3

· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OREACTIVITYReactivity = 3

(Contd. on page 3)

(Contd. of page 2)

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: 40MM ER LE 250 Shot Training Kit

Warning: Contains lead salt(s). Long-term health hazard.

#### · HMIS Long Term Health Hazard Substances

#### 122-39-4 diphenylamine

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide

#### 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 9004-70-0	Nitrocellulose, colloided, granular	50-100%
EC number: 603-037-0	🗱 E R3	
	📀 Expl. 1.1, H201	
CAS: 85-98-3	1,3-diethyldiphenylurea	5-10%
EINECS: 201-645-2	🗙 Xn R22	
	🚯 Acute Tox. 4, H302	
	Aquatic Chronic 3, H412	
CAS: 7439-89-6	iron	1-5%
EINECS: 231-096-4	substance with a Community workplace exposure limit	
CAS: 7440-50-8	copper	1-5%
EINECS: 231-159-6	substance with a Community workplace exposure limit	
		(Contd. on page 4

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: 40MM ER LE 250 Shot Training Kit

CAS: 122-39-4	diphenylamine	< 1,0%
EINECS: 204-539-4 Index number: 612-026-00-5	₩ T R23/24/25; ₩ N R50/53 R33	
	<ul> <li>Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331</li> <li>STOT RE 2, H373</li> <li>Aquatic Acute 1, H400; Aquatic Chronic 1, H410</li> </ul>	
	zinc metal N R50/53 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	< 1,0%
EINECS: 239-290-0 Index number: 609-019-00-4	lead 2,4,6-trinitro-m-phenylene dioxide T Repr. Cat. 1, 3 R61; Xn R62-20/22; E R3; N R50/53 R33	< 1,0%
	<ul> <li>Unst. Expl., H200</li> <li>Repr. 1A, H360Df; STOT RE 2, H373</li> <li>Aquatic Acute 1, H400; Aquatic Chronic 1, H410</li> <li>Acute Tox. 4, H302; Acute Tox. 4, H332</li> </ul>	

• Additional information: For the wording of the listed risk phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Unlikely route of exposure.

Brush off loose particles from skin.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed Blast injury if mishandled.

Hazards Danger of blast or crush-type injuries.

· 4.3 Indication of any immediate medical attention and special treatment needed

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

(Contd. on page 5)

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: 40MM ER LE 250 Shot Training Kit

(Contd. of page 4)

# **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
   During heating or in case of fire poisonous gases are produced.
   Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.
- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- Additional information

Cool endangered receptacles with water spray.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

# **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
   Dispose contaminated material as waste according to item 13.
- Send for recovery or disposal in suitable receptacles.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

(Contd. on page 6)

GHS

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: 40MM ER LE 250 Shot Training Kit

(Contd. of page 5)

### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Handle with care. Avoid jolting, friction and impact.
- Information about fire and explosion protection: Protect from heat. Emergency explicitly must be explicitly in each of pearly

Emergency cooling must be available in case of nearby fire.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame.
- Information about storage in one common storage facility: Store away from foodstuffs. Store away from flammable substances.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

•	Ingredients w	vith limit values that require monitoring at the workplace:	
	7439-89-6 iro	n	
	EV (Canada)	Long-term value: 1* 5** mg/m <sup>3</sup> as iron;*salts, water-soluble;**welding fume	
	7440-50-8 со	pper	
	PEL (USA)	Long-term value: 1* 0,1** mg/m <sup>3</sup> as Cu *dusts and mists **fume	
	REL (USA)	Long-term value: 1* 0,1** mg/m <sup>3</sup> as Cu *dusts and mists **fume	
	TLV (USA)	Long-term value: 1* 0,2** mg/m <sup>3</sup> *dusts and mists; **fume; as Cu	
	EL (Canada)	Long-term value: 1* 0,2** mg/m <sup>3</sup> *dusts and mists; **fume, as Cu	
	EV (Canada)	Long-term value: 0,2* 1** mg/m <sup>3</sup> as copper, *fume;**dust and mists	
	122-39-4 diph	nenylamine	
	REL (USA)	Long-term value: 10 mg/m <sup>3</sup>	
	TLV (USA)	Long-term value: 10 mg/m <sup>3</sup>	
	EL (Canada)	Long-term value: 10 mg/m <sup>3</sup>	
	EV (Canada)	Long-term value: 10 mg/m <sup>3</sup>	
			(Contd. on page 7)

(Contd. on page 8)

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: 40MM ER LE 250 Shot Training Kit

Colour:

### (Contd. of page 6) 15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide EV (Canada) Long-term value: 0,05 mg/m<sup>3</sup> as Pb, Skin (organic compounds) · DNELs No further relevant information available. · PNECs No further relevant information available. · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. · Respiratory protection: Not required under normal conditions of use. · Protection of hands: Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Safety glasses Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No further relevant information available. · Risk management measures See Section 7 for additional information. Organizational measures should be in place for all activities involving this product. No further relevant information available. SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties General Information · Appearance: Form: Solid metal container containing liquid and solid contents.

According to product specification

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: 40MM ER LE 250 Shot Training Kit

		(Contd. of page 7)
· Odour:	Odourless	(11111111111111111111111111111111111111
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Not Determined. Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
<ul> <li>Auto/Self-ignition temperature:</li> </ul>	Not determined.	
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.	
· Self-igniting:	Product is not self-igniting.	
<ul> <li>Danger of explosion:</li> </ul>	Heating may cause an explosion.	
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	Not determined. Not determined.	
· Vapour pressure:	Not applicable.	
<ul> <li>Density:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	Not determined. Not determined. Not applicable. Not applicable.	
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Insoluble.	
<ul> <li>Partition coefficient (n-octanol/water</li> </ul>	): Not determined.	
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> <li>9.2 Other information</li> </ul>	Not applicable. Not applicable. No further relevant information available.	

# **SECTION 10: Stability and reactivity**

### · 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

#### 10.3 Possibility of hazardous reactions

- Danger of explosion.
- Toxic fumes may be released if heated above the decomposition point.
- Reacts with strong acids and alkali.
- Reacts violently with oxidizing agents.
- 10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.

(Contd. on page 9)

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: 40MM ER LE 250 Shot Training Kit

(Contd. of page 8)

• 10.5 Incompatible materials: Oxidizers

tore to the second second

# **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

122-39-4 diphenylamine

Oral LD50 1120 mg/kg (rat)

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide

Oral LD50 650 mg/kg (rat)

Primary irritant effect:

 $\cdot$  on the skin:

Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.

on the eye:

Not an eye irritant in unused form. Vapors/particles from used product are possibly irritating to eyes.

· Additional toxicological information:

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

(Contd. on page 10)

(Contd. of page 9)

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: 40MM ER LE 250 Shot Training Kit

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.

· vPvB: Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport informatio	n
<ul> <li>· 14.1 UN-Number</li> <li>· DOT, ADR, IMDG, IATA</li> <li>· 14.2 UN proper shipping name</li> </ul>	UN0012
· DOT, IMDG, IATA · ADR	CARTRIDGES FOR WEAPONS, INERT PROJECTILE 0012, CARTRIDGES FOR WEAPONS, INERT PROJECTILE
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· DOT, ADR, IMDG	
1.4	
· Class	1.4
· Label	1.4S
1.4 5	
Class	1.4
· Label	1.4S (Contd. on page 11)

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: 40MM ER LE 250 Shot Training Kit

	(Contd. of page 10)
· 14.4 Packing group	
· DOT, ADR, IMDG, IATA	
<ul> <li>14.5 Environmental hazards:</li> </ul>	
Marine pollutant:	No
	Symbol (fish and tree)
<ul> <li>Special marking (ADR):</li> </ul>	Symbol (fish and tree)
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.
· EMS Number:	F-A,S-Q
· Segregation groups	Heavy metals and their salts (including their organometallic compounds)
• 14.7 Transport in bulk according to Annex II o	5 1 ,
MARPOL73/78 and the IBC Code • UN "Model Regulation":	Not applicable. UN0012, CARTRIDGES FOR WEAPONS, INERT PROJECTILE, 1.4S, II

# **SECTION 15: Regulatory information**

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
7440-50-8 copper	
122-39-4 diphenylamine	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
Chemicals known to cause cancer:	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide	
Chemicals known to cause reproductive toxicity	for females:
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity	for males:
None of the ingredients is listed.	
Chemicals known to cause developmental toxici	ty:
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
7440-50-8 copper	D
7440-66-6 zinc metal	D, I

GHS

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: 40MM ER LE 250 Shot Training Kit

	(Contd. of page 1
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
122-39-4 diphenylamine	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
122-39-4 diphenylamine	
Canadian Ingredient Disclosure list (limit 1%)	
7440-50-8 copper	
• Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled and the SDS contains all the information required by the Controlled Products Regula	
· Substances of very high concern (SVHC) according to REACH, Article 57	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide	
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been of	arried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H200 Unstable explosives.
- Explosive; mass explosion hazard. H201
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- Toxic if inhaled. H331
- Harmful if inhaled. H332
- May damage the unborn child. Suspected of damaging fertility. H360Df
- May cause damage to organs through prolonged or repeated exposure. H373
- Very toxic to aquatic life. H400
- Very toxic to aquatic life with long lasting effects. H410
- Harmful to aquatic life with long lasting effects. H412
- R20/22 Harmful by inhalation and if swallowed.
- R22 Harmful if swallowed.
- R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.
- Extreme risk of explosion by shock, friction, fire or other sources of ignition. R3

(Contd. on page 13)

GHS

Printing date: September 10, 2014

Revision: September 10, 2014

#### Trade name: 40MM ER LE 250 Shot Training Kit

(Contd. of page 12) R33 Danger of cumulative effects. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R61 May cause harm to the unborn child. R62 Possible risk of impaired fertility. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Expl. 1.1: Explosives, Division 1.1 Expl. 1.4: Explosives, Division 1.4 Unst. Expl.: Explosives, Unstable explosives Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Repr. 1A: Reproductive toxicity, Hazard Category 1A STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com