Revision: June 05, 2019

Identification	1		
· Product identi	fier		
	K Test G 1st Ampoule 800-6077 (1006155)		
· Recommended	use and restriction on use use: Forensics. use: Contact manufacturer/sup	blier	
• Details of the s • Manufacturer/S Safariland, LLC 13386 Internation Jacksonville, FL Customer Care (nal Parkway 32218	Sheet	®
• Emergency tele ChemTel Inc. (800)255-3924 ((North America)		
+1 (813)248-058			
	, , , , , , , , , , , , , , , , , , ,		
2 Hazard(s) ide	, , , , , , , , , , , , , , , , , , ,		
2 Hazard(s) ide	, , , , , , , , , , , , , , , , , , ,	•	
2 Hazard(s) ide Classification	entification		
2 Hazard(s) ide Classification Eye Irrit. 2A H31 Label element GHS label element	entification of the substance or mixture 19 Causes serious eye irritation is ents lassified and labeled according to		HS).
2 Hazard(s) ide Classification Eye Irrit. 2A H31 Label element GHS label element The product is cl	entification of the substance or mixture 19 Causes serious eye irritation is ents lassified and labeled according to		HS).
2 Hazard(s) ide Classification Eye Irrit. 2A H31 Label element GHS label element The product is cl	entification of the substance or mixture 19 Causes serious eye irritation is ents lassified and labeled according to		HS).
2 Hazard(s) ide Classification Eye Irrit. 2A H31 Label element: GHS label element The product is cl Hazard pictogra GHS07 Signal word: Wa Hazard stateme H319 Causes se	entification of the substance or mixture 19 Causes serious eye irritation s ents assified and labeled according to ams: arning ents: erious eye irritation.		HS).
2 Hazard(s) ide Classification Eye Irrit. 2A H31 Label element: GHS label element The product is cl Hazard pictogra GHS07 Signal word: Wa Hazard stateme H319 Causes se Precautionary s	entification of the substance or mixture 19 Causes serious eye irritation is ents assified and labeled according to ams: arning ents: erious eye irritation. etatements:	o the Globally Harmonized System (G	HS).
2 Hazard(s) ide Classification Eye Irrit. 2A H31 Label element: GHS label element The product is cl Hazard pictogra GHS07 Signal word: Wa Hazard stateme H319 Causes se Precautionary s P264	entification of the substance or mixture 19 Causes serious eye irritation is ents assified and labeled according to ams: arning ents: erious eye irritation. statements: Wash thoroughly after handlir	o the Globally Harmonized System (G	HS).
2 Hazard(s) ide Classification Eye Irrit. 2A H31 Label elements GHS label elements Hazard pictogra GHS07 Signal word: Wa Hazard stateme H319 Causes se Precautionary s P264 P280	entification of the substance or mixture 19 Causes serious eye irritation s ents assified and labeled according to ams: arning ents: erious eye irritation. statements: Wash thoroughly after handlir Wear protective gloves and e	o the Globally Harmonized System (G ng. ye protection. with water for several minutes. Rem	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

56-81-5 Glycerol

30-60% (Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 1st Ampoule

	Cont'd. of page 1)
87-69-4 (+)-tartaric acid	1-5%
🔆 Eye Dam. 1, H318	
3017-60-5 cobalt dithiocyanate	0.1-1%
O Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
• Additional information: For the wording of the listed Hazard Statements, refer to section 1	6.

4 First-aid measures

· General information: No special measures required.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

• After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Causes eye irritation.

Gastric or intestinal disorders when ingested.

· Danger: May be harmful if inhaled.

· Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: None.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

• Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information: Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

For large spills, wear protective clothing.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 1st Ampoule

(Cont'd. of page 2)

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Particular danger of slipping on leaked/spilled product.

• Environmental precautions Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

- · Precautions for safe handling: Use only in well ventilated areas.
- · Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles: No special requirements.
- **Information about storage in one common storage facility:** Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

- Further information about storage conditions: Keep containers tightly sealed.
- Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[•] Control parameters

· Components with limit values that require monitoring at the workplace:		
56-81-5 Glycer	ol	
PEL (USA)	Long-term value: 15* 5** mg/m ³ mist; *total dust **respirable fraction	
TLV (USA)	TLV withdrawn-insufficient data human occup. exp.	
EL (Canada)	Long-term value: 10* 3** mg/m³ *mist; **mist, respirable	
EV (Canada)	Long-term value: 10 mg/m ³	
LMPE (Mexico)	Long-term value: 10 mg/m ³	
The usual preca Wash hands be	Etive and hygienic measures: autionary measures for handling chemicals should be followed. fore breaks and at the end of work. ases / fumes / aerosols.	
	ontrols: Provide adequate ventilation.	

Revision: June 05, 2019

		(Cont'd. of pa
Not required under norma		
	otective device when aerosol or mist is forme	ed.
For spills, respiratory prote	ection may be advisable.	
Protection of hands:		
Protective gloves		
Protective gloves		
Material of gloves		
Nitrile rubber, NBR		
Neoprene gloves		
Butyl rubber, BR		
Fluorocarbon rubber (Vito	ר)	
Natural rubber, NR	nonente in the slove meterials is possible	
Eye protection:	ponents in the glove materials is possible.	
Safety glasses		
	uidelines concerning the use of protective eye	wear.
Body protection: Protect		
	sion of exposure into the environment	t
No relevant information av		
Risk management mea See Section 7 for addition		
No relevant information av		
Physical and chemic	al properties	
Information on backs	hysical and chemical properties	
	nyoloal alla olloillioal properties	
Appearance: Form:	Liquid	

Form:	Liquid	
Color:	Pink	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
• Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	>260 °C (>500 °F)	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
		(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

ade name: NIK Test G 1st Ampoule		
		(Cont'd. of page
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
[·] Other information	No relevant information available.	

10 Stability and reactivity

Reactivity: No relevant information available.
 Chemical stability:
 Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point. Reacts with strong acids.

Reacts with strong oxidizing agents.

- · Conditions to avoid No relevant information available.
- [·] Incompatible materials
- Strong acids Oxidizers

[•] Hazardous decomposition products

Under fire conditions only: Carbon monoxide and carbon dioxide Toxic metal oxide smoke Sulfur oxides (SOx)

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- \cdot On the skin: Based on available data, the classification criteria are not met.
- On the eye: Irritating effect.

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

· Sensitization: Based on available data, the classification criteria are not met.	(Cont'd. of page 5)
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
· NTP (National Toxicology Program):	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	
 Probable route(s) of exposure: Ingestion. Inhalation. Eye contact. Skin contact. Acute effects (acute toxicity, irritation and corrosivity): Causes serious eye irritation. May be harmful if inhaled. Repeated dose toxicity: No relevant information available. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. 	

12 Ecological information

- [·] Toxicity
- Aquatic toxicity The product contains materials that are harmful to the environment.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information
- · General notes:

The product contains materials that are harmful to the environment.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 1st Ampoule

(Cont'd. of page 6)

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information		
[·] UN-Number [·] DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
[·] UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· Transport hazard class(es)		
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.	
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	Not regulated.	
· Environmental hazards · Marine pollutant:	No	
[·] Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	k II of Not applicable.	

15 Regulatory information	
 Safety, health and environmental regulations/legislation specific for the mixture United States (USA) SARA 	e substance or
· Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
3017-60-5 cobalt dithiocyanate	
TSCA (Toxic Substances Control Act)	
	(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 1st Ampoule	
	(Cont'd. of page 7
All ingredients are listed or exempt.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer):	
3017-60-5 cobalt dithiocyanate	2E
Canadian Domestic Substances List (DSL):	·
All ingredients listed on DSL or NDSL.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Acute Tox. 4: Acute toxicity – Category 4 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A · Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

1 Identification Product identifier · Trade name: NIK Test G 2nd Ampoule · Product code: 800-6077 (1006155) Recommended use and restriction on use · Recommended use: Forensics. · Restrictions on use: Contact manufacturer/supplier · Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Safariland, LLC nik 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 **Emergency telephone number:** ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS05 GHS07 · Signal word: Danger · Hazard statements: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. · Precautionary statements: P234 Keep only in original container. P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves and eye protection. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. (Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 2nd Ampoule

P304+P340	(Cont'd. of page 1) IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

Chemical characterization: Mixtures

· Components:

7647-01-0 hydrochloric acid

🔶 Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; STOT SE 3, H335

30-60%

· Additional information: For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

Seek immediate help for blistering or open wounds.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn. Rinse opened eve for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- Most important symptoms and effects, both acute and delayed:
- Coughing

Breathing difficulty

Strong caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Danger:

Danger of gastric perforation. Danger of impaired breathing.

Causes serious eye damage.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 2nd Ampoule

(Cont'd. of page 2)

May cause respiratory irritation.

May be harmful if inhaled.

· Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: No relevant information available.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Clean the affected area carefully; suitable cleaners are:

Warm water

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

• Precautions for safe handling:

Use only in well ventilated areas.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 2nd Ampoule

(Cont'd. of page 3)

Information about storage in one common storage facility: Store away from foodstuffs. Do not store together with alkalis (caustic solutions). Store away from metals.

• Further information about storage conditions: Keep containers tightly sealed.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

7647-01-0 hydrochloric acid

PEL (USA)	Ceiling limit value: 7 mg/m³, 5 ppm
REL (USA)	Ceiling limit value: 7 mg/m³, 5 ppm
TLV (USA)	Ceiling limit value: 7 mg/m³, 5 ppm Ceiling limit value: 7 mg/m³, 5 ppm Ceiling limit value: 2.98 mg/m³, 2 ppm
EL (Canada)	Ceiling limit value: 2 ppm
EV (Canada)	Ceiling limit value: 2 ppm
LMPE (Mexico)	Ceiling limit value: 2 ppm A4

Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

• Engineering controls: Provide adequate ventilation.

· Breathing equipment:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR Neoprene gloves Fluorocarbon rubber (Viton) Natural rubber, NR

(Cont'd. on page 5)

Revision: June 05, 2019

rade name: NIK Test G 2nd Ampoule	
Sensibilization by the components in the glove materials is possible. • Not suitable are gloves made of the following materials: PVA gloves Leather gloves • Eye protection: Contact lenses should not be worn.	(Cont'd. of page 4
Safety glasses	
Follow relevant national guidelines concerning the use of protective eyewear. • Body protection: Protection may be required for spills. • Limitation and supervision of exposure into the environment No relevant information available.	

· Risk management measures No relevant information available.

9 Physical and chemical proper	ties	
· Information on basic physical ar	nd chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Pungent	
· Odor threshold:	Not determined.	
[·] pH-value at 20 °C (68 °F):	< 1	
Melting point/Melting range:	Not determined.	
 Boiling point/Boiling range: 	Not determined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
 Vapor pressure at 20 °C (68 °F): 	23 hPa (17.3 mm Hg)	
[.] Density at 20 °C (68 °F):	1.16 g/cm³ (9.68 lbs/gal)	
· Relative density:	Not determined.	
· Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
	(Co	ont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 2nd Ampoule

(Cont'd. of page 5)

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Kinematic: Other information Not determined. Not determined. No relevant information available.

10 Stability and reactivity

Reactivity: No relevant information available.
Chemical stability:
Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
Possibility of hazardous reactions Toxic fumes may be released if heated above the decomposition point. Reacts with alkali (lyes). Reacts with strong oxidizing agents. Reacts with strong oxidizing agents. Reacts with amines. Corrosive action on metals. Reacts with metals forming hydrogen.
Conditions to avoid No relevant information available.
Incompatible materials Alkalis.
Hazardous decomposition products Chlorine compounds

Hydrogen chloride (HCI)

11 Toxicological information

Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

Primary irritant effect:

· On the skin: Strong caustic effect on skin and mucous membranes.

· On the eye: Strong caustic effect.

· Sensitization: No sensitizing effects known.

· IARC (International Agency for Research on Cancer):

7647-01-0 hydrochloric acid

NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

(Cont'd. on page 7)

3

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 2nd Ampoule

(Cont'd. of page 6)

Ingestion. Inhalation. Eye contact. Skin contact. • Acute effects (acute toxicity, irritation and corrosivity): May be harmful if inhaled. Irritating to respiratory system. Causes severe skin burns and eye damage. • Repeated dose toxicity: No relevant information available. • Germ cell mutagenicity: Based on available data, the classification criteria are not met. • Carcinogenicity: Based on available data, the classification criteria are not met. • Reproductive toxicity: Based on available data, the classification criteria are not met. • STOT-single exposure: May cause respiratory irritation. • STOT-repeated exposure: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

- Aquatic toxicity The product contains materials that are harmful to the environment.
- Persistence and degradability A part of the components is biodegradable.
- · Bioaccumulative potential: Does not accumulate in organisms
- Mobility in soil: No relevant information available.
- Ecotoxical effects:
- **Remark:** After neutralization a reduction of the harming action may be recognized

[·] Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water only.

Revision: June 05, 2019

Trade name: NIK Test G 2nd Ampoule

(Cont'd. of page 7)

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN1789
UN proper shipping name DOT ADR/RID/ADN IMDG, IATA	Hydrochloric acid, solution 1789 HYDROCHLORIC ACID, solution HYDROCHLORIC ACID, solution
Transport hazard class(es)	
DOT	
Class	8
ADR/RID/ADN	8
Class	8 (C1)
Label	8
Class	8
Label Packing group	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	II
Environmental hazards Marine pollutant:	No
Special precautions for user Danger code (Kemler): EMS Number: Segregation groups	Warning: Corrosive substances 80 F-A,S-B Acids

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or (Cont'd. on page 9) mixture

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

	(Cont'd. of pa
United States (USA) SARA	
Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 355 (extremely hazardous substances):	
7647-01-0 hydrochloric acid	
Section 313 (Specific toxic chemical listings):	
7647-01-0 hydrochloric acid	
TSCA (Toxic Substances Control Act)	
All ingredients are listed or exempt.	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	
7647-01-0 hydrochloric acid	
Canadian Domestic Substances List (DSL):	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Abbreviations and acronyms:
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation IATA: International Air Transport Association
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 OSHA: Occupational Safety & Health Administration
 Met. Corr.1: Corrosive to metals – Category 1
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Revision: June 05, 2019

Trade name: NIK Test G 2nd Ampoule

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

(Cont'd. of page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

1 Identification Product identifier · Trade name: NIK Test G 3rd Ampoule · Product code: 800-6077 (1006155) · CAS Number: 67-66-3 · Recommended use and restriction on use · Recommended use: Forensics. · Restrictions on use: Contact manufacturer/supplier · Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Safariland, LLC nik 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 · Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 3 H331 Toxic if inhaled. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Carc. 2 H351 Suspected of causing cancer. Route of exposure: Oral, Inhalation. Repr. 2 H361 Suspected of damaging fertility or the unborn child. STOT SE 3 H336 May cause drowsiness or dizziness. STOT RE 1 H372 Causes damage to the kidneys and the liver through prolonged or repeated exposure. Route of exposure: Oral and Inhalation. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms: **GHS06 GHS07 GHS08** · Signal word: Danger Hazard statements: H302 Harmful if swallowed. H331 Toxic if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. (Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 3rd Ampoule (Cont'd. of page 1) H351 Suspected of causing cancer. Route of exposure: Oral, Inhalation. H361 Suspected of damaging fertility or the unborn child. H336 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeated exposure. Route of exposure: Oral and Inhalation. **Precautionary statements:** Obtain special instructions before use. P201 P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist/vapors/spray. Wash thoroughly after handling. P264 Do not eat, drink or smoke when using this product. P270 P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves and eye protection. If swallowed: Call a poison center/doctor if you feel unwell. P301+P312 Rinse mouth. P330 P302+P352 If on skin: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/attention if you feel unwell. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

[•] Chemical characterization: Substances

- · CAS No. Description
- 67-66-3 trichloromethane

4 First-aid measures

[.] Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air.

Provide oxygen treatment if affected person has difficulty breathing.

If experiencing respiratory symptoms: Call a doctor.

• After skin contact:

Immediately remove any clothing soiled by the product.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 3rd Ampoule (Cont'd. of page 2) Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Irritating to eves and skin. Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. Disorientation Unconsciousness Danger: Toxic if inhaled. Harmful if swallowed. May be harmful in contact with skin. Danger of cerebral edema. Danger of convulsion. Danger of impaired breathing. Vapors may cause drowsiness and dizziness. Causes damage to the kidneys and the liver through prolonged or repeated exposure. Route of exposure: Oral and Inhalation. Suspected of causing cancer. Route of exposure: Oral, Inhalation. Suspected of damaging fertility or the unborn child. Indication of any immediate medical attention and special treatment needed: If medical advice is needed, have product container or label at hand. If swallowed, gastric irrigation with added, activated carbon. If necessary oxygen respiration treatment. Medical supervision for at least 48 hours. 5 Fire-fighting measures

Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: No relevant information available.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 3rd Ampoule

(Cont'd. of page 3)

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

Environmental precautions Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

Precautions for safe handling:

Use only in well ventilated areas.

Keep away from heat and direct sunlight.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

• **Information about protection against explosions and fires:** Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat.

Store only in the original receptacle.

- Information about storage in one common storage facility:
- Store away from foodstuffs.

Store away from oxidizing agents.

Store away from metals.

• Further information about storage conditions: Keep containers tightly sealed.

· Specific end use(s) No relevant information available.

8 Exposure of	controls/personal protection	
• Control para • Components Not required.	ameters with limit values that require monitoring at the workplace:	
67-66-3 trichl	oromethane	
PEL (USA)	Ceiling limit value: 240 mg/m³, 50 ppm	
REL (USA)	Short-term value: 9.78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A	
	·	(Cont'd. on page 5)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Г

Revision: June 05, 2019

		(Cont'd. of pag
TLV (USA)	Long-term value: 49 mg/m³, 10 ppm	, , , , , , , , , , , , , , , , ,
EL (Canada)	Long-term value: 2 ppm IARC 2B; R	
EV (Canada)	Long-term value: 49 mg/m³, 10 ppm	
LMPE (Mexico)	Long-term value: 10 ppm A3	
The usual preca Keep away from Immediately ren Wash hands be Avoid contact w Do not inhale g Engineering co Breathing equ Not required un Use suitable ren Use suitable ren	ctive and hygienic measures:autionary measures for handling chemicals should be followed.in foodstuffs, beverages and feed.move all soiled and contaminated clothing.offore breaks and at the end of work.offore breaks and at the end of work.with the eyes and skin.ases / fumes / aerosols.ontrols: Provide adequate ventilation.ipment:der normal conditions of use.spiratory protective device when aerosol or mist is formed.spiratory protective device in case of insufficient ventilation.ratory protection may be advisable.	
Protect	tive gloves	
	gloves. re gloves made of the following materials: erials listed above should be used.	
Safety	glasses	
	national guidelines concerning the use of protective eyewear. n: Protective work clothing	
Limitation an No relevant info Risk manage See Section 7 f	d supervision of exposure into the environment ormation available. ment measures or additional information. ormation available.	

Information on basic physical and chemical properties
 Appearance:

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

	(Cont'd. of pa
Form:	Liquid
Color:	Colorless
Odor:	Ether-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Melting point/Melting range:	-63 °C (-81.4 °F)
Boiling point/Boiling range:	62 °C (143.6 °F)
Flash point:	Not applicable - does not support sustained combustion.
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties:	Non-oxidizing.
Vapor pressure at 20 °C (68 °F):	210 hPa (157.5 mm Hg)
Density at 20 °C (68 °F):	1.48 g/cm³ (12.35 lbs/gal)
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	8 g/l
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No relevant information available.

10 Stability and reactivity

• **Reactivity:** No relevant information available.

· Chemical stability:

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Reacts with certain metals.

Reacts with strong alkali.

Toxic fumes may be released if heated above the decomposition point.

· Conditions to avoid Keep away from heat and direct sunlight.

[·] Incompatible materials

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 3rd Ampoule

(Cont'd. of page 6)

2B

R

Oxidizers Alkalis. Metals. Hazardous decomposition products Under fire conditions only: Chlorine compounds

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-66-3 trichloromethane

Oral LD50 908 mg/kg (rat)

Primary irritant effect:

· On the skin: Irritant to skin and mucous membranes.

· On the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

· IARC (International Agency for Research on Cancer):

• NTP (National Toxicology Program):

OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

· Probable route(s) of exposure:

Ingestion. Inhalation.

Eve contact.

Skin contact.

Acute effects (acute toxicity, irritation and corrosivity):

Harmful if swallowed.

Toxic if inhaled.

May be harmful in contact with skin.

May cause drowsiness or dizziness.

Irritating to eyes and skin.

• Repeated dose toxicity: Danger of very serious irreversible effects.

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Suspected of causing cancer. Route of exposure: Oral, Inhalation.

• Reproductive toxicity: Suspected of damaging fertility or the unborn child.

• **STOT-single exposure:** May cause drowsiness or dizziness.

STOT-repeated exposure:

Causes damage to the kidneys and the liver through prolonged or repeated exposure. Route of exposure: Oral and Inhalation.

• Aspiration hazard: Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

Trade name: NIK Test G 3rd Ampoule

(Cont'd. of page 7)

12 Ecological information

[·] Toxicity

· Aquatic toxicity No relevant information available.

• Persistence and degradability Not easily biodegradable

· Bioaccumulative potential: No relevant information available.

• Mobility in soil: No relevant information available.

Additional ecological information

· General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

The material is harmful to the environment.

Avoid transfer into the environment.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
DOT, ADR/RID/ADN, IMDG, IATA	UN1888	
· UN proper shipping name		
· DOT, IMDG, IATA	CHLOROFORM	
ADR/RID/ADN	1888 CHLOROFORM	
• Transport hazard class(es)	1666 CHLOROFORM	

Revision: June 05, 2019

	(C	ont'd. of page
DOT		
1000		
Class	6.1	
Label	6.1	
ADR/RID/ADN		
Class	6.1 (T1)	
Label	6.1	
IMDG, IATA		
Class	6.1	
Label	6.1	
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Ш	
Environmental hazards		
Marine pollutant:	No	
Special precautions for user	Warning: Toxic substances	
Danger code (Kemler):	60	
EMS Number: Segregation groups	F-A,S-A Liquid halogenated hydrocarbons	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Il of Not applicable.	
Transport/Additional information:		
DOT		
Hazardous substance:	10 lbs, 4,54 kg	

15 Regulatory information

[·] Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA) · SARA · Section 302 (extremely hazardous substances): Substance is not listed. (Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 05, 2019

	(Cont'd. of p
Section 355 (extremely hazardous substances):	(Conta. or p
Substance is listed.	
Section 313 (Specific toxic chemical listings):	
Substance is listed.	
TSCA (Toxic Substances Control Act)	
All ingredients are listed or exempt.	
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):	
	20
	20
Proposition 65 (California)	20
Proposition 65 (California) Chemicals known to cause cancer:	
Chemicals known to cause cancer:	
Chemicals known to cause cancer: Substance is listed.	
Chemicals known to cause cancer: Substance is listed. Chemicals known to cause developmental toxicity for females:	
Chemicals known to cause cancer: Substance is listed. Chemicals known to cause developmental toxicity for females: Substance is not listed.	
Chemicals known to cause cancer: Substance is listed. Chemicals known to cause developmental toxicity for females: Substance is not listed. Chemicals known to cause developmental toxicity for males:	

IARC (International Agency for Research on Cancer):

· Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Carc. 2: Carcinogenicity - Category 2 Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Sources

(Cont'd. on page 11)

2B

Revision: June 05, 2019

Trade name: NIK Test G 3rd Ampoule

(Cont'd. of page 10)

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com