Revision: November 25, 2015

### **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015


## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ODV Cocaine and Crack/Free-Base Test 1st Ampoule
- · Article number: 7613 (1006038)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against NarcoPouch Cocaine and Crack/Free-Base Test Kit
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200



+1 (800)255-3924, +1 (813)248-0585



### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Aguatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Additional information:

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



· Signal word Warning

(Cont'd. on page 2)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: November 25, 2015 Printing date November 25, 2015

#### Trade name: ODV Cocaine and Crack/Free-Base Test 1st Ampoule

(Cont'd. from page 1)

### · Hazard-determining components of labelling:

cobalt dithiocyanate

acetic acid

#### **Hazard statements**

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

H315 Causes skin irritation.

H319 Causes serious eve irritation.

H412 Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of water. P302+P352

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

### · NFPA ratings (scale 0 - 4)



Health = 1 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 64-19-7	acetic acid	5-10%
EINECS: 200-580-7	♠ Flam. Lig. 3, H226	
EINECS: 200-580-7 Index number: 607-002-00-6	Skin Corr. 1A, H314	
CAS: 3017-60-5	cobalt dithiocyanate	1-5%
EINECS: 221-156-8	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
	(Cont'd	on page 3)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 1st Ampoule

(Cont'd. from page 2)

· Additional information: For the wording of the listed Hazard Statements refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

After skin contact:

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes and skin.

Breathing difficulty

Coughing

- · Hazards May be harmful if inhaled.
- 4.3 Indication of any immediate medical attention and special treatment needed

If necessary oxygen respiration treatment.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Use large quantities of foam as it is partially destroyed by the product.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

(Cont'd. on page 4)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 1st Ampoule

(Cont'd. from page 3)

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Use only in well ventilated areas.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters

· Ingredients v	· Ingredients with limit values that require monitoring at the workplace:	
64-19-7 aceti	64-19-7 acetic acid	
IOELV (EU)	Long-term value: 25 mg/m³, 10 ppm	
PEL (USA)	Long-term value: 25 mg/m³, 10 ppm	
REL (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	
TLV (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	
EL (Canada)	Short-term value: 15 ppm Long-term value: 10 ppm	
EV (Canada)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.

(Cont'd. on page 5)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 1st Ampoule

(Cont'd. from page 4)

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

100 °C (212 °F)

· Eve protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures See Section 7 for additional information.

### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Colour:
Pink

Odour:
Vinegar-like.
Not determined.

PH-value:
Not determined.

Change in condition
Melting point/Melting range:
Not determined.

· Flash point: Not applicable.

Boiling point/Boiling range:

· Flammability (solid, gaseous): Not applicable.

· Auto/Self-ignition temperature: Not determined.

(Cont'd. on page 6)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 1st Ampoule

	(Cont'd. from pag
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
Density at 20 °C (68 °F):	1 g/cm³ (8,345 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient (n-octanol/water	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong alkali.

Reacts with strong oxidising agents.

- 10.4 Conditions to avoid Store away from oxidising agents.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Toxic metal oxide smoke

Sulphur oxides (SOx)

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 1st Ampoule

		(Cont'd. from page 6)
· LD/LC5	0 valu	es relevant for classification:
64-19-7	acetic	acid
Oral	LD50	3310 mg/kg (rat)
Dermal	LD50	1060 mg/kg (rabbit)

- · Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

· Serious eve damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information: May be harmful if inhaled.
- Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes and skin.
- · Repeated dose toxicity: Repeated exposure may result in skin sensitivity.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

The product contains materials that are harmful to the environment.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Cont'd. on page 8)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 1st Ampoule

(Cont'd. from page 7)

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	on	
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	Not Regulated	
· 14.2 UN proper shipping name · DOT, ADR, IMDG, IATA	Not Regulated	
· 14.3 Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not Regulated	
· 14.4 Packing group · DOT, ADR, IMDG, IATA	Not Regulated	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.	
· UN "Model Regulation":	Not Regulated	

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 9)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 1st Ampoule

(Cont'd. from page 8) · Section 313 (Specific toxic chemical listings): 3017-60-5 cobalt dithiocyanate · TSCA (Toxic Substances Control Act): All ingredients are listed. · Proposition 65 (California): · Chemicals known to cause cancer: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed. · Chemicals known to cause developmental toxicity: None of the ingredients are listed. · Carcinogenic Categories · EPA (Environmental Protection Agency) None of the ingredients are listed. · IARC (International Agency for Research on Cancer) 3017-60-5 cobalt dithiocyanate 2B NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients are listed. · Canada · Canadian Domestic Substances List (DSL) All ingredients are listed. · Canadian Ingredient Disclosure list (limit 0.1%) None of the ingredients are listed. · Canadian Ingredient Disclosure list (limit 1%) 64-19-7 acetic acid · Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients are listed. · Other regulations, limitations and prohibitive regulations · Substances of very high concern (SVHC) according to REACH, Article 57 None of the ingredients are listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 1st Ampoule

(Cont'd. from page 9)

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

#### **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

Revision: November 25, 2015

### **Safety Data Sheet**

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ODV Cocaine and Crack/Free-Base Test 2nd Ampoule
- · Article number: 7613 (1006038)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against NarcoPouch Cocaine and Crack/Free-Base Test Kit
- · 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:

Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200



ChemTel Inc.

+1 (800)255-3924, +1 (813)248-0585



### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



corrosion

Met. Corr.1 H290 May be corrosive to metals.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· Additional information:

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS07

· Signal word Warning

(Cont'd. on page 2)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 2nd Ampoule

(Cont'd. from page 1)

#### Hazard-determining components of labelling:

hydrochloric acid tin dichloride

#### · Hazard statements

H290 May be corrosive to metals. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

### · Precautionary statements

P261 Avoid breathing mist/vapours/spray.
P264 Wash thoroughly after handling.
P280 Wear protective gloves / eye protection.

P234 Keep only in original container.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water.

P302+P352 IF ON SKIN: Wash with plenty of water.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P390 Absorb spillage to prevent material damage.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### NFPA ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

### · HMIS-ratings (scale 0 - 4)



- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.

(Cont'd. on page 3)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 2nd Ampoule

(Cont'd. from page 2)

· Dangerous components:

CAS: 7647-01-0 hydrochloric acid

Index number: 017-002-00-2 | STOT SE 3, H335

5-10%

· Additional information:

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes and skin.

Coughing

Breathing difficulty

Gastric or intestinal disorders.

Nausea

· Hazards

Danger of impaired breathing.

May cause respiratory irritation.

May be harmful if inhaled.

4.3 Indication of any immediate medical attention and special treatment needed

If necessary oxygen respiration treatment.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

(Cont'd. on page 4)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 2nd Ampoule

(Cont'd. from page 3)

Wear fully protective suit.

· Additional information No further relevant information available.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Use limestone to neutralize and absorb spill.

Clean the affected area carefully; suitable cleaners are:

Warm water

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Use only in well ventilated areas.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

· Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from metals.

- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see section 7.

(Cont'd. on page 5)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 2nd Ampoule

(Cont'd. from page 4)

### · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:	
7647-01-0 hydrochloric acid	
IOELV (EU)	Short-term value: 15 mg/m³, 10 ppm Long-term value: 8 mg/m³, 5 ppm
PEL (USA)	Short-term value: C 7 mg/m³, C 5 ppm
REL (USA)	Short-term value: C 7 mg/m³, C 5 ppm
TLV (USA)	Short-term value: C 2,98 mg/m³, C 2 ppm
EL (Canada)	Short-term value: C 2 ppm

#### · 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Respiratory protection:

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Neoprene gloves

**PVC** gloves

Natural rubber, NR

· Not suitable are gloves made of the following materials:

**PVA** aloves

Leather gloves

Eve protection:

Contact lenses should not be worn.



Safety glasses

- · Body protection: Acid resistant protective clothing
- Limitation and supervision of exposure into the environment

No further relevant information available.

(Cont'd. on page 6)

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 2nd Ampoule

(Cont'd. from page 5)

· Risk management measures No further relevant information available.

· 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid	
Form: Liquiq	
Colouriess	
· Odour: Pungent	
Odour threshold: Not determined.	
· pH-value at 20 °C (68 °F): < 1	
· Change in condition	
Melting point/Melting range: Not determined.	
Boiling point/Boiling range: < 104 °C (< 219 °F)	
· Flash point: Not applicable.	
· Flammability (solid, gaseous): Not applicable.	
· Auto/Self-ignition temperature: Not determined.	
· Decomposition temperature: Not determined.	
· Self-igniting: Product is not self-igniting.	
· Danger of explosion: Product does not present an	explosion hazard.
· Explosion limits:	
Lower: Not determined.	
Upper: Not determined.	
· Vapour pressure at 20 °C (68 °F): 23 hPa (17 mm Hg)	
· Density at 20 °C (68 °F): 1,16 g/cm³ (9,68 lbs/gal)	
Relative density Not determined.	
Vapour density Not determined.	
· Evaporation rate Not determined.	
· Solubility in / Miscibility with	
water: Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
Dynamic: Not determined.	
Kinematic: Not determined.	
• 9.2 Other information No further relevant information	on available.

(Cont'd. on page 7)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 2nd Ampoule

(Cont'd. from page 6)

### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with alkali (lyes).

Reacts with strong oxidising agents.

Reacts with amines.

Corrosive action on metals.

Reacts with metals forming hydrogen.

- 10.4 Conditions to avoid Store away from oxidising agents.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Chlorine compounds

Hydrogen chloride (HCI)

Toxic metal oxide smoke

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

#### 7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Acute effects (acute toxicity, irritation and corrosivity):

Irritating to eyes and skin.

May be harmful if inhaled.

Irritating to respiratory system.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 2nd Ampoule

(Cont'd. from page 7)

· Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability A part of the components is biodegradable.
- · 12.3 Bioaccumulative potential Does not accumulate in organisms.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: After neutralisation a reduction of the harming action may be recognised.
- · Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water only.

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 2nd Ampoule

(Cont'd. from page 8)

14.1 UN-Number DOT, ADR, IMDG, IATA	UN1789		
14.2 UN proper shipping name			
Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less that gal).			
DOT, IMDG, IATA ADR	HYDROCHLORIC ACID, solution 1789 HYDROCHLORIC ACID, solution		
14.3 Transport hazard class(es)			
DOT, IMDG, IATA Class Label	8 Corrosive substances.		
ADR Class Label	8 (C1) Corrosive substances. 8		
14.4 Packing group DOT, ADR, IMDG, IATA	II		
14.5 Environmental hazards: Marine pollutant:	No		
14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups	Warning: Corrosive substances. 80 F-A,S-B Acids		
14.7 Transport in bulk according to Anr Marpol and the IBC Code	nex II of Not applicable.		
Transport/Additional information:			
ADR Limited quantities (LQ) Transport category Tunnel restriction code	1L 2 E		
UN "Model Regulation":	UN1789, HYDROCHLORIC ACID, solution, 8, II		

(Cont'd. on page 10)

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 2nd Ampoule

None of the ingredients are listed.

(Cont'd. from page 9)

(Cont'd. on page 11)

(Cont'd. from page 1	<u></u>
SECTION 15: Regulatory information	
· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixidential values (USA) · SARA	ur
Section 355 (extremely hazardous substances):	
7647-01-0 hydrochloric acid	
Section 313 (Specific toxic chemical listings):	
7647-01-0 hydrochloric acid	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer)	
7647-01-0 hydrochloric acid	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 1%)	_
7647-01-0 hydrochloric acid	
· Directive 2012/18/EU	
· Named dangerous substances - ANNEX I	_

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Printing date November 25, 2015 Revision: November 25, 2015

Trade name: ODV Cocaine and Crack/Free-Base Test 2nd Ampoule

(Cont'd. from page 10)

- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety Met. Corr.1: Corrosive to metals, Hazard Category 1

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3