

SAFETY DATA SHEET

Issue Date 06-May-2015 Revision Date 19-May-2015 Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name SureGrip Daily Cleaner/Degreaser

Other means of identification

Product Code 3004 Synonyms None

Product dilution information: 4 ounces per gallon

Details of the supplier of the safety data sheet

Company Name SureGrip Floor Systems, Inc.

2801-3 Capital Circle NE Tallahassee, FL 32308

(800)928-6281

Emergency telephone number

Emergency Telephone 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

PRODUCT AS SOLD

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

PRODUCT AT USE DILUTION

Not a hazardous substance or mixture

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity 0.0058% of the mixture consists of ingredient(s) of unknown toxicity

Label elements

Danger

Emergency Overview

Hazard statements

Causes severe skin burns and eye damage

Emergency

Appearance: Clear Green

Physical State: Liquid

Odor: Citrus

PRODUCT AT USE DILUTION

None

3004 SureGrip Daily Cleaner/Degreaser

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid release to the environment

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0.15% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Nonylphenol Ethoxylate	9016-45-9	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Move out of dangerous area. Show this SDS to the doctor in attendance. Do not leave

unattended.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Eye contact Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Consult

physician if irritation persists.

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Ingestion Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Self-protection of the first aiderUse personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

3004 SureGrip Daily Cleaner/Degreaser

Revision Date 19-May-2015

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

PRODUCT AT USE DILUTION

First aid measures

Skin Contact Wash off immediately with plenty of water. Wash skin with soap and water.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautions Do not allow into any sewer, on the ground or into any body of water. Should not be released

into the environment. Prevent further leakage or spillage if safe to do so. Prevent product

from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upDike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up

mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

PRODUCT AT USE DILUTION

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingUse personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents.

PRODUCT AT USE DILUTION

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sulfuric Acid	TWA: 0.2 mg/m³ thoracic fraction	TWA: 1 mg/m ³	IDLH: 15 mg/m ³
7664-93-9	-	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Keep away from food, drink and animal feeding

stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves

and eye/face protection.

PRODUCT AT USE DILUTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Propanol	STEL: 400 ppm	TWA: 400 ppm TWA: 980	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	mg/m³ (vacated) TWA:	TWA: 400 ppm
		400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	
Sulfuric Acid	TWA: 0.2 mg/m³ thoracic fraction	TWA: 1 mg/m ³	IDLH: 15 mg/m ³
7664-93-9		(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Rubber gloves if prolonged contact and/or handling large volumes.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn.

General Hygiene Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Remarks • Method

Information on basic physical and chemical properties

Physical state Appearance Clear Green Color Green Odor Citrus

Odor threshold No Information available

Property

<u>Values</u> pН 1.5 Specific Gravity 1.04

Viscosity Slightly Viscous

Melting point/freezing point No Information available

Flash point

None Boiling point / boiling range 212 °F

Evaporation rate

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit: No Information available Lower flammability limit: No Information available Vapor pressure No Information available Vapor density No Information available

No Information available

Water solubility Complete

Partition coefficient No Information available Autoignition temperature No Information available **Decomposition temperature** No Information available

Other Information

Density Lbs/Gal 8.66

VOC Content (%) Not Applicable

PRODUCT AT USE DILUTION

Information on basic physical and chemical properties

Liquid **Physical state** Clear Green **Appearance** Color Green Odor Citrus

No Information available **Odor threshold**

Property <u>Values</u> рΗ 3.0 - 4.0Specific Gravity 1.00

< 25 cP @ 25°C **Viscosity**

Melting point/freezing point No Information available

Flash point

Boiling point / boiling range 100 °C / 212 °F Degrees

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

PRODUCT AT USE DILUTION

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Harmful by inhalation, ingestion, in contact with eyes and skin.

Inhalation No data available

Eye contact Risk of serious damage to eyes.

Skin Contact Contact with skin may cause severe irritation and burns.

IngestionIngestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach. Ingestion may cause nausea, vomiting, or diarrhea.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Glycolic Acid 79-14-1	= 1950 mg/kg (Rat)	-	= 3.6 mg/L (Rat) 4 h
Citric Acid 77-92-9	= 3000 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No Information available. Germ cell mutagenicity No Information available. Carcinogenicity No information available. Reproductive toxicity No Information available. STOT - single exposure No Information available. STOT - repeated exposure No Information available. **Chronic toxicity** No information available. **Aspiration hazard** No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0.15% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

PRODUCT AT USE DILUTION

Information on likely routes of exposure

Product Information Maybe harmful by inhalation, ingestion, in contact with eyes and skin,

Inhalation Avoid breathing vapors or mists. Inhalation of vapors in high concentration may cause

irritation of respiratory system.

Eye contact Avoid contact with eyes. Contact with eyes may cause irritation or burns. **Skin**

Contact Avoid contact with skin. Prolonged contact may cause redness and irritation.

Ingestion Do not taste or swallow. May cause gastro intestinal irritation.

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.75% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Dodecylbenzene Sulfonic Acid	-	3: 96 h Oncorhynchus mykiss mg/L	2.9: 48 h Daphnia magna mg/L
68584-22-5		LC50 static	EC50
Glycolic Acid 79-14-1	-	5000: 96 h Brachydanio rerio mg/L LC50 static	-
Nonylphenol Ethoxylate 9016-45-9	-	5: 96 h Fish mg/L LC50	-
Citric Acid	-	1516: 96 h Lepomis macrochirus	120: 72 h Daphnia magna mg/L
77-92-9		mg/L LC50 static	EC50
Sulfuric Acid	-	500: 96 h Brachydanio rerio mg/L	29: 24 h Daphnia magna mg/L
7664-93-9		LC50 static	EC50

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Other adverse effects

No Information available

Additional exological information

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

PRODUCT AT USE DILUTION

Ecotoxicity

0.0246% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Propanol	1000: 96 h Desmodesmus	9640: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50 1000: 72 h		EC50
	Desmodesmus subspicatus mg/L	h Pimephales promelas mg/L LC50	
	EC50	static 1400000: 96 h Lepomis	
		macrochirus µg/L LC50	
Dodecylbenzene Sulfonic Acid	-	3: 96 h Oncorhynchus mykiss mg/L	2.9: 48 h Daphnia magna mg/L
68584-22-5		LC50 static	EC50
Nonylphenol Ethoxylate	-	5: 96 h Fish mg/L LC50	-
9016-45-9			
Citric Acid	-	1516: 96 h Lepomis macrochirus	120: 72 h Daphnia magna mg/L
77-92-9		mg/L LC50 static	EC50
Sulfuric Acid	-	500: 96 h Brachydanio rerio mg/L	29: 24 h Daphnia magna mg/L
7664-93-9		LC50 static	EC50

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Other adverse effects No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

154

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

UN/ID No. UN1760

Proper shipping name Corrosive liquids, n.o.s.

Hazard Class 8
Packing Group III

Special Provisions 3, T7, TP1, TP28

Description UN1760, Corrosive liquids, n.o.s. (contains Hydroxyacetic Acid and

Dodecylbenzenesulfonic Acid), 8, III

Emergency Response Guide

Number

9

TDG

UN/ID No. UN1760

Proper shipping name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group III

Description UN1760, Corrosive liquids, n.o.s. (contains Hydroxyacetic Acid and

Dodecylbenzenesulfonic Acid), 8, III

PRODUCT AT USE DILUTION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT Not regulated

TDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Sulfuric Acid - 7664-93-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sulfuric Acid 7664-93-9	X	X	X
Sodium Sulfate 7757-82-6	-	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

PRODUCT AT USE DILUTION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazardNoChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)


This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

16. OTHER INFORMATION

Further information




HMIS III:



2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Issue Date 08-May-2015
Revision Date 19-May-2015
Revision Note



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.