

SAFETY DATA SHEET

Revision Date 26-Mar-2015

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Swisher Brite Glow

Other means of identification

Product Code 42096-5 UN/ID No UN1760

Document 42096-5/ 42096-15

Recommended use of the chemical and restrictions on use

Recommended use Laundry Emulsion

Details of the supplier of the safety data sheet

Distributor

Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 (NORTH AMERICA)

1-703-527-3887 (INTERNATIONAL)

Company Phone Number 800-444-4138

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation | Category 1 |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 1 |

Label elements

Emergency Overview

Danger

Hazard Statements

Causes severe skin burns and eye damage



Appearance Free flowing liquid

Physical state Liquid

Odor Pleasant

Precautionary Statements - Prevention

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

- Immediately call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

Unknown Acute Toxicity

100% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Chemical Name | CAS-No | Weight-% | Trade Secret |
|--|------------|-----------|--------------|
| Sodium hydroxide | 1310-73-2 | 15% - 30% | * |
| Ethylene oxide-Nonylphenol polymer | 9016-45-9 | 1-5 | * |
| Benzenesulfonic acid, C10-16-alkyl derivatives | 68584-22-5 | 1-5 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice Show this safety data sheet to the doctor in attendance.

Eye contact Immediately flush eye with plenty of cool, running water. Remove contact lenses if

applicable, and continue flushing for at least 15 minutes, holding eyelids apart to ensure

42096-5 Swisher Brite Glow

Revision Date 26-Mar-2015

thorough rinsing of the entire eye. GET IMMEDIATE MEDICAL ATTENTION.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing before re-use. Call a physician immediately.

Inhalation Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get

medical help.

Ingestion If swallowed, give several cups of water or milk to dilute. Do not induce vomiting. Get

medical attention. Do not give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Not normally considered combustible. Will not burn or sustain combustion.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

Protect from irritating mists and corrosive solutions with pressure demand, self-contained respirator and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal

protective equipment.

Other information Common Weak Acids suitable for neutralizing caustic alkalis: acetic acid, citric acid, lemon

juice, tartaric acid, vinegar.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Dilute with water and neutralize as required.

Methods for cleaning up

Stop flow of product. Wash away small spills with plenty of water. Absorb large spills.

Dispose of in accordance with all local, state and federal regulations. Observe all label

safeguards until container is cleaned, reconditioned or destroyed.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling KEEP OUT OF REACH OF CHILDREN. CAUTION. WARNING.. Do not contaminate water,

food, or feed. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Wash

thoroughly after handling. Do not mix with anything other than water. .

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Store at room temperature. Keep from freezing. Keep container tightly closed. Avoid contact with strong oxidizing agents, aluminum and other soft metals. Use adequate

ventilation. Do not take internally.

Incompatible products Acids, aluminum and other soft metals. Strong oxidizing agents. Do not mix with other

chemicals. .

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------|-----------|--------------------------|------------------------------|
| Sodium hydroxide | - | TWA: 2 mg/m ³ | IDLH: 10 mg/m ³ |
| 1310-73-2 | | _ | Ceiling: 2 mg/m ³ |

NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation and that running water is available for washing eyes and skin Individual protection measures, such as personal protective equipment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protection Impervious rubber, alkali-proof protective gloves. Impervious rubber boots & apron..

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measuresDo not eat, drink or smoke when using this product. Practice good personal hygiene. Wash

after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Liquid

Appearance Free flowing liquid Odor Pleasant

Color Yellow , Odor Threshold No information available

Blue

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

pH 13.0

 Melting/freezing point
 No information available

 Boiling point/boiling range
 100 °C / 212 °F

 Flack Point
 No information available

Flash Point No information available Evaporation rate No information available

er Brite Glow Revision Date 26-Mar-2015

Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limit
Lower flammability limit
Vapor pressure
Vapor density
No information available
No information available
No information available

Specific Gravity 1.27

Water solubility
Solubility in other solvents
Partition coefficient: n-octanol/waterNo information available
Autoignition temperature
Decomposition temperature
Viscosity, kinematic
Viscosity, dynamic
No information available
No information available
No information available
No information available

Explosive propertiesOxidizing Properties
Not explosive
Not an oxidizer

Other information

Softening point
Molecular Weight
VOC Content(%)
Density VALUE
No information available

10. STABILITY AND REACTIVITY

Chemical stability

Stable.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Acids, aluminum and other soft metals. Strong oxidizing agents. Do not mix with other chemicals. .

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Causes severe skin burns and eye damage

Inhalation Inhalation of mists may cause severe irritation.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contact Causes burns.

Ingestion Severe irritation of the gastrointestinal tract, causing vomiting, nausea and burns.

| Chemical Name | Oral LD50 | Dermal LD50 | LC50 Inhalation |
|---|---|---|-----------------|
| Sodium hydroxide 1310-73-2 | 140 mg/kg (Rat) | = 1350 mg/kg (Rabbit) | - |
| Ethylene oxide-Nonylphenol polymer 9016-45-9 | = 2590 mg/kg (Rat)= 1310 mg/kg (Rat) | = 1780 µL/kg (Rabbit) = 2 mL/kg (Rabbit) | - |
| Benzenesulfonic acid, C10-16-alkyl derivatives 68584-22-5 | = 530 mg/kg (Rat) | = 530 mg/kg (Rat) | <u>-</u> |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Mutagenic effectsNo information available.CarcinogenicityNo information available.Reproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.

Chronic toxicity Avoid repeated exposure. No information available.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 100% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1060 mg/kg ATEmix (dermal) 1060 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

100% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|------------------------------------|----------------------|----------------------------------|-----------|
| Sodium hydroxide | - | 45.4: 96 h Oncorhynchus mykiss | - |
| 1310-73-2 | | mg/L LC50 static | |
| Benzenesulfonic acid, C10-16-alkyl | - | 3: 96 h Oncorhynchus mykiss mg/L | - |
| derivatives | | LC50 static | |
| 68584-22-5 | | | |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical Name | Partition coefficient |
|--|-----------------------|
| Benzenesulfonic acid, C10-16-alkyl derivatives | 2 |
| 68584-22-5 | |

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status | |
|---------------|-----------------------------------|--|
| | | |

| Sodium hydroxide | Toxic Corrosive |
|------------------|-----------------|
| 1310-73-2 | |

14. TRANSPORT INFORMATION

DOT Regulated UN1760

Proper shipping name Corrosive Liquid, Basic, Inorganic, n.o.s. (Sodium Hydroxide)

Hazard class 8
Packing Group II
Emergency Response Guide 154

Number

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies **AICS** Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40 CFR 372:

SODIUM HYDROXIDE 1310-73-2 <40

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard no
Fire Hazard no
Sudden Release of Pressure Hazard no
Reactive Hazard Yes

Clean Water Act

This product contains one of the chemicals subject to regulation by Section 311 of the Clean Water Act and the Oil Pollution Act.

Releases of the product into or leading to surface waters must be reported to the National Response Center at 1-800-424-8802.

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Sodium hydroxide 1310-73-2 | 1000 lb | - | - | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|-------------------------------|--------------------------|------------------------------------|---|
| Sodium hydroxide 1310-73-2 | 1000 lb | - | RQ 1000 lb final RQ RQ 454 kg final RQ |

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|------------------|------------|---------------|--------------|
| Sodium hydroxide | X | X | X |
| 1310-73-2 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA Health Hazards 3 Flammability 0 Instability 1 Physical and chemical

hazards -

HMIS Health hazard 3 Flammability 0 Physical Hazards 1 Personal protection X

Prepared By Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

Issuing date 06-Oct-2011 Revision Date 06-Mar-2015

Revision Note

2

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet