# SWISHER Issuing date 14-Nov-2011

# SAFETY DATA SHEET

Revision Date 01-May-2015 Version 3

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Swisher Tropic Breeze

Other means of identification

 Product Code
 40946

 UN/ID No
 UN1950

 Document
 40946

Recommended use of the chemical and restrictions on use

Recommended use Aerosol- Air Freshener- Tropic Breeze Scent

Details of the supplier of the safety data sheet

**Distributor** 

Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210

Emergency telephone number

**24 Hour Emergency Phone Number** CHEMTREC: 1-800-424-9300 (NORTH AMERICA)

1-703-527-3887 (INTERNATIONAL)

Company Phone Number 800-444-4138

# 2. HAZARDS IDENTIFICATION

# Classification

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3 Narcotic Effects
Flammable aerosols	Category 1

### Label elements

# **Emergency Overview**

# Danger

### **Hazard Statements**

Causes serious eye irritation May cause drowsiness or dizziness Extremely flammable aerosol

·



Appearance Aerosol Spray

Physical state Aerosol

**Odor** Characteristic

# **Precautionary Statements - Prevention**

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- Keep away from heat/sparks/open flames/hot surfaces. No smoking
- · Pressurized container: Do not pierce or burn, even after use
- · Do not spray on an open flame or other ignition source

### **Precautionary Statements - Response**

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

# **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

# Other information

- · Toxic to aquatic life
- Toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Propane	74-98-6	10% - 20%	*
Non-hazardous and other components below reportable levels	Proprietary	1% - 2.5%	*
N-Butane	106-97-8	10% - 20%	*
Acetone	67-64-1	60% - 80%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

4	FI	RST	- Δ	חו	ME	ΔSI	IR	FS
<b>4.</b>		101	$\overline{}$	יטו		<b>7</b> 31	JIN	டப

### First aid measures for different exposure routes

**General advice** Show this safety data sheet to the doctor in attendance.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses,

if present and easy to do. Get medical attention if irritation develops or persists.

**Skin contact** Immediately take off all contaminated clothing. Wash off with warm water and soap. Get

medical attention if irritation develops or persists.

**Inhalation** Remove to fresh air. Seek medical attention if symptoms persist.

Ingestion Have victim rinse mouth thoroughly with water. Do not induce vomiting without medical

advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device.

# Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

# Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

# **Suitable Extinguishing Media**

Use water spray or fog, foam, dry chemical, carbon dioxide, alcohol foam, if product is involved. Use water spray only to cool containers.

Large Fires Move containers from fire area if you can do it without risk. For massive fire in cargo area,

use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn

out.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard. Contents under pressure. Pressurized container may explode when exposed to heat or flame.

**Hazardous Combustion** 

Products

May include oxides of oxides of carbon.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### **Protective Equipment and Precautions for Firefighters**

In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, precautions for firefighters including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from the area and let fire burn.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep

out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Environmental precautions** 

**Environmental precautions** 

Prevent entry into waterways, sewers, basements or confined areas.

Methods and materials for containment and cleaning up

Methods for Containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable..

Methods for cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling

Do not handle or store near an open flame, heat or other sources of ignition. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not spray on a naked flame or any other incandescent material. Use only in well-ventilated areas. Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapors/spray. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not re-use empty containers. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Level 3 Aerosol.

Incompatible products

Strong oxidizing agents. Fluorine. Chlorine . Nitrates.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

**Exposure Guidelines** 

Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propane	TWA: 1000 ppm	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6		TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
			TWA: 1800 mg/m <sup>3</sup>
N-Butane	STEL: 1000 ppm	-	TWA: 800 ppm
106-97-8			TWA: 1900 mg/m <sup>3</sup>
Acetone	STEL: 750 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	TWA: 500 ppm	TWA: 2400 mg/m <sup>3</sup>	TWA: 250 ppm
			TWA: 590 mg/m <sup>3</sup>

NIOSH IDLH: Immediately Dangerous to Life or Health

### Appropriate engineering controls

Engineering Measures Ensure adequate ventilation and that running water is available for washing eyes and skin Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles. Safety glasses with side-shields.

**Skin and body protection**Wear appropriate chemical resistant clothing and chemical resistant gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene measures**Do not eat, drink or smoke when using this product. Practice good personal hygiene. Wash

after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and chemical properties

Physical state Aerosol

Appearance Aerosol Spray Odor Characteristic

**Color** No information available **Odor Threshold** No information available

PropertyValuesRemarks • MethodspHNANo information available

Melting/freezing pointNo information availableBoiling point/boiling rangeNo information available

Flash Point -104.4 °C / -156 °F Propellant
Evaporation rate No information available

Flammability (solid, gas) 32.5488 kJ/g estimated

Flammability Limits in Air

Upper flammability limit
Lower flammability limit
Vapor pressure
Vapor density

No information available
No information available
60 - 70 psig @70°F
No information available

Specific Gravity 0.695 estimated 0.6949 estimated

Water solubility Completely Soluble Solubility in other solvents No information available Partition coefficient: n-octanol/waterNo information available **Autoignition temperature** No information available **Decomposition temperature** No information available No information available Viscosity, kinematic Viscosity, dynamic No information available **Explosive properties** No information available No information available **Oxidizing Properties** 

# **Other information**

Softening point
Molecular Weight
VOC Content(%)
Density VALUE
No information available

# 10. STABILITY AND REACTIVITY

**Chemical stability** 

Risk of ignition. Stable under normal conditions.

Possibility of hazardous reactions

None under normal processing. **Conditions to Avoid** 

Heat, flames and sparks. **Incompatible Materials** 

Strong oxidizing agents. Fluorine. Chlorine . Nitrates.

**Hazardous Decomposition Products** 

May include oxides of carbon. .

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information Causes serious eye irritation May cause drowsiness or dizziness

Inhalation Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal. May cause central nervous system depression with nausea, headache, dizziness, and

incoordination.

**Eye contact** Severely irritating to eyes.

**Skin contact** Prolonged or repeated contact may dry skin and cause irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Exposure by

ingestion of an aerosol is unlikely. May cause delayed lung damage. Components of the

product may be absorbed into the body by ingestion. .

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Propane 74-98-6	-	-	= 658 mg/L (Rat) 4 h
N-Butane 106-97-8	-	-	= 658 g/m³ ( Rat ) 4 h
Acetone 67-64-1	= 5800 mg/kg (Rat)	-	= 50100 mg/m³ ( Rat ) 8 h

# Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization**No information available. **Mutagenic effects**No information available.

**Carcinogenicity** Contains no ingredient listed as a carcinogen.

Reproductive toxicity No information available.

**STOT - single exposure** May cause drowsiness or dizziness.

**STOT - repeated exposure**No information available.

Chronic toxicity May cause delayed lung damage. Prolonged skin contact may defat the skin and produce

dermatitis.

**Aspiration hazard** No information available.

### Numerical measures of toxicity - Product Information

**Dermal LD50** 29399 mg/kg estimated, Rat, Dermal **LC50 Inhalation**: 106 mg/l/4h estimated, Rat, Inhalation

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Acetone 67-64-1	-	4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis	3 3
		macrochirus mg/L LC50	

# Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Propane 74-98-6	2.3
N-Butane 106-97-8	2.89
Acetone 67-64-1	-0.24

Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment

**Waste Disposal Methods** 

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone	-	Included in waste stream:	-	U002
67-64-1		F039		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
Acetone	Ignitable	
67-64-1		

# 14. TRANSPORT INFORMATION

Note

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

DOT

T Regulated
UN/ID No UN1950
Agreed 5

Proper shipping name

Aerosols Flammable

Hazard class

2.1

**Packing Group** 

LTD QTY

**Emergency Response Guide** 

126

Number

# 15. REGULATORY INFORMATION

\_\_\_\_

# **International Inventories**

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS -

# Legend:

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **U.S. Federal Regulations**

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard no
Fire Hazard Yes
Sudden Release of Pressure Hazard Yes
Reactive Hazard no

# **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

CERCLA (Superfund) reportable quantity

Acetone: 5000.0000

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Acetone 67-64-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

# **U.S. State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Propane 74-98-6	Х	X	X
N-Butane 106-97-8	Х	Х	Х
Acetone 67-64-1	X	X	X

# U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# **16. OTHER INFORMATION**

NFPA Health Hazards 1 Flammability 4 Instability 0 Physical and chemical

hazards -

Health hazard 1 Flammability 4 Physical Hazards 0 Personal protection X

Prepared By Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

Issuing date14-Nov-2011Revision Date01-May-2015

**Revision Note** 

3

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**