



# SAFETY DATA SHEET

Issuing date 05-Oct-2012

Revision Date 10-Apr-2015

Version 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product name** Swisher Tropic Breeze Metered Air Freshener

### Other means of identification

**Product Code** 41113  
**UN/ID No** UN1950  
**Document** 41113

### Recommended use of the chemical and restrictions on use

**Recommended use** Aerosol - Air Freshener

### Details of the supplier of the safety data sheet

#### **Distributor**

Swisher Hygiene Inc.  
4725 Piedmont Row Drive  
Suite 400  
Charlotte, NC 28210

#### Emergency telephone number

**24 Hour Emergency Phone Number** CHEMTREC: 1-800-424-9300 (NORTH AMERICA)  
1-703-527-3887 (INTERNATIONAL)

**Company Phone Number** 800-444-4138

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3 Narcotic Effects
Flammable aerosols	Category 1

### Label elements

#### **Emergency Overview**

**Danger**

#### **Hazard Statements**

Causes serious eye irritation  
May cause drowsiness or dizziness  
Extremely flammable aerosol

**Appearance** Transparent**Physical state** Aerosol**Odor** Fruity**Precautionary Statements - Prevention**

- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Keep away from heat/sparks/open flames/hot surfaces. — No smoking
- Pressurized container: Do not pierce or burn, even after use
- Do not spray on an open flame or other ignition source

**Precautionary Statements - Response**

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****Other information**

- Toxic to aquatic life
- Toxic to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Propane	74-98-6	10% - 20%	*
Non-hazardous and other components below reportable levels	Proprietary	2.5% - 10%	*
N-Butane	106-97-8	10% - 20%	*
Acetone	67-64-1	60% - 80%	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**First aid measures for different exposure routes**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Eye contact</b>	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
<b>Skin contact</b>	Immediately take off all contaminated clothing. Wash off with warm water and soap. Get medical attention if irritation develops or persists.
<b>Inhalation</b>	If symptoms develop move victim to fresh air. Call a physician if symptoms develop or persist.
<b>Ingestion</b>	In the unlikely event of swallowing contact a physician or poison control center.

**Most important symptoms/effects, acute and delayed**

<b>Main Symptoms</b>	The most important known symptoms and effects are described in the labelling in section 2 and/or in section 11.
----------------------	---

**Indication of immediate medical attention and special treatment needed, if necessary**

<b>Notes to physician</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Water Fog. Foam. Dry chemical. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable Extinguishing Media** CAUTION: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard. Contents under pressure. Pressurized container may explode when exposed to heat or flame.

**Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
-----------------------------	--

**Environmental precautions**

<b>Environmental precautions</b>	Prevent entry into waterways, sewers, basements or confined areas. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
----------------------------------	---

**Methods and materials for containment and cleaning up**

**Methods for Containment** Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable.

**Methods for cleaning up** Soak up with inert absorbent material. Use clean non-sparking tools to collect material and place it into loosely covered plastic containers for later disposal.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Do not re-use empty containers. Do not get this material in contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

**Technical measures/Storage conditions** Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Level 3 Aerosol.

**Incompatible products** Strong oxidizing agents. Acids. Nitrates. Fluorine. Chlorine .

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>
N-Butane 106-97-8	STEL: 1000 ppm	-	TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>
Acetone 67-64-1	STEL: 750 ppm TWA: 500 ppm	TWA: 1000 ppm TWA: 2400 mg/m <sup>3</sup>	IDLH: 2500 ppm TWA: 250 ppm TWA: 590 mg/m <sup>3</sup>

*NIOSH IDLH: Immediately Dangerous to Life or Health*

### Appropriate engineering controls

**Engineering Measures** Ensure adequate ventilation and that running water is available for washing eyes and skin  
**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Splash-proof chemical goggles or face shield.

**Skin and body protection** Wear appropriate chemical resistant clothing and chemical resistant gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** Do not eat, drink or smoke when using this product. Practice good personal hygiene. Wash after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and chemical properties

<b>Physical state</b>	Aerosol	<b>Odor</b>	Fruity
<b>Appearance</b>	Transparent	<b>Odor Threshold</b>	No information available
<b>Color</b>	Clear		

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
<b>pH</b>	NA	
<b>Melting/freezing point</b>	NA	
<b>Boiling point/boiling range</b>	56.05 °C / 132.89 °F	
<b>Flash Point</b>	-104.4 °C / -156 °F	Propellant
<b>Evaporation rate</b>	No information available	
<b>Flammability (solid, gas)</b>	No information available	
<b>Flammability Limits in Air</b>		
<b>Upper flammability limit</b>	9.5 % estimated	
<b>Lower flammability limit</b>	1.9 % estimated	
<b>Vapor pressure</b>	55 psig @70F estimated	
<b>Vapor density</b>	NA	
<b>Specific Gravity</b>	0.149 estimated	
<b>Water solubility</b>	No information available	
<b>Solubility in other solvents</b>	No information available	
<b>Partition coefficient: n-octanol/water</b>	No information available	
<b>Autoignition temperature</b>	No information available	
<b>Decomposition temperature</b>	No information available	
<b>Viscosity, kinematic</b>	No information available	
<b>Viscosity, dynamic</b>	No information available	
<b>Explosive properties</b>	No information available	
<b>Oxidizing Properties</b>	No information available	

### Other information

<b>Softening point</b>	No information available
<b>Molecular Weight</b>	No information available
<b>VOC Content(%)</b>	94.76%
<b>Density VALUE</b>	No information available
<b>Bulk Density VALUE</b>	No information available

## 10. STABILITY AND REACTIVITY

### Chemical stability

Risk of ignition. Stable at normal conditions.

### Possibility of hazardous reactions

None under normal processing.

### Conditions to Avoid

Heat, flames and sparks.

### Incompatible Materials

Strong oxidizing agents. Acids. Nitrates. Fluorine. Chlorine .

### Hazardous Decomposition Products

May include oxides of carbon. .

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

<b>Product Information</b>	Causes serious eye irritation May cause drowsiness or dizziness
<b>Inhalation</b>	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. May cause drowsiness or dizziness.
<b>Eye contact</b>	Severely irritating to eyes.

**Skin contact** Prolonged skin contact may cause skin irritation. Prolonged skin contact may defat the skin and produce dermatitis.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Exposure by ingestion of an aerosol is unlikely. Components of the product may be absorbed into the body by ingestion. .

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Propane 74-98-6	-	-	= 658 mg/L ( Rat ) 4 h
N-Butane 106-97-8	-	-	= 658 g/m <sup>3</sup> ( Rat ) 4 h
Acetone 67-64-1	= 5800 mg/kg ( Rat )	-	= 50100 mg/m <sup>3</sup> ( Rat ) 8 h

#### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.  
**Mutagenic effects** No information available.  
**Carcinogenicity** Contains no ingredient listed as a carcinogen.  
**Reproductive toxicity** No information available.  
**STOT - single exposure** May cause drowsiness or dizziness.  
**STOT - repeated exposure** No information available.  
**Chronic toxicity** Conjunctiva. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage.  
**Aspiration hazard** No information available.

#### Numerical measures of toxicity - Product Information

## 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Acetone 67-64-1	-	4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50	10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50

#### Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Propane 74-98-6	2.3
N-Butane 106-97-8	2.89
Acetone 67-64-1	-0.24

**Other adverse effects** No information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment

**Waste Disposal Methods** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone 67-64-1	-	Included in waste stream: F039	-	U002

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Acetone 67-64-1	Ignitable

#### 14. TRANSPORT INFORMATION

**Note** This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

**DOT** Regulated  
**UN/ID No** UN1950  
**Proper shipping name** Aerosols Flammable  
**Hazard class** 2.1  
**Packing Group** LTD QTY  
**Special Provisions** N82  
**Emergency Response Guide Number** 126

#### 15. REGULATORY INFORMATION

##### International Inventories

TSCA -  
 DSL/NDSL -  
 EINECS/ELINCS -  
 ENCS -  
 IECSC -  
 KECL -  
 PICCS -  
 AICS -

##### Legend:

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### **SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Acetone 67-64-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

### U.S. State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Propane 74-98-6	X	X	X
N-Butane 106-97-8	X	X	X
Acetone 67-64-1	X	X	X

#### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

## 16. OTHER INFORMATION

<b>NFPA</b>	Health Hazards 1	Flammability 4	Instability 0	Physical and chemical hazards -
<b>HMIS</b>	Health hazard 1	Flammability 4	Physical Hazards 0	Personal protection X

Prepared By Swisher Hygiene Inc.  
4725 Piedmont Row Drive  
Suite 400  
Charlotte, NC 28210

Issuing date 05-Oct-2012  
Revision Date 10-Apr-2015  
Revision Note

2

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**