# SWISHER

# SAFETY DATA SHEET

Issuing date 05-Oct-2012 Revision Date 27-Feb-2015 Version 2

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Swisher Fresh Linen Metered Air Freshener

Other means of identification

 Product Code
 41110

 UN/ID No
 UN1950

 Document
 41110

Recommended use of the chemical and restrictions on use
Recommended use Aerosol - Air Freshener

Details of the supplier of the safety data sheet

Distributor

Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 (NORTH AMERICA)

1-703-527-3887 (INTERNATIONAL)

Company Phone Number 800-444-4138

# 2. HAZARDS IDENTIFICATION

# Classification

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3 Narcotic effect
Flammable aerosols	Category 1

#### Label elements

# **Emergency Overview**

# Danger

#### **Hazard Statements**

Causes serious eye irritation

May cause respiratory irritation. May cause drowsiness or dizziness

Extremely flammable aerosol

\_\_\_\_\_



Appearance Aerosol Spray

#### Physical state Aerosol

Odor Fresh

# **Precautionary Statements - Prevention**

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- · Keep away from heat/sparks/open flames/hot surfaces. No smoking
- · Pressurized container: Do not pierce or burn, even after use
- · Do not spray on an open flame or other ignition source

# **Precautionary Statements - Response**

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

# **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Other information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Propane	74-98-6	10% - 20%	*
Non-hazardous and other components below reportable levels	Proprietary	2.5% - 10%	*
N-Butane	106-97-8	10% - 20%	*
Acetone	67-64-1	60% - 80%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

### First aid measures for different exposure routes

Revision Date 27-Feb-2015

**General advice** Show this safety data sheet to the doctor in attendance.

Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get

medical attention.

**Skin contact** Immediately take off all contaminated clothing. Wash off with warm water and soap. Get

medical attention if irritation develops or persists.

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical aid immediately.

**Ingestion** In the unlikely event of swallowing contact a physician or poison control center.

Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

# **Suitable Extinguishing Media**

Water Fog. Foam. Dry chemical. Carbon dioxide (CO<sub>2</sub>).

Unsuitable Extinguishing Media This product contains alcohols which will reduce the effectiveness of normal foam. Use

alcohol-resistant foam instead.

#### Specific hazards arising from the chemical

Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# Protective Equipment and Precautions for Firefighters

In case of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep

out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For

personal protection, see section 8 of the SDS.

Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas.

Methods and materials for containment and cleaning up

Methods for Containment Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak

is irreparable.

**Methods for cleaning up** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

# Advice on safe handling

Do not handle or store near an open flame, heat or other sources of ignition. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not spray on a naked flame or any other incandescent material. Use only in well-ventilated areas. Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapors/spray. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not re-use empty containers. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

#### Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Level 3 Aerosol.

Incompatible products

Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propane	TWA: 1000 ppm	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6		TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
		_	TWA: 1800 mg/m <sup>3</sup>
N-Butane	STEL: 1000 ppm	-	TWA: 800 ppm
106-97-8			TWA: 1900 mg/m <sup>3</sup>
Acetone	STEL: 750 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	TWA: 500 ppm	TWA: 2400 mg/m <sup>3</sup>	TWA: 250 ppm
			TWA: 590 mg/m <sup>3</sup>

NIOSH IDLH: Immediately Dangerous to Life or Health

#### Appropriate engineering controls

Engineering Measures Ensure adequate ventilation and that running water is available for washing eyes and skin Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields. Tightly fitting safety goggles.

**Skin and body protection** Wear appropriate chemical resistant clothing and chemical resistant gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene measures**Do not eat, drink or smoke when using this product. Practice good personal hygiene. Wash

after handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Physical state Aerosol

AppearanceAerosol SprayOdorFresh

ColorClearOdor ThresholdNo information available

Propellant

Property Values Remarks • Methods

pH NA Melting/freezing point NA

**Boiling point/boiling range** 56.05 °C / 132.89 °F

Flash Point
-104.4 °C / -156 °F
Evaporation rate
No information available
Flammability (solid, gas)
31.8831 kJ/g estimated

Flammability Limits in Air

Upper flammability limit 9.5 % estimated Lower flammability limit 1.9 % estimated

Vapor pressure55 psig @70F estimatedVapor density0.711 g/cm3 estimatedSpecific Gravity0.148 g/cm3 estimated

Water solubility partly soluble

Solubility in other solvents
Partition coefficient: n-octanol/waterNo information available
Autoignition temperature
No information available

Other information

Softening point No information available Molecular Weight No information available

**VOC Content(%)** > 95%

Density VALUE No information available Bulk Density VALUE No information available

# 10. STABILITY AND REACTIVITY

**Chemical stability** 

Risk of ignition. Stable at normal conditions.

Possibility of hazardous reactions

None under normal processing.

**Conditions to Avoid** 

Heat, flames and sparks.

**Incompatible Materials** 

Strong oxidizing agents.

**Hazardous Decomposition Products** 

May include oxides of carbon. .

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** 

Inhalation Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.

**Eye contact** Severely irritating to eyes.

**Skin contact** Prolonged skin contact may cause skin irritation. Prolonged skin contact may defat the skin

and produce dermatitis.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Exposure by

ingestion of an aerosol is unlikely.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Propane 74-98-6	-	-	= 658 mg/L (Rat) 4 h
N-Butane 106-97-8	-	-	= 658 g/m³ (Rat) 4 h
Acetone 67-64-1	= 5800 mg/kg (Rat)	-	= 50100 mg/m³ (Rat) 8 h

# Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available. **Mutagenic effects** No information available.

**Carcinogenicity** Contains no ingredient listed as a carcinogen.

Reproductive toxicity No information available.

**STOT - single exposure** May cause drowsiness or dizziness.

**STOT - repeated exposure**No information available.

Chronic toxicity Conjunctiva. May cause central nervous system disorder (e.g., narcosis involving a loss of

coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage.

**Aspiration hazard** No information available.

# Numerical measures of toxicity - Product Information

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Acetone	-	4.74 - 6.33: 96 h Oncorhynchus	10294 - 17704: 48 h Daphnia
67-64-1		mykiss mL/L LC50 6210 - 8120: 96	magna mg/L EC50 Static 12600 -
		h Pimephales promelas mg/L LC50	12700: 48 h Daphnia magna mg/L
		static 8300: 96 h Lepomis	EC50
		macrochirus mg/L LC50	ļ

# Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Propane 74-98-6	2.3
N-Butane 106-97-8	2.89
Acetone 67-64-1	-0.24

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

#### **Waste treatment**

Revision Date 27-Feb-2015

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone	-	Included in waste stream:	-	U002
67-64-1		F039		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Acetone	Ignitable
67-64-1	

# 14. TRANSPORT INFORMATION

Note This product meets the exception requirements of section 173.306 as a limited quantity and

may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20and may be used now in place of the "Consumer Commodity"

ORM-D" marking and both may be displayed concurrently.

DOT Regulated UN/ID No UN1950

Proper shipping name Aerosols Flammable

Hazard class 2.1

Packing GroupLTD QTYSpecial ProvisionsN82Emergency Response Guide126

Number

# **15. REGULATORY INFORMATION**

# **International Inventories**

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS -

# Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# U.S. Federal Regulations

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	no

# **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Acetone 67-64-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

# **U.S. State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# **U.S. State Right-to-Know Regulations**

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Propane 74-98-6	X	X	X
N-Butane 106-97-8	X	X	X
Acetone 67-64-1	X	X	X

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION

NFPA Health Hazards 1 Flammability 4 Instability 0 Physical and chemical hazards -

HMIS Health hazard 1 Flammability 4 Physical Hazards 0 Personal protection X

Prepared By Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

Issuing date05-Oct-2012Revision Date27-Feb-2015

**Revision Note** 

2

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**End of Safety Data Sheet**