

# SAFETY DATA SHEET

Revision Date 27-Feb-2015 Version 2

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Swisher All Purpose Cleaner

Other means of identification

 Product Code
 41826

 UN/ID No
 UN1950

 Document
 41826

Recommended use of the chemical and restrictions on use
Recommended use Aerosol All Purpose Cleaner

Details of the supplier of the safety data sheet

Distributor

Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 (NORTH AMERICA)

1-703-527-3887 (INTERNATIONAL)

Company Phone Number 800-444-4138

### 2. HAZARDS IDENTIFICATION

#### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2
Flammable aerosols	Category 1

#### Label elements

#### **Emergency Overview**

#### Danger

#### **Hazard Statements**

Causes serious eye irritation Extremely flammable aerosol





Appearance Aerosol Spray Physical state Gas Odor Sweet

#### **Precautionary Statements - Prevention**

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep away from heat/sparks/open flames/hot surfaces. No smoking
- Pressurized container: Do not pierce or burn, even after use
- Do not spray on an open flame or other ignition source

#### **Precautionary Statements - Response**

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

#### **Precautionary Statements - Storage**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### **Precautionary Statements - Disposal**

Dispose of contents/container to approved disposal facility

### Hazards not otherwise classified (HNOC)

Other information

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Propane	74-98-6	1% - 2.5%	*
N-Butane	106-97-8	2.5% - 10%	*
Isopropyl alcohol	67-63-0	1% - 2.5%	*
Diethylene glycol monobutyl ether	112-34-5	2.5% - 10%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

**General advice** Show this safety data sheet to the doctor in attendance.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contactlenses,

if present and easy to do. Continue rinsing. Get medical attention if irritationdevelops or

persists.

**Skin contact** Wash off with warm water and soap. Get medical attention if irritation develops and

persists.

Inhalation If inhalation of gas/fume/vapor/dust/mist from the material is excessive (air concentration

is greater than the TLV or health effects are noticed), immediately remove the affected

person(s) to fresh air. Get medical attention if symptoms persist.

**Ingestion** If swallowed, call a poison control center or doctor immediately.

Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Symptoms may be delayed.

### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO<sub>2</sub>). Foam.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Vapors may travel to considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard. Contents under pressure. Pressurized container may explode when exposed to heat or flame.

#### **Explosion Data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### **Protective Equipment and Precautions for Firefighters**

In case of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up.

#### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep

out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For

personal protection, see section 8 of the SDS.

**Environmental precautions** 

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas.

Methods and materials for containment and cleaning up

Methods for Containment Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak

is irreparable.

**Methods for cleaning up** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has

dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following

product recovery, flush area with water.

# 7. HANDLING AND STORAGE

Precautions for safe handling

**Advice on safe handling**Do not handle or store near an open flame, heat or other sources of ignition. All equipment

used when handling the product must be grounded. Use non-sparking tools and

explosion-proof equipment. Do not spray on a naked flame or any other incandescent material. Use only in well-ventilated areas. Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapors/spray. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not re-use empty containers. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

#### Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Level 3 Aerosol.

Incompatible products

Strong oxidizing agents.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³
N-Butane 106-97-8	STEL: 1000 ppm	-	TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³
Diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-

NIOSH IDLH: Immediately Dangerous to Life or Health

### Appropriate engineering controls

**Engineering Measures** Ensure adequate ventilation and that running water is available for washing eyes and skin **Individual protection measures**, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields. Tightly fitting safety goggles.

Skin and body protection Wear appropriate chemical resistant clothing and chemical resistant gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene measures**Do not eat, drink or smoke when using this product. Practice good personal hygiene. Wash

after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and chemical properties

Physical state Gas

Appearance Aerosol Spray Odor Sweet

Color Clear Liquid Colorless Odor Threshold No information available

Propellant

Values Remarks • Methods **Property** 

No information available pН No information available Melting/freezing point No information available Boiling point/boiling range Flash Point -104.4 °C / -156 °F

**Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limit No information available Lower flammability limit No information available Vapor pressure No information available Vapor density No information available

**Specific Gravity** No information available Estimated

partly soluble Water solubility

Solubility in other solvents No information available Partition coefficient: n-octanol/waterNo information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available No information available Viscosity, dynamic No information available **Explosive properties Oxidizing Properties** No information available

Other information

No information available Softening point No information available Molecular Weight **VOC Content(%)** No information available **Density VALUE** No information available **Bulk Density VALUE** No information available

## 10. STABILITY AND REACTIVITY

**Chemical stability** 

Risk of ignition. Instability cause by elevated temperatures.

Possibility of hazardous reactions None under normal processing.

**Conditions to Avoid** 

Heat, flames and sparks.

**Incompatible Materials** 

Strong oxidizing agents.

**Hazardous Decomposition Products** 

None known based on information supplied.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

### **Product Information**

Inhalation Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal. May cause central nervous system depression with nausea, headache, dizziness, and

incoordination.

Eye contact Severely irritating to eyes.

Prolonged skin contact may defat the skin and produce dermatitis. May be absorbed Skin contact

through the skin in harmful amounts.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause

delayed lung damage. Components of the product may be absorbed into the body by

ingestion. .

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Propane 74-98-6	-	-	= 658 mg/L (Rat)4 h
N-Butane 106-97-8	-	-	= 658 g/m³(Rat)4 h
Isopropyl alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	= 72600 mg/m³(Rat)4 h
Diethylene glycol monobutyl ether 112-34-5	= 3384 mg/kg (Rat)	= 2700 mg/kg ( Rabbit )	-

### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available. **Mutagenic effects** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol	-	Group 3	-	-
67-63-0				

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity Conjunctiva. May cause central nervous system disorder (e.g., narcosis involving a loss

of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and

dermatitis. May cause delayed lung injury.

**Aspiration hazard** No information available.

### Numerical measures of toxicity - Product Information

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50 9640: 96 h Pimephales promelas mg/L LC50 flow-through	13299: 48 h Daphnia magna mg/L EC50
Diethylene glycol monobutyl ether 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	2850: 24 h Daphnia magna mg/L EC50 >100: 48 h Daphnia magna mg/L EC50

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Propane 74-98-6	2.3
N-Butane 106-97-8	2.89
Isopropyl alcohol 67-63-0	0.05

Other adverse effects No information available

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment** 

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol 67-63-0	Toxic Ignitable

### 14. TRANSPORT INFORMATION

Note This product meets the exception requirements of section 173.306 as a limited quantity and

may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20and may be used now in place of the "Consumer Commodity"

ORM-D" marking and both may be displayed concurrently.

DOT Regulated UN1950

UN/ID NO UN 1950

Proper shipping name Aerosols Flammable Hazard class 2.1

Packing Group LTD QTY Emergency Response Guide 126

Number

### 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies Complies **AICS** 

Legend:

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %	
Isopropyl alcohol - 67-63-0	1.0	
Diethylene glycol monobutyl ether - 112-34-5	1.0	

### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Propane	X	X	X
74-98-6			
N-Butane	X	X	X
106-97-8			
Isopropyl alcohol	X	X	X
67-63-0			
Diethylene glycol monobutyl ether	X	-	X
112-34-5			

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

<u>NFPA</u>	Health Hazards 1	Flammability 4	Instability 0	Physical and chemical

16. OTHER INFORMATION

hazards 
HMIS Health hazard 1 Flammability 4 Physical Hazards 0 Personal protection X

**Prepared By** Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

**Issuing date** 29-Aug-2011 **Revision Date** 27-Feb-2015

Revision Note

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

\_\_\_\_