

## SAFETY DATA SHEET

## SWISHER GLASS KLEEN

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Product name                               | : | SWISHER GLASS KLEEN  |
|--|---|--|
| Other means of identification              | : | Not applicable   |
| Recommended use                            | : | Cleaning product   |
| Restrictions on use                        | : | Reserved for industrial and professional use.                                    |
| Product dilution information               | : | 4.76 %   |
|  |   |  |
| Company                                    | : | Ecolab Inc.<br>1 Ecolab Place<br>St. Paul, Minnesota USA 55102<br>1-866-444-7450 |
| Company<br>Emergency health<br>information | : | 1 Ecolab Place<br>St. Paul, Minnesota USA 55102<br>1-866-444-7450                |

## SECTION 2. HAZARDS IDENTIFICATION

## **GHS Classification**

## Product AS SOLD

| Skin corrosion<br>Serious eye damage<br>Specific target organ<br>systemic toxicity - single | : | Category 3<br>Category 1A<br>Category 1<br>Category 3 (Central nervous system) |
|---|---|--|
| exposure  |   |  |

### Product AT USE DILUTION

Not a hazardous substance or mixture.

#### **GHS** label elements

| Product AS SOLD<br>Hazard pictograms |  |
|--------------------------------------|--|
| Signal Word                          | Danger   |
| Hazard Statements                    | Flammable liquid and vapor.<br>Causes severe skin burns and eye damage.<br>May cause drowsiness or dizziness.  |
| Precautionary Statements             | <b>Prevention:</b><br>Keep away from heat/sparks/open flames/hot surfaces. No smoking.<br>Keep container tightly closed. Ground/bond container and receiving<br>equipment. Use explosion-proof electrical/ ventilating/ lighting/<br>equipment. Use only non-sparking tools. Take precautionary<br>measures against static discharge. Avoid breathing dust/ fume/ gas/<br>mist/ vapors/ spray. Wash skin thoroughly after handling. Use only |

|   | protective of<br>Response<br>IF SWALLO<br>(or hair): Ta<br>with water/<br>comfortable<br>CENTER/c<br>minutes. R<br>rinsing. Imi<br>contaminat<br>chemical o<br>Storage:<br>Store in a v<br>a well-vent<br>Disposal: | OWED: Rinse mouth. Do N<br>ake off immediately all cont<br>shower. IF INHALED: Rem<br>e for breathing. Immediately<br>loctor. IF IN EYES: Rinse c<br>emove contact lenses, if pr<br>mediately call a POISON C<br>ted clothing before reuse. In<br>r alcohol-resistant foam to o<br>well-ventilated place. Keep<br>ilated place. Keep cool. Sto | The protection.<br>OT induce vomiting. IF ON SKIN<br>aminated clothing. Rinse skin<br>ove person to fresh air and keep<br>y call a POISON<br>autiously with water for several<br>esent and easy to do. Continue<br>ENTER/doctor. Wash<br>in case of fire: Use dry sand, dry<br>extinguish.<br>container tightly closed. Store in |
|---|---|--|--|
| Product AT USE DILUTION<br>Precautionary Statements   | Response<br>Get medica<br>Storage:  | s thoroughly after handling  | el unwell.   |
| Product AS SOLD<br>Other hazards  | : None know   |  |  |
| SECTION 3. COMPOSITION/I  | NFORMATION  | I ON INGREDIENTS   |  |
| Product AS SOLD<br>Pure substance/mixture   | : Mixture   |  |  |
|   |   |  |  |
| <b>Chemical name</b><br>Isopropanol<br>2-butoxyethanol  |   | <b>CAS-No.</b><br>67-63-0<br>111-76-2  | <b>Concentration (%)</b><br>10 - 30<br>5 - 10  |
| Isopropanol   |   | 67-63-0  | 10 - 30  |
| Isopropanol<br>2-butoxyethanol<br>Product AT USE DILUTION<br>Chemical name  | SURES   | 67-63-0<br>111-76-2<br>CAS-No.   | 10 - 30<br>5 - 10<br><b>Concentration (%)</b>  |
| Isopropanol<br>2-butoxyethanol<br>Product AT USE DILUTION<br>Chemical name<br>Isopropanol   | : Rinse imm<br>least 15 mi  | 67-63-0<br>111-76-2<br><b>CAS-No.</b><br>67-63-0<br>ediately with plenty of wate   | 10 - 30<br>5 - 10<br><b>Concentration (%)</b><br>1 - 5<br>r, also under the eyelids, for at<br>ses, if present and easy to do.   |
| Isopropanol<br>2-butoxyethanol<br>Product AT USE DILUTION<br>Chemical name<br>Isopropanol<br>SECTION 4. FIRST AID MEAS<br>Product AS SOLD                           | <ul> <li>Rinse imm<br/>least 15 mi<br/>Continue ri</li> <li>Wash off ir<br/>a mild soap</li> </ul>  | 67-63-0<br>111-76-2<br><b>CAS-No.</b><br>67-63-0<br>ediately with plenty of wate<br>inutes. Remove contact len-<br>nsing. Get medical attentio<br>nmediately with plenty of w  | 10 - 30<br>5 - 10<br>Concentration (%)<br>1 - 5<br>r, also under the eyelids, for at<br>ses, if present and easy to do.<br>n immediately.<br>ater for at least 15 minutes. Use<br>before reuse. Thoroughly clean   |
| Isopropanol<br>2-butoxyethanol<br>Product AT USE DILUTION<br>Chemical name<br>Isopropanol<br>SECTION 4. FIRST AID MEAS<br>Product AS SOLD<br>In case of eye contact | <ul> <li>Rinse imm<br/>least 15 mi<br/>Continue ri</li> <li>Wash off ir<br/>a mild soap<br/>shoes befo</li> <li>Rinse mou</li> </ul>  | 67-63-0<br>111-76-2<br><b>CAS-No.</b><br>67-63-0<br>ediately with plenty of wate<br>nutes. Remove contact lens<br>nsing. Get medical attentio<br>nmediately with plenty of w<br>o if available. Wash clothing<br>ore reuse. Get medical atter<br>th with water. Do NOT indu  | 10 - 30<br>5 - 10<br>Concentration (%)<br>1 - 5<br>r, also under the eyelids, for at<br>ses, if present and easy to do.<br>n immediately.<br>ater for at least 15 minutes. Use<br>g before reuse. Thoroughly clean<br>attion immediately.  |

|   |   | symptoms occur.   |
|---|---|---|
| Protection of first-aiders                                  | : | If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| Notes to physician  | : | Treat symptomatically.  |
| Most important symptoms and effects, both acute and delayed | : | See Section 11 for more detailed information on health effects and symptoms.                    |
| Product AT USE DILUTION<br>In case of eye contact           |   | Rinse with plenty of water.   |
| In case of eye contact                                      | • | Kinse with pienty of water.   |
| In case of skin contact                                     | : | Rinse with plenty of water.   |
| If swallowed  | : | Rinse mouth. Get medical attention if symptoms occur.   |
| If inhaled  | : | Get medical attention if symptoms occur.  |

## SECTION 5. FIRE-FIGHTING MEASURES

| <b>Product AS SOLD</b><br>Suitable extinguishing media | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  |
|--|---|--|
| Unsuitable extinguishing media                         | : | High volume water jet  |
| Specific hazards during fire fighting                  | : | Fire Hazard<br>Keep away from heat and sources of ignition.<br>Flash back possible over considerable distance.<br>Beware of vapors accumulating to form explosive concentrations.<br>Vapors can accumulate in low areas.   |
| Hazardous combustion products                          | : | Decomposition products may include the following materials:<br>Carbon oxides   |
| Special protective equipment for fire-fighters         | : | Use personal protective equipment.   |
| Specific extinguishing methods                         | : | Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes. |

## SECTION 6. ACCIDENTAL RELEASE MEASURES

| <b>Product AS SOLD</b><br>Personal precautions,<br>protective equipment and<br>emergency procedures | : Ensure adequate ventilation. Remove all sources of ignition. Keep<br>people away from and upwind of spill/leak. Avoid inhalation, ingestion<br>and contact with skin and eyes. When workers are facing<br>concentrations above the exposure limit they must use appropriate<br>certified respirators. Ensure clean-up is conducted by trained<br>personnel only. Refer to protective measures listed in sections 7 and<br>8. |
|---|--|
| Environmental precautions   | : Do not allow contact with soil, surface or ground water.   |

| Methods and materials for containment and cleaning up   | : | Eliminate all ignition sources if safe to do so. Stop leak if safe to do so.<br>Contain spillage, and then collect with non-combustible absorbent<br>material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place<br>in container for disposal according to local / national regulations (see<br>section 13). Flush away traces with water. For large spills, dike spilled<br>material or otherwise contain material to ensure runoff does not reach<br>a waterway. |
|---|---|--|
| <b>Product AT USE DILUTION</b><br>Personal precautions,<br>protective equipment and<br>emergency procedures | : | Refer to protective measures listed in sections 7 and 8.   |
| Environmental precautions   | : | No special environmental precautions required.   |
| Methods and materials for containment and cleaning up   | : | Stop leak if safe to do so. Contain spillage, and then collect with non-<br>combustible absorbent material, (e.g. sand, earth, diatomaceous<br>earth, vermiculite) and place in container for disposal according to<br>local / national regulations (see section 13). Flush away traces with<br>water. For large spills, dike spilled material or otherwise contain<br>material to ensure runoff does not reach a waterway.  |

## SECTION 7. HANDLING AND STORAGE

#### Product AS SOLD

| Advice on safe handling                            | Do not ingest. Do not get in eyes, on skin, or on clothing. Do not<br>breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate<br>ventilation. Keep away from fire, sparks and heated surfaces. Take<br>necessary action to avoid static electricity discharge (which might<br>cause ignition of organic vapors). Wash hands thoroughly after<br>handling. Open drum carefully as content may be under pressure. In<br>case of mechanical malfunction, or if in contact with unknown dilution<br>of product, wear full Personal Protective Equipment (PPE). |
|--|---|
| Conditions for safe storage                        | Keep away from heat and sources of ignition. Keep in a cool, well-<br>ventilated place. Keep away from oxidizing agents. Keep out of reach<br>of children. Keep container tightly closed. Store in suitable labeled<br>containers.  |
| Storage temperature                                | 0 °C to 50 °C   |
| Product AT USE DILUTION<br>Advice on safe handling | Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.  |
| Conditions for safe storage                        | Keep out of reach of children. Store in suitable labeled containers.  |

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Product AS SOLD

## Ingredients with workplace control parameters

| Components        | CAS-No. | Form of exposure | Permissible concentration | Basis |
|-------------------|---------|------------------|---------------------------|-------|
| Isopropyl Alcohol | 67-63-0 | TWA              | 200 ppm                   | ACGIH |
|                   |         | STEL             | 400 ppm                   | ACGIH |

| 2-butoxyethanol       1.225 mg/m3       Incontrict         2-butoxyethanol       111-76-2       TWA       400 ppm       OSHA Z1         2-butoxyethanol       111-76-2       TWA       20 ppm       ACGIH         2-butoxyethanol       10-butoxyethanol       TWA       20 ppm       ACGIH         2-butoxyethanol       Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.       Personal protective equipment         Standard glove type.       Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.       Skin protection       Skin protection or chemical breakthrough.       Skin protective gloves, safety goggles and protective clothing       R  |                              |   | TWA   | 400 ppm<br>980 mg/m3<br>500 ppm   | NIOSH REL                      |
|---|------------------------------|---|---|---|--------------------------------|
| 2-butoxyethanol       111-76-2       TWA       20 ppm       ACGIH         2-butoxyethanol       111-76-2       TWA       20 ppm       ACGIH         24 mg/m3       NIOSH REL       24 mg/m3       NIOSH REL         24 mg/m3       TWA       50 ppm       OSHA Z1         240 mg/m3       Statustrian       Statustrian       Statustrian         290 percention       Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.         Personal protection       Wear the following personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing         Respiratory protection       When workers are facin   |                              |   |   | 1,225 mg/m3   |                                |
| TWA         5 ppm<br>24 mg/m3         NIOSH REL<br>24 mg/m3           Engineering measures         :         Effective exhaust ventilation system. Maintain air concentrations<br>below occupational exposure standards.           Personal protective equipment         Eye protection         :         Wear eye protection/ face protection.           Hand protection         :         Wear eye protection/ face protective equipment:<br>Standard glove type.<br>Gloves should be discarded and replaced if there is any indication of<br>degradation or chemical breakthrough.           Skin protection         :         Personal protective equipment comprising: suitable protective gloves,<br>safety goggles and protective clothing           Respiratory protection         :         When workers are facing concentrations above the exposure limit they<br>must use appropriate certified respirators.           Hygiene measures         :         Handle in accordance with good industrial hygiene and safety<br>practice. Remove and wash contaminated clothing of the eyes<br>and body in case of contact or splash hazard.           Product AT USE DILUTION<br>Engineering measures         :         Good general ventilation should be sufficient to control worker<br>exposure to airborne contaminants.           Personal protective equipment         :         Good general ventilation should be sufficient to control worker  |                              |   |   | 980 mg/m3   |                                |
| Image: Control of the second secon | 2-butoxyethanol              | 111-76-2  |   |   |                                |
| Engineering measures       :       Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.         Personal protective equipment       :       Wear eye protection/ face protection.         Hand protection       :       Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.         Skin protection       :       Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing         Respiratory protection       :       When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.         Hygiene measures       :       Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.         Product AT USE DILUTION Engineering measures       :       Good general ventilation should be sufficient to control worker exposure to airborne contaminants.         Personal protective equipment       :       Good general ventilation should be sufficient to control worker   |                              |   |   | 24 mg/m3  |                                |
| Delow occupational exposure standards.Personal protective equipmentEye protection:Wear eye protection/ face protection.Hand protection:Wear the following personal protective equipment:<br>Standard glove type.<br>Gloves should be discarded and replaced if there is any indication of<br>degradation or chemical breakthrough.Skin protection:Personal protective equipment comprising: suitable protective gloves,<br>safety goggles and protective clothingRespiratory protection:When workers are facing concentrations above the exposure limit they<br>must use appropriate certified respirators.Hygiene measures:Handle in accordance with good industrial hygiene and safety<br>practice. Remove and wash contaminated clothing before re-use.<br>Wash face, hands and any exposed skin thoroughly after handling.<br>Provide suitable facilities for quick drenching of the eyes<br>and body in case of contact or splash hazard.Personal protective equipment:Good general ventilation should be sufficient to control worker<br>exposure to airborne contaminants.Personal protective equipment  |                              |   | TWA   |   | OSHA Z1                        |
| Eye protection: Wear eye protection/ face protection.Hand protection: Wear the following personal protective equipment:<br>Standard glove type.<br>Gloves should be discarded and replaced if there is any indication of<br>degradation or chemical breakthrough.Skin protection: Personal protective equipment comprising: suitable protective gloves,<br>safety goggles and protective clothingRespiratory protection: When workers are facing concentrations above the exposure limit they<br>must use appropriate certified respirators.Hygiene measures: Handle in accordance with good industrial hygiene and safety<br>practice. Remove and wash contaminated clothing before re-use.<br>Wash face, hands and any exposed skin thoroughly after handling.<br>Provide suitable facilities for quick drenching or flushing of the eyes<br>and body in case of contact or splash hazard.Personal protective equipment: Good general ventilation should be sufficient to control worker<br>exposure to airborne contaminants.Personal protective equipment: Good general ventilation should be sufficient to control worker<br>exposure to airborne contaminants.  | Engineering measures         |   |   |   | centrations                    |
| Hand protection: Wear the following personal protective equipment:<br>Standard glove type.<br>Gloves should be discarded and replaced if there is any indication of<br>degradation or chemical breakthrough.Skin protection: Personal protective equipment comprising: suitable protective gloves,<br>safety goggles and protective clothingRespiratory protection: When workers are facing concentrations above the exposure limit they<br>must use appropriate certified respirators.Hygiene measures: Handle in accordance with good industrial hygiene and safety<br>practice. Remove and wash contaminated clothing before re-use.<br>Wash face, hands and any exposed skin thoroughly after handling.<br>Provide suitable facilities for quick drenching or flushing of the eyes<br>and body in case of contact or splash hazard.Personal protective equipment: Good general ventilation should be sufficient to control worker<br>exposure to airborne contaminants.Personal protective equipment: Good general ventilation should be sufficient to control worker<br>exposure to airborne contaminants.   | Personal protective equipmen | t   |   |   |                                |
| Standard glove type.<br>Gloves should be discarded and replaced if there is any indication of<br>degradation or chemical breakthrough.Skin protection: Personal protective equipment comprising: suitable protective gloves,<br>safety goggles and protective clothingRespiratory protection: When workers are facing concentrations above the exposure limit they<br>must use appropriate certified respirators.Hygiene measures: Handle in accordance with good industrial hygiene and safety<br>practice. Remove and wash contaminated clothing before re-use.<br>Wash face, hands and any exposed skin thoroughly after handling.<br>Provide suitable facilities for quick drenching or flushing of the eyes<br>and body in case of contact or splash hazard.Product AT USE DILUTION<br>Engineering measures: Good general ventilation should be sufficient to control worker<br>exposure to airborne contaminants.Personal protective equipment: Good general ventilation should be sufficient to control worker<br>exposure to airborne contaminants.   | Eye protection               | : Wear eye prote                                    | ection/ face prote  | ction.  |                                |
| Respiratory protection       : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.         Hygiene measures       : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.         Product AT USE DILUTION Engineering measures       : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.         Personal protective equipment       : Good general ventilation should be sufficient to control worker   | Hand protection              | Standard glove<br>Gloves should                     | e type.<br>be discarded and                                     | d replaced if there is a  | ny indication of               |
| Hygiene measures: Handle in accordance with good industrial hygiene and safety<br>practice. Remove and wash contaminated clothing before re-use.<br>Wash face, hands and any exposed skin thoroughly after handling.<br>Provide suitable facilities for quick drenching or flushing of the eyes<br>and body in case of contact or splash hazard.Product AT USE DILUTION<br>Engineering measures: Good general ventilation should be sufficient to control worker<br>exposure to airborne contaminants.Personal protective equipment: Handle in accordance with good industrial hygiene and safety<br>   | Skin protection              |   |   |   | otective gloves,               |
| Product AT USE DILUTION       Engineering measures       : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.         Personal protective equipment       : Good general ventilation should be sufficient to control worker   | Respiratory protection       |   |   |   | posure limit they              |
| Engineering measures       : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.         Personal protective equipment   | Hygiene measures             | practice. Remo<br>Wash face, hai<br>Provide suitabl | ove and wash cor<br>nds and any expo<br>e facilities for qui    | ntaminated clothing be<br>bsed skin thoroughly a<br>ck drenching or flushir | fore re-use.<br>fter handling. |
|   |                              |   |   |   | ol worker                      |
| Eye protection : No special protective equipment required.  | Personal protective equipmen | t   |   |   |                                |
|   | Eye protection               | No special prot                                     | ective equipmen   | t required.   |                                |
| Hand protection : No special protective equipment required.   | Hand protection              | : No special prot                                   | ective equipmen   | t required.   |                                |
| Skin protection : No special protective equipment required.   | Skin protection              | No special prot                                     | ective equipmen   | t required.   |                                |
| Respiratory protection : No personal respiratory protective equipment normally required.  | Respiratory protection       | : No personal re                                    | No personal respiratory protective equipment normally required. |   |                                |

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|            | Product AS SOLD | Product AT USE DILUTION |
|------------|-----------------|-------------------------|
| Appearance | : liquid        | liquid                  |
| Color      | : dark blue     | blue                    |
| Odor       | : ammoniacal    |                         |

| рН   | : 10.0 - 11.8, (100 %) | 8.0 - 9.5 |
|--|------------------------|-----------|
| Flash point                                | : 23 °C                |           |
| Odor Threshold                             | : No data available    |           |
| Melting point/freezing point               | : No data available    |           |
| Initial boiling point and boiling range    | : > 35 °C              |           |
| Evaporation rate                           | : No data available    |           |
| Flammability (solid, gas)                  | : No data available    |           |
| Upper explosion limit                      | : No data available    |           |
| Lower explosion limit                      | : No data available    |           |
| Vapor pressure                             | : No data available    |           |
| Relative vapor density                     | : No data available    |           |
| Relative density                           | : 0.9 - 0.92           |           |
| Water solubility                           | : soluble              |           |
| Solubility in other solvents               | : No data available    |           |
| Partition coefficient: n-<br>octanol/water | : No data available    |           |
| Autoignition temperature                   | : No data available    |           |
| Thermal decomposition                      | : No data available    |           |
| Viscosity, kinematic                       | : No data available    |           |
| Explosive properties                       | : No data available    |           |
| Oxidizing properties                       | : No data available    |           |
| Molecular weight                           | : No data available    |           |
| VOC  | : No data available    |           |
|  |                        |           |

## SECTION 10. STABILITY AND REACTIVITY

| Product AS SOLD<br>Reactivity      | : | No dangerous reaction known under conditions of normal use.                                |
|------------------------------------|---|--|
| Chemical stability                 | : | Stable under normal conditions.  |
| Possibility of hazardous reactions | : | No dangerous reaction known under conditions of normal use.                                |
| Conditions to avoid                | : | Heat, flames and sparks.   |
| Incompatible materials             | : | None known.  |
| Hazardous decomposition products   | : | In case of fire hazardous decomposition products may be produced such as:<br>Carbon oxides |

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact exposure

## Potential Health Effects

| Product AS SOLD<br>Eyes         | : | Causes serious eye damage.  |
|---------------------------------|---|---|
| Skin                            | : | Causes severe skin burns.   |
| Ingestion                       | : | Causes digestive tract burns.   |
| Inhalation                      | : | May cause nose, throat, and lung irritation. Inhalation may cause central nervous system effects. |
| Chronic Exposure                | : | Health injuries are not known or expected under normal use.                                       |
| Product AT USE DILUTION<br>Eyes | : | Health injuries are not known or expected under normal use.                                       |
| Skin                            | : | Health injuries are not known or expected under normal use.                                       |
| Ingestion                       | : | Health injuries are not known or expected under normal use.                                       |
| Inhalation                      | : | Health injuries are not known or expected under normal use.                                       |
| Chronic Exposure                | : | Health injuries are not known or expected under normal use.                                       |

#### Experience with human exposure

| Product AS SOLD         |  |
|-------------------------|--|
| Eye contact             | : Redness, Pain, Corrosion                             |
| Skin contact            | : Redness, Pain, Corrosion                             |
| Ingestion               | : Corrosion, Abdominal pain                            |
| Inhalation              | : Respiratory irritation, Cough, Dizziness, Drowsiness |
| Product AT USE DILUTION |  |
| Eye contact             | : No symptoms known or expected.                       |
| Skin contact            | : No symptoms known or expected.                       |
| Ingestion               | : No symptoms known or expected.                       |
| Inhalation              | : No symptoms known or expected.                       |
|                         |  |

Toxicity

| Product AS SOLD<br>Product |   |  |
|----------------------------|---|--|
| Acute oral toxicity        | : | Acute toxicity estimate : > 5,000 mg/kg                            |
| Acute inhalation toxicity  | : | 4 h Acute toxicity estimate : 70.88 mg/l<br>Test atmosphere: vapor |
| Acute dermal toxicity      | : | Acute toxicity estimate : > 5,000 mg/kg                            |
| Skin corrosion/irritation  | : | No data available  |

| Serious eye damage/eye irritation | : | No data available |
|-----------------------------------|---|-------------------|
| Respiratory or skin sensitization | : | No data available |
| Carcinogenicity                   | : | No data available |
| Reproductive effects              | : | No data available |
| Germ cell mutagenicity            | : | No data available |
| Teratogenicity                    | : | No data available |
| STOT-single exposure              | : | No data available |
| STOT-repeated exposure            | : | No data available |
| Aspiration toxicity               | : | No data available |

## SECTION 12. ECOLOGICAL INFORMATION

| Product AS SOLD<br>Ecotoxicity                        |   |
|---|---|
| Environmental Effects :                               | Harmful to aquatic life.                                      |
| Product   |   |
| Toxicity to fish :                                    | No data available   |
| Toxicity to daphnia and other : aquatic invertebrates | No data available   |
| Toxicity to algae :                                   | No data available   |
| Components  |   |
| Toxicity to fish :                                    | Isopropanol<br>96 h LC50 Pimephales promelas: 9,640 mg/l      |
|   | 2-butoxyethanol<br>96 h LC50: 1,474 mg/l                      |
| Components  |   |
| Toxicity to daphnia and other : aquatic invertebrates | Isopropanol<br>LC50 Daphnia magna (Water flea): > 10,000 mg/l |
|   | 2-butoxyethanol<br>48 h EC50: 690 mg/l                        |
| Components  |   |
| Toxicity to algae :                                   | 2-butoxyethanol<br>72 h EC50: 911 mg/l                        |
| Persistence and degradability                         |   |
| Product AS SOLD<br>Readily biodegradable.             |   |
| Product AT USE DILUTION<br>Readily biodegradable.     |   |
| Bioaccumulative potential                             |   |
| No data available                                     |   |

### Mobility in soil

No data available

## Other adverse effects

No data available

| SECTION 13. DISPOSAL CONSIDERATIONS |  |  |  |  |
|-------------------------------------|--|--|--|--|
| Product AS SOLD                     |  |  |  |  |
| Disposal methods                    | : Do not contaminate ponds, waterways or ditches with chemical or<br>used container. Where possible recycling is preferred to disposal or<br>incineration. If recycling is not practicable, dispose of in compliance<br>with local regulations. Dispose of wastes in an approved waste<br>disposal facility. |  |  |  |
| Disposal considerations             | : Dispose of as unused product. Empty containers should be taken to<br>an approved waste handling site for recycling or disposal. Do not re-<br>use empty containers. Dispose of in accordance with local, state, and<br>federal regulations.  |  |  |  |
| Product AT USE DILUTION             |  |  |  |  |
| Disposal methods                    | : Diluted product can be flushed to sanitary sewer.  |  |  |  |
| Disposal considerations             | : Dispose of in accordance with local, state, and federal regulations.   |  |  |  |
|                                     |  |  |  |  |

# SECTION 14. TRANSPORT INFORMATION

#### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

| UN number                 | : 1987             |
|---------------------------|--------------------|
| Description of the goods  | : Alcohols, n.o.s. |
|                           | (Isopropanol)      |
| Class                     | : 3                |
| Packing group             | : 111              |
| Environmentally hazardous | : no               |
|                           |                    |

#### Sea transport (IMDG/IMO)

| UN number<br>Description of the goods | : 1987<br>: ALCOHOLS, N.O.S.<br>(Isopropanol) |
|---------------------------------------|---|
| Class                                 | : 3   |
| Packing group                         | : 111   |
| Marine pollutant                      | : no  |

## **SECTION 15. REGULATORY INFORMATION**

## Product AS SOLD

## EPCRA - Emergency Planning and Community Right-to-Know

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

| SARA 311/312 Hazards | Flammable (gases, aerosols, liquids, or solids)<br>Skin corrosion or irritation<br>Serious eye damage or eye irritation<br>Specific target organ toxicity (single or repeated exposure) |                              |                      |
|----------------------|---|------------------------------|----------------------|
| SARA 302             | This material does not conta<br>EHS TPQ.  | ain any components with a se | ection 302           |
| SARA 313             | <ul> <li>The following components a<br/>by SARA Title III, Section 3</li> <li>2-butoxyethanol</li> </ul>  |                              | established<br>6.5 % |

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

| Chemical Name   | CAS-No.   | Function       | List(s)        |  |
|-----------------|-----------|----------------|----------------|--|
| water           | 7732-18-5 | Diluent        | Not Applicable |  |
| Isopropanol     | 67-63-0   | Solvent        | 20             |  |
| 2-butoxyethanol | 111-76-2  | Cleaning Agent | 20             |  |
| Ammonium salt   | Withheld  | Cleaning Agent | Not Applicable |  |
| Chelating agent | Withheld  | Stabilizer     | Not Applicable |  |
| Colorant        | Withheld  | Dye            | Not Applicable |  |

\*refer to ecolab.com/sds for electronic links to designated lists

#### The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory :**

On the inventory, or in compliance with the inventory

#### Canadian Domestic Substances List (DSL) :

This product contains one or several components that are not on the Canadian DSL nor NDSL.

## Australia Inventory of Chemical Substances (AICS) :

not determined

# New Zealand. Inventory of Chemical Substances : not determined

not determined

# Japan. ENCS - Existing and New Chemical Substances Inventory : not determined


Korea. Korean Existing Chemicals Inventory (KECI) : not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS) : not determined

China. Inventory of Existing Chemical Substances in China (IECSC) : not determined

Taiwan Chemical Substance Inventory (TCSI) : not determined

## **SECTION 16. OTHER INFORMATION**



REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.