

# SAFETY DATA SHEET

Issuing date 12-Oct-2011

Revision Date 17-Nov-2014

Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product name Swisher Red

Other means of identification **Product Code** 40052-1 UN/ID No UN1719 Document 40052-1, 40052-2.5, 40052-5

Recommended use of the chemical and restrictions on use **Recommended use** Degreaser

## Details of the supplier of the safety data sheet

Distributor Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 (NORTH AMERICA) 1-703-527-3887 (INTERNATIONAL) 800-444-4138

## 2. HAZARDS IDENTIFICATION

Classification

#### **OSHA Regulatory Status**

**Company Phone Number** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation         | Category 1 Sub-category A |
|-----------------------------------|---------------------------|
| Serious eye damage/eye irritation | Category 1                |
| Corrosive to metals               | Category 3                |


#### Label elements

**Emergency Overview** 

# Danger

Hazard Statements

Causes severe skin burns and eye damage



#### **Precautionary Statements - Prevention**

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

- Immediately call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other information

Harmful to aquatic life with long lasting effects
 Unknown Acute Toxicity
 1.75% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Chemical Name    | CAS-No    | Weight-% | Trade Secret |
|------------------|-----------|----------|--------------|
| Sodium hydroxide | 1310-73-2 | 5% - 15% | *            |
| Triethanolamine  | 102-71-6  | 1% - 5%  | *            |
| Tetrasodium EDTA | 64-02-8   | 1% - 5%  | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

**General advice** 

Show this safety data sheet to the doctor in attendance.

| Eye contact                        | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.                              |  |
|------------------------------------|---|--|
| Skin contact                       | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.   |  |
| Inhalation                         | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.  |  |
| Ingestion                          | IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.  |  |
| Protection of First-aiders         | Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. |  |
| Most important symptoms/effects,   | acute and delayed   |  |
| Main Symptoms                      | The most important known symptoms and effects are described in the labelling in section 2 and/or in section 11.   |  |
| Indication of immediate medical at | tention and special treatment needed, if necessary  |  |
| Notes to physician                 | Probable mucosal damage may contraindicate the use of gastric lavage.   |  |
| 5. FIRE-FIGHTING MEASURES          |   |  |

## Suitable Extinguishing Media

Use water spray or fog, foam, dry chemical, carbon dioxide, alcohol foam, if product is involved.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

Use water spray to cool adjacent fire exposed containers. Product will not burn but may splatter if temperature exceeds boiling point.

Hazardous Combustion If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrogen oxides. Products

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

| Personal precautions      | Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment.                 |  |
|---------------------------|---|--|
| Other information         | Common Weak Acids suitable for neutralizing caustic alkalis: acetic acid, citric acid, lemon juice, tartaric acid, vinegar. |  |
| Environmental precautions |   |  |

| Environmental precautions          | Neutralization is normally necessary before waste water is discharged into water treatment plants. Keep out of waterways. See Section 12 for additional Ecological Information. |
|------------------------------------|---|
| Methods and materials for containm | ent and cleaning up   |
| Methods for Containment            | Dike to contain spill and prevent entry into sewers, waterways, and low areas. Neutralize with dilute acid. Prevent further leakage or spillage if safe to do so.               |
| Methods for cleaning up            | Neutralise with a weak acid. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.  |

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water. Do not eat, drink or smoke when using this product.

#### Conditions for safe storage, including any incompatibilities

| Technical measures/Storage conditions | Keep container in cool well-ventilated area. Keep container tightly closed. Store away from incompatible materials. Keep out of the reach of children. |
|---------------------------------------|--|
| Incompatible products                 | Strong oxidizing agents, acids, aluminum and other soft metals. Cationic surfactants.  |

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

| Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines. |                          |                          |  |
|---|--------------------------|--------------------------|--|
| Chemical Name   | ACGIH TLV                | OSHA PEL                 | NIOSH IDLH   |
| Sodium hydroxide<br>1310-73-2                                     | -                        | TWA: 2 mg/m <sup>3</sup> | IDLH: 10 mg/m <sup>3</sup><br>Ceiling: 2 mg/m <sup>3</sup> |
| Triethanolamine<br>102-71-6                                       | TWA: 5 mg/m <sup>3</sup> | -                        | -  |

NIOSH IDLH: Immediately Dangerous to Life or Health

#### Appropriate engineering controls

Engineering Measures Ensure adequate ventilation and that running water is available for washing eyes and skin Individual protection measures, such as personal protective equipment

|                          | 9. PHYSICAL AND CHEMICAL PROPERTIES   |
|--------------------------|---|
| Hygiene measures         | Remove and wash contaminated clothing before re-use.  |
| Respiratory protection   | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| Skin and body protection | Impervious rubber, alkali-proof protective gloves. Impervious rubber boots & apron  |
| Eye/Face Protection      | Splash-proof chemical goggles or face shield.   |

#### **Physical and chemical properties**

Physical state

Liquid

| Appearance<br>Color  | Transparent<br>Red   | Odor<br>Odor Threshold   | Vanilla<br>No information available |
|--|--|--------------------------|-------------------------------------|
| Property   | Values   | Remarks • Methods        |                                     |
| pH   | 13   | <u>Romanico</u> motinodo |                                     |
| Melting/freezing point   | No information available   |                          |                                     |
| Boiling point/boiling range  | 100 °C / 212 °F  |                          |                                     |
| Flash Point  | NA   |                          |                                     |
| Evaporation rate   | 1.0  |                          |                                     |
| Flammability (solid, gas)  | No information available   |                          |                                     |
| Flammability Limits in Air   |  |                          |                                     |
| Upper flammability limit   | No information available   |                          |                                     |
| Lower flammability limit   | No information available   |                          |                                     |
| Vapor pressure   | 17   |                          |                                     |
| Vapor density  | 0.62   |                          |                                     |
| Specific Gravity   | 1.08   |                          |                                     |
| Water solubility   | Completely Soluble   |                          |                                     |
| Solubility in other solvents   | No information available   |                          |                                     |
| Partition coefficient: n-octanol/wate  | erNo information available   |                          |                                     |
| Autoignition temperature   | No information available   |                          |                                     |
| Decomposition temperature  | No information available   |                          |                                     |
| Viscosity, kinematic   | No information available   |                          |                                     |
| Viscosity, dynamic   | No information available   |                          |                                     |
| Explosive properties   | No information available   |                          |                                     |
| Oxidizing Properties   | No information available   |                          |                                     |
| Other information  |  |                          |                                     |
| Softening point<br>Molecular Weight<br>VOC Content(%)<br>Density VALUE<br>Bulk Density VALUE | No information available<br>No information available<br>0.05%<br>9.0<br>No information available |                          |                                     |
| -  |  |                          |                                     |

## **10. STABILITY AND REACTIVITY**

#### Chemical stability

Stable under recommended storage conditions.

## Possibility of hazardous reactions

None under normal processing.

#### Conditions to Avoid

Extremes of temperature and direct sunlight.

## **Incompatible Materials**

Strong oxidizing agents, acids, aluminum and other soft metals. Cationic surfactants.

#### Hazardous Decomposition Products

If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrogen oxides. Will react with reactive metals to produce hydrogen gas.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

| Product Information | Harmful by inhalation, in contact with skin and if swallowed.          |
|---------------------|--|
| Inhalation          | Corrosive to respiratory system.                                       |
| Eye contact         | Corrosive to the eyes and may cause severe damage including blindness. |

Skin contact

Causes burns.

Ingestion

Causes gastrointestinal tract burns. Causes severe pain, nausea, vomiting, diarrhea, and shock.

| Chemical Name                 | Oral LD50                             | Dermal LD50                            | LC50 Inhalation |
|-------------------------------|---------------------------------------|--|-----------------|
| Sodium hydroxide<br>1310-73-2 | 140 mg/kg (Rat)                       | = 1350 mg/kg (Rabbit)                  | -               |
| Triethanolamine<br>102-71-6   | = 4190 mg/kg (Rat)                    | > 20 mL/kg (Rabbit)> 16 mL/kg<br>(Rat) | -               |
| Tetrasodium EDTA<br>64-02-8   | = 1658 mg/kg (Rat)= 10 g/kg (<br>Rat) | -                                      | -               |

#### Information on toxicological effects

Symptoms

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization<br>Mutagenic effects<br>Carcinogenicity  | No informatic<br>No informatic<br>Contains no i  |         | iogen. |      |
|--|--|---------|--------|------|
| Chemical Name  | ACGIH  | IARC    | NTP    | OSHA |
| Triethanolamine<br>102-71-6  | -  | Group 3 | -      | -    |
| Reproductive toxicity<br>STOT - single exposure<br>STOT - repeated exposure<br>Chronic toxicity<br>Aspiration hazard | No information available.<br>No information available.<br>No information available.<br>Avoid repeated exposure. No information available.<br>No information available. |         |        |      |

## Numerical measures of toxicity - Product Information

| Unknown Acute Toxicity              | 1.75%    | of the mixture consists of ingredient(s) of unknown toxicity |
|-------------------------------------|----------|--|
| The following values are calculated | based of | on chapter 3.1 of the GHS document                           |
| ATEmix (oral)                       | 69332    | mg/kg  |
| ATEmix (dermal)                     | 17647    | mg/kg  |

## **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

#### 1.7564% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name                 | Algae/aquatic plants   | Fish  | Crustacea |
|-------------------------------|--|---|-----------|
| Sodium hydroxide<br>1310-73-2 | -  | 45.4: 96 h Oncorhynchus mykiss<br>mg/L LC50 static  | -         |
| Triethanolamine<br>102-71-6   | 216: 72 h Desmodesmus<br>subspicatus mg/L EC50 169: 96 h<br>Desmodesmus subspicatus mg/L<br>EC50 | 10600 - 13000: 96 h Pimephales<br>promelas mg/L LC50 flow-through<br>450 - 1000: 96 h Lepomis<br>macrochirus mg/L LC50 static 1000:<br>96 h Pimephales promelas mg/L<br>LC50 static | -         |
| Tetrasodium EDTA<br>64-02-8   | 1.01: 72 h Desmodesmus<br>subspicatus mg/L EC50  | 41: 96 h Lepomis macrochirus mg/L<br>LC50 static 59.8: 96 h Pimephales<br>promelas mg/L LC50 static   | -         |

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

| Chemical Name   | Partition coefficient |
|-----------------|-----------------------|
| Triethanolamine | -2.53                 |
| 102-71-6        |                       |

Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

Waste treatment
Waste Disposal Methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name                 | California Hazardous Waste Status |
|-------------------------------|-----------------------------------|
| Sodium hydroxide<br>1310-73-2 | Toxic Corrosive                   |

# 14. TRANSPORT INFORMATION

| DOT                  | Regulated  |
|----------------------|--|
| UN/ID No             | UN1719   |
| Proper shipping name | Caustic Alkali Liquid, n.o.s. (Sodium Hydroxide) |
| Hazard class         | 8  |
| Packing Group        | II   |

| IMDG / IMO    |         |
|---------------|---------|
| UN/ID No      | UN1719  |
| Hazard class  | 8       |
| Packing Group | II      |
| EmS No.       | F-A S-B |
|               |         |

| 15. REGULATORY INFORMATION |   |  |  |  |
|----------------------------|---|--|--|--|
| International Inventories  |   |  |  |  |
| TSCA                       | - |  |  |  |
| DSL/NDSL                   | - |  |  |  |
| EINECS/ELINCS              | - |  |  |  |
| ENCS                       | - |  |  |  |
| IECSC                      | - |  |  |  |
| KECL                       | - |  |  |  |
| PICCS                      | - |  |  |  |
| AICS                       | - |  |  |  |
|                            |   |  |  |  |
| Legend:                    |   |  |  |  |
|                            |   |  |  |  |

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

| Acute Health Hazard               | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard             | no  |
| Fire Hazard                       | no  |
| Sudden Release of Pressure Hazard | no  |
| Reactive Hazard                   | Yes |

#### Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

| Chemical Name                 | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|-------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Sodium hydroxide<br>1310-73-2 | 1000 lb                        | -                      | -                         | Х                             |

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical Name                 | Hazardous Substances RQs | Extremely Hazardous Substances<br>RQs | RQ  |
|-------------------------------|--------------------------|---------------------------------------|---|
| Sodium hydroxide<br>1310-73-2 | 1000 lb                  | -                                     | RQ 1000 lb final RQ<br>RQ 454 kg final RQ |

## U.S. State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

| Chemical Name                 | New Jersey | Massachusetts | Pennsylvania |
|-------------------------------|------------|---------------|--------------|
| Sodium hydroxide<br>1310-73-2 | Х          | X             | Х            |
| Triethanolamine               | X          | -             | X            |
| 102-71-6                      |            |               |              |

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## **16. OTHER INFORMATION**

| <u>NFPA</u> | Health Hazards 3 | Flammability 0 | Instability 0      | Physical and chemical                |
|-------------|------------------|----------------|--------------------|--------------------------------------|
| HMIS        | Health hazard 3  | Flammability 0 | Physical Hazards 0 | hazards COR<br>Personal protection C |

| Prepared By              | Swisher Hygiene Inc.<br>4725 Piedmont Row Drive<br>Suite 400<br>Charlotte, NC 28210 |
|--------------------------|---|
| Issuing date             | 12-Oct-2011   |
| Revision Date            | 17-Nov-2014   |
| Revision Note            |   |
| No information available |   |
| <u>Disclaimer</u>        |   |

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**