



# SAFETY DATA SHEET

Issuing date 07-Oct-2011

Revision Date 20-Apr-2015

Version 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product name** Swisher Glow Duster Polish

### Other means of identification

**Product Code** 41819

**UN/ID No** UN1950

**Document** 41819

### Recommended use of the chemical and restrictions on use

**Recommended use** Aerosol- Furniture Polish

### Details of the supplier of the safety data sheet

#### **Distributor**

Swisher Hygiene Inc.  
4725 Piedmont Row Drive  
Suite 400  
Charlotte, NC 28210

#### **Emergency telephone number**

**24 Hour Emergency Phone Number** CHEMTREC: 1-800-424-9300 (NORTH AMERICA)  
1-703-527-3887 (INTERNATIONAL)

**Company Phone Number** 800-444-4138

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1
Flammable aerosols	Category 1

### Label elements

#### Emergency Overview

#### **Warning**

Extremely flammable aerosol



**Appearance** Cloudy

**Physical state** Aerosol

**Odor** Citrus

**Precautionary Statements - Prevention**

- Do not handle until all safety precautions have been read and understood

**Precautionary Statements - Response**

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF ON SKIN: Wash with plenty of soap and water
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

**Precautionary Statements - Storage**

Store in a well-ventilated place

**Precautionary Statements - Disposal**

Dispose of contents/container to approved disposal facility

**Hazards not otherwise classified (HNOC)****Other information**

- Harmful to aquatic life
- Harmful to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
White mineral oil	8042-47-5	20% - 40%	*
Propane	74-98-6	2.5% - 10%	*
Non-hazardous and other components below reportable levels	Proprietary	60% - 80%	*
N-Butane	106-97-8	2.5% - 10%	*
Extract, citrus	94266-47-4	1% - 2.5%	*
Ethylene oxide-Nonylphenol polymer	9016-45-9	0.1% - 1%	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**First aid measures for different exposure routes**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
<b>Skin contact</b>	Take off immediately all contaminated clothing. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
<b>Inhalation</b>	Remove to fresh air. Seek medical attention if symptoms persist.
<b>Ingestion</b>	Do not induce vomiting unless directed by a physician. If conscious and alert, give two glasses of water. Seek medical attention immediately.

**Most important symptoms/effects, acute and delayed**

**Main Symptoms** The most important known symptoms and effects are described in the labelling in section 2 and/or in section 11.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Alcohol Foam, Water Fog, Carbon Dioxide, or Dry Chemical.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.

**Specific hazards arising from the chemical**

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

**Hazardous Combustion Products** Carbon monoxide.

**Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective Equipment and Precautions for Firefighters**

Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Environmental precautions**

**Environmental precautions** Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

**Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not re-use empty containers. Avoid breathing mist or vapor. Avoid breathing gas. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

#### **Conditions for safe storage, including any incompatibilities**

**Technical measures/Storage conditions** Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Level 1 Aerosol (NFPA 30B).

**Incompatible products** Strong oxidizing agents. Chlorine . Nitrates. Fluorine.

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>
N-Butane 106-97-8	STEL: 1000 ppm	-	TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>

#### **Appropriate engineering controls**

**Engineering Measures** Ensure adequate ventilation and that running water is available for washing eyes and skin  
**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Splash-proof chemical goggles or face shield.

**Skin and body protection** Wear appropriate chemical resistant gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** Do not eat, drink or smoke when using this product. Practice good personal hygiene. Wash after handling.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

#### **Physical and chemical properties**

<b>Physical state</b>	Aerosol	<b>Odor</b>	Citrus
<b>Appearance</b>	Cloudy	<b>Odor Threshold</b>	No information available
<b>Color</b>	White		
<b>Property</b>	<b>Values</b>	<b>Remarks • Methods</b>	
<b>pH</b>	10 - 10		
<b>Melting/freezing point</b>	No information available		
<b>Boiling point/boiling range</b>	141.22 °C / 286.19 °F	Estimated	
<b>Flash Point</b>	No information available		
<b>Evaporation rate</b>	No information available		

<b>Flammability (solid, gas)</b>	No information available	
<b>Flammability Limits in Air</b>	No information available	
<b>Upper flammability limit</b>	No information available	
<b>Lower flammability limit</b>	No information available	
<b>Vapor pressure</b>	20.86 psig @70F estimated	Estimated
<b>Vapor density</b>	NA	
<b>Specific Gravity</b>	0.95 - 0.97	Estimated
<b>Water solubility</b>	Completely soluble.	
<b>Solubility in other solvents</b>	No information available	
<b>Partition coefficient: n-octanol/water</b>	No information available	
<b>Autoignition temperature</b>	304 °C / 579.2 °F	Estimated
<b>Decomposition temperature</b>	No information available	
<b>Viscosity, kinematic</b>	No information available	
<b>Viscosity, dynamic</b>	No information available	
<b>Explosive properties</b>	No information available	
<b>Oxidizing Properties</b>	No information available	

**Other information**

<b>Softening point</b>	No information available
<b>Molecular Weight</b>	No information available
<b>VOC Content(%)</b>	No information available
<b>Density VALUE</b>	No information available
<b>Bulk Density VALUE</b>	No information available

**10. STABILITY AND REACTIVITY****Chemical stability**

Stable.

**Possibility of hazardous reactions**

None under normal processing.

**Conditions to Avoid**

Heat, flames and sparks.

**Incompatible Materials**

Strong oxidizing agents. Chlorine . Nitrates. Fluorine.

**Hazardous Decomposition Products**

None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

<b>Product Information</b>	May cause an allergic skin reaction
<b>Inhalation</b>	May cause central nervous system depression with nausea, headache, dizziness, and incoordination.
<b>Eye contact</b>	May cause temporary eye irritation.
<b>Skin contact</b>	Irritating to skin. May cause allergic skin reaction.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
White mineral oil 8042-47-5	> 5000 mg/kg ( Rat )	-	-
Propane 74-98-6	-	-	= 658 mg/L ( Rat ) 4 h
N-Butane 106-97-8	-	-	= 658 g/m <sup>3</sup> ( Rat ) 4 h
Ethylene oxide-Nonylphenol polymer 9016-45-9	= 2590 mg/kg ( Rat ) = 1310 mg/kg ( Rat )	= 1780 µL/kg ( Rabbit ) = 2 mL/kg ( Rabbit )	-

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** May cause sensitization by skin contact.  
**Mutagenic effects** No information available.  
**Carcinogenicity** There are no known carcinogenic chemicals in this product.  
*IARC: (International Agency for Research on Cancer)*  
*Group 3 - Not Classifiable as to Carcinogenicity in Humans*  
**Reproductive toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Chronic toxicity** No information available. Avoid repeated exposure.  
**Aspiration hazard** No information available.

**Numerical measures of toxicity - Product Information****12. ECOLOGICAL INFORMATION****Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
White mineral oil 8042-47-5	-	10000: 96 h <i>Lepomis macrochirus</i> mg/L LC50	-

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
White mineral oil 8042-47-5	>6
Propane 74-98-6	2.3
N-Butane 106-97-8	2.89

**Other adverse effects** No information available

**13. DISPOSAL CONSIDERATIONS****Waste treatment****Waste Disposal Methods**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Contaminated packaging**

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

**14. TRANSPORT INFORMATION**

**Note** This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

**DOT**

<b>UN/ID No</b>	UN1950
<b>Proper shipping name</b>	Aerosols Flammable
<b>Hazard class</b>	2.1
<b>Special Provisions</b>	N82
<b>Emergency Response Guide Number</b>	126

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**International Inventories**

<b>TSCA</b>	-
<b>DSL/NDSL</b>	-
<b>EINECS/ELINCS</b>	-
<b>ENCS</b>	-
<b>IECSC</b>	-
<b>KECL</b>	-
<b>PICCS</b>	-
<b>AICS</b>	-

**Legend:**

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	no
<b>Fire Hazard</b>	Yes
<b>Sudden Release of Pressure Hazard</b>	Yes
<b>Reactive Hazard</b>	no

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Propane 74-98-6	X	X	X
N-Butane 106-97-8	X	X	X

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards 1	Flammability 4	Instability 0	Physical and chemical hazards -
<u>HMIS</u>	Health hazard 1	Flammability 4	Physical Hazards 0	Personal protection X

Prepared By  
Issuing date 07-Oct-2011  
Revision Date 20-Apr-2015  
Revision Note  
2

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**