

# SAFETY DATA SHEET

Issuing date 11-Oct-2011 Revision Date 05-Feb-2015 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

**Product name**Swisher Gold Medalist Floor Finish

Other means of identification

 Product Code
 41772-5

 Document
 41772-5

Recommended use of the chemical and restrictions on use

Recommended use Floor Finish

#### Details of the supplier of the safety data sheet

Distributor

Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 (NORTH AMERICA)

1-703-527-3887 (INTERNATIONAL)

Company Phone Number 800-444-4138

# 2. HAZARDS IDENTIFICATION

#### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Reproductive toxicity	Category 1A

# Label elements

#### **Emergency Overview**

#### Danger

#### **Hazard Statements**

Causes skin irritation Causes serious eye irritation May damage fertility or the unborn child



Appearance Thin Emulsion

Physical state Liquid

Odor Acrid

#### **Precautionary Statements - Prevention**

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling

# **Precautionary Statements - Response**

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Morpholine	110-91-8	1% - 3%	*
Diethylene glycol monomethyl ether	111-77-3	1% - 5%	*
Diethylene glycol monoethyl ether	111-90-0	1% - 5%	*
Dibutyl phthalate	84-74-2	1% - 3%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

General advice Sh

Show this safety data sheet to the doctor in attendance.

Eye contact Flush with large amounts of cool running water for at least 15 minutes while holding upper

and lower lids open. If irritation persists get medical attention immediately.

**Skin contact** Wash with water after exposure. Wash contaminated clothing before rewearing. If irritation

persists get medical attention.

**Inhalation** Remove to fresh air.

Ingestion Drink large amounts of water. DO NOT INDUCE VOMITING. Consult physician immediately

for additional advice and treatment.

#### Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

# **Explosion Data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,

eyes and clothing.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

#### Methods and materials for containment and cleaning up

Methods for Containment Transfer contaminated absorbent, soil and other materials to containers for disposal.

Methods for cleaning up

Stop spill or leak if it can be done safely. Contain spill to smallest possible area. Large spills

should be recovered for disposal.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling KEEP OUT OF REACH OF CHILDREN. Open containers slowly to relieve any pressure.

Prevent the formation of vapors, mists and aerosols. Prevent formation of aerosols. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water. Do not eat, drink or

smoke when using this product.

#### Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** 

conditions

Keep container in cool well-ventilated area. Keep container tightly closed. Store away from incompatible materials. Keep out of the reach of children. Keep away from open flames, hot

surfaces and sources of ignition.

**Incompatible products** Strong Oxidizers and Acids.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Morpholine	TWA: 20 ppm	TWA: 20 ppm	IDLH: 1400 ppm
110-91-8		TWA: 70 mg/m <sup>3</sup>	TWA: 20 ppm
		S*	TWA: 70 mg/m <sup>3</sup>
			STEL: 30 ppm
			STEL: 105 mg/m <sup>3</sup>
Dibutyl phthalate	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 4000 mg/m <sup>3</sup>
84-74-2	•		TWA: 5 mg/m <sup>3</sup>

NIOSH IDLH: Immediately Dangerous to Life or Health

# Appropriate engineering controls

Engineering Measures Ensure adequate ventilation and that running water is available for washing eyes and skin Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields. Tightly fitting safety goggles.

**Skin and body protection** Rubber gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene measures**Do not eat, drink or smoke when using this product. Practice good personal hygiene. Wash

after handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Physical state Liquid

AppearanceThin EmulsionOdorAcrid

Color Opaque White Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

**pH** 8.5 - 9.5

Melting/freezing pointNo information availableBoiling point/boiling rangeNo information available

Flash Point

Evaporation rate

Flammability (solid, gas)

No information available
No information available

Flammability Limits in Air

Upper flammability limit
Lower flammability limit
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

**Specific Gravity** 1.01 - 1.03 g/cm³ @20 °C:

Water solubility Miscible

Solubility in other solvents
Partition coefficient: n-octanol/water No information available
Autoignition temperature
Pecomposition temperature
Viscosity, kinematic
Viscosity, dynamic
Explosive properties
No information available

#### **Other information**

Softening point
Molecular Weight
VOC Content(%)
Density VALUE
No information available

# 10. STABILITY AND REACTIVITY

#### **Chemical stability**

Stable.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Extreme Temperatures .

#### **Incompatible Materials**

Strong Oxidizers and Acids.

# **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** Severe eye irritant Causes skin irritation May damage fertility or the unborn child

**Inhalation** No known effect based on information supplied.

**Eye contact** Severely irritating to eyes.

**Skin contact** Irritating to skin.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Morpholine 110-91-8	= 1050 mg/kg (Rat)	310 - 810 mg/kg (Rabbit)	= 8000 ppm (Rat) 8 h

Diethylene glycol monomethyl ether	= 4 mL/kg (Rat)	= 650 mg/kg (Rabbit) = 2500	-
111-77-3		μL/kg (Rabbit)	
Diethylene glycol monoethyl ether	= 1920 mg/kg (Rat)	= 4200 μL/kg (Rabbit) = 6 mL/kg	> 5240 mg/m <sup>3</sup> (Rat) 4 h
111-90-0		(Rat)	
Dibutyl phthalate	= 6300 mg/kg (Rat)	> 20 mL/kg (Rabbit)	> 15.68 mg/L (Rat) 4 h
84-74-2			

#### Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Mutagenic effectsNo information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Morpholine	-	Group 3	-	-
110-91-8		•		

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

**Reproductive toxicity** May damage fertility or the unborn child.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.
No information available.
No information available.

# Numerical measures of toxicity - Product Information

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Morpholine	28: 96 h Pseudokirchneriella	350: 96 h Lepomis macrochirus	-
110-91-8	subcapitata mg/L EC50 static	mg/L LC50 static 375 - 460: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		1000: 96 h Brachydanio rerio mg/L	
		LC50 static	
Diethylene glycol monomethyl ether	500: 72 h Desmodesmus	7500: 96 h Lepomis macrochirus	>500: 48 h Daphnia magna mg/L
111-77-3	subspicatus mg/L EC50	mg/L LC50 static 7500: 96 h	EC50
		Lepomis macrochirus mg/L LC50	
		5741: 96 h Pimephales promelas	
		mg/L LC50	
Diethylene glycol monoethyl ether	-	10000: 96 h Lepomis macrochirus	-
111-90-0		mg/L LC50 static 13400: 96 h Salmo	
		gairdneri mg/L LC50 flow-through	
		19100 - 23900: 96 h Lepomis	
		macrochirus mg/L LC50	
		flow-through 11400 - 15700: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 11600 - 16700: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through	
Dibutyl phthalate	0.4: 96 h Pseudokirchneriella	1.24 - 5.3: 96 h Oncorhynchus	2.99: 48 h Daphnia magna mg/L
84-74-2	subcapitata mg/L EC50 static 1.2:	mykiss mg/L LC50 static 1.38 - 1.74:	EC50 Static 3.4: 48 h Daphnia
	72 h Desmodesmus subspicatus	96 h Lepomis macrochirus mg/L	magna mg/L EC50
	mg/L EC50	LC50 flow-through 0.31 - 5.45: 96 h	
		Pimephales promelas mg/L LC50	
		static 1.24: 96 h Oncorhynchus	
		mykiss mg/L LC50 flow-through	
		0.71 - 1.2: 96 h Pimephales	
		promelas mg/L LC50 flow-through	
		0.42 - 1.28: 96 h Lepomis	
		macrochirus mg/L LC50 static	

# Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Morpholine	-2.55
110-91-8	
Diethylene glycol monomethyl ether 111-77-3	-0.682
Diethylene glycol monoethyl ether 111-90-0	-0.8
Dibutyl phthalate 84-74-2	5.38

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

# **Waste treatment**

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Dibutyl phthalate	U069	Included in waste stream:	=	U069
84-74-2		F039		

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

Proper shipping name Cleaning Compound, Not Regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies **DSL/NDSL** Complies Complies **EINECS/ELINCS** Complies **ENCS IECSC** Complies Complies **KECL PICCS** Complies **AICS** Complies

Legend:

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# U.S. Federal Regulations

#### **SARA 313**

This product contains one of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372. Diethylene Glycol Monomethyl Ether, CAS No.111-77-7

Chemical Name	SARA 313 - Threshold Values %
Diethylene glycol monomethyl ether - 111-77-3	1.0
Dibutyl phthalate - 84-74-2	1.0

# SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

# **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Dibutyl phthalate 84-74-2	10 lb	X	X	Х

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Dibutyl phthalate 84-74-2	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ

# U.S. State Regulations

### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65	
Dibutyl phthalate - 84-74-2	Developmental	
	Female Reproductive	
	Male Reproductive	

# **U.S. State Right-to-Know Regulations**

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Morpholine 110-91-8	X	-	Х
Diethylene glycol monomethyl ether 111-77-3	X	X	Х
Diethylene glycol monoethyl ether 111-90-0	Х	-	Х

Dibutyl phthalate	X	X	X
84-74-2			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# **16. OTHER INFORMATION**

NFPA Health Hazards 1 Flammability 0 Instability 0 Physical and chemical

hazards -

<u>HMIS</u> Health hazard 1\* Flammability 0 Physical Hazards 0 Personal protection X

Chronic Hazard Star Legend

**Prepared By** Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

Issuing date11-Oct-2011Revision Date05-Feb-2015

**Revision Note** 

2

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**