Oreck Assail-A-Cell™ Air Machine Cell Cleaner

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Oreck Assail-A-Cell™ Air Machine Cell Cleaner

Product Number: A07086

**Product Use:** Speciality cleaner.

Manufacturer: Amrep, Inc.

990 Industrial Park Drive Marietta, GA 30062

Manufacturer Phone Number: (770) 422-2071 (Mon - Fri / 8am - 5pm ET)

**Supplier:** Oreck Corporation

1400 Salem Road Cookeville, TN 38501

**Supplier Phone Number:** (800)-472-7619

D.O.T. Emergency Phone: CHEM TEL (800) 255-3924

INTERNATIONAL: +01-813-248-0584

HMIS: See Section 15

**Date of Preparation:** September 15, 2011 **Revision #:** 2.0

### **Section 2: HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

DANGER

CORROSIVE MATERIAL - MAY CAUSE BURNS. IRRITATING TO EYES. IRRITATING TO SKIN. CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED.

Potential Health Effects: See Section 11 for more information.

**Likely Routes of Exposure:** Skin contact, eye contact, inhalation, and ingestion.

Eye: Irritating to eyes. May cause burns.

Skin: Irritating to skin. May cause burns.

**Ingestion:** Causes burns. May be harmful if swallowed. May cause stomach distress,

nausea or vomiting.

**Inhalation:** May cause respiratory tract irritation. Vapours may cause drowsiness and

dizziness.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

**Signs and Symptoms:** Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Vapours may cause drowsiness and dizziness.

**Medical Conditions Aggravated By Exposure:** Because of its irritating properties, product may aggravate preexisting skin, eye, and respiratory conditions.

Target Organs: Skin, eyes, gastrointestinal tract, respiratory system.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Potential Environmental Effects:** May cause long-term adverse effects in the aquatic environment. See Section 12 for more information.

Oreck Assail-A-Cell™ Air Machine Cell Cleaner

### Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

IngredientCAS #Wt. %Propylene glycol mono-n-propyl ether1569-01-33 - 7Isobutane75-28-51 - 5

### **Section 4: FIRST AID MEASURES**

**Eye Contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

If easy to do, remove contact lenses, if worn. Get medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Call a physician if

irritation develops and persists.

**Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by medical

personnel. Seek medical attention or call poison control.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately

(show the label or MSDS where possible).

**Note to Physicians:** Symptoms may not appear immediately.

#### **Section 5: FIRE FIGHTING MEASURES**

Flammability: Not flammable by OSHA criteria.

Means of Extinction:

Suitable Extinguishing Media: Powder, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not applicable.

Products of Combustion: May include, and are not limited to: oxides of carbon.

**Explosion Data:** 

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear

full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## **Section 6: ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

**Environmental Precautions:** Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

**Methods for Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for Clean-Up:** Soak into absorbent material. Spills of this material are a slipping hazard. Thoroughly wash the area with water after a spill or leak. Allow gas to dissipate harmlessly into the atmosphere.

Other Information: Not available.

Oreck Assail-A-Cell™ Air Machine Cell Cleaner

#### Section 7: HANDLING AND STORAGE

# Handling:

Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Launder contaminated clothing before reuse. When using do not eat or drink. Wash hands before eating, drinking, or smoking.

### Storage:

Keep out of the reach of children. Do not store at temperatures above 49 ℃ / 120 F.

#### Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Exposure Guidelines**

Ingredient OSHA-PEL ACGIH-TLV
Propylene glycol mono-n-propyl ether Isobutane Not available. Not available. 1000 ppm

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Personal Protective Equipment: HMIS: See Section 15

**Eye/Face Protection:** Wear eye/face protection.

Hand Protection: Wear suitable gloves.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory

equipment.

General Hygiene Considerations: Handle according to established industrial hygiene and

safety practices.

### **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Hazy.

Color: Colorless to light yellow.

Odour: Citrus.

Odour Threshold: Not available.

Physical State: Gas/Pressurized Liquid.

**pH**: 12

Viscosity:

Freezing Point:

Boiling Point:

Flash Point:

Evaporation Rate:

Lower Flammability Limit:

Not available.

Not available.

Not available.

Not available.

Not available.

Vapor Pressure: Max 60 PSIG @ 21°C (70°F) (Aerosols)

Oreck Assail-A-Cell™ Air Machine Cell Cleaner

Vapor Density: > 1 (Air = 1)

**Specific Gravity:** 1.005 (Concentrate only)

Solubility in Water: Complete. Coefficient of Water/Oil Distribution: Not available. **Auto-ignition Temperature:** Not available.

VOC content, wt. %: 10 % (US Federal/CARB/OTC/LADCO) VOC content, g/L: 99 g/L (US Federal/CARB/OTC/LADCO)

### Section 10: STABILITY AND REACTIVITY

Not available.

Stability: Stable under normal storage conditions. Contents under pressure. Container may

explode if heated. Do not puncture. Do not burn. Keep in a cool place.

Conditions of Reactivity: Heat. Incompatible materials.

Incompatible Materials: Oxidizers.

Percent Volatile, wt. %:

**Hazardous Decomposition Products:** May include, and are not limited to: oxides of carbon. Possibility of Hazardous Reactions: No dangerous reaction known under conditions of normal use.

## **Section 11: TOXICOLOGY INFORMATION**

### **EFFECTS OF ACUTE EXPOSURE**

## **Component Analysis**

Ingredient LD<sub>50</sub> (oral) LC<sub>50</sub> 2504 mg/kg, rat Propylene alycol mono-n-propyl ether Not available. Isobutane Not available. 658 mg/L 4hr, rat

Irritating to eyes. May cause burns. Symptoms may include discomfort or pain, excess Eye:

blinking and tear production, with marked redness and swelling of the conjunctiva.

Skin: Irritating to skin. May cause burns. Symptoms may include redness, edema,

drying, defatting and cracking of the skin.

Ingestion: Causes burns. May be harmful if swallowed. May cause stomach distress,

nausea or vomiting.

Inhalation: May cause respiratory tract irritation. Vapours may cause drowsiness and dizziness.

## **EFFECTS OF CHRONIC EXPOSURE**

Target Organs: Not available.

Chronic Effects: Not hazardous by OSHA criteria. Carcinogenicity: Not hazardous by OSHA criteria.

Chemical Listed as Carcinogen or Ingredient

Propylene glycol mono-n-propyl ether Isobutane

\* See Section 15 for more information.

Potential Carcinogen \*

Not listed. Not listed.

Oreck Assail-A-Cell™ Air Machine Cell Cleaner

Mutagenicity: Not hazardous by OSHA criteria.

Reproductive Effects: Not hazardous by OSHA criteria.

**Developmental Effects:** 

**Teratogenicity:** Not hazardous by OSHA criteria. **Embryotoxicity:** Not hazardous by OSHA criteria.

Respiratory Sensitization: Not hazardous by OSHA criteria.

**Skin Sensitization:** Not hazardous by OSHA criteria. **Toxicologically Synergistic Materials:** Not available.

### Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: May cause long-term adverse effects in the aquatic environment.

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

### **Section 13: DISPOSAL CONSIDERATIONS**

### **Disposal Instructions:**

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

### **Section 14: TRANSPORTATION INFORMATION**

### **DOT Classification**

ORM-D

### Section 15: REGULATORY INFORMATION

## **Federal Regulations**

US: MSDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200).

### **SARA Title III**

Ingredient	Section 302	Section 304	CERCLA	Section
	(EHS) TPQ (lbs.)	EHS RQ (lbs.)	RQ (lbs.)	313
Propylene glycol mono-n-propyl ether Isobutane	Not listed.	Not listed.	Not listed. Not listed.	Not listed. Not listed.

### **State Regulations**

### California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

#### **Global Inventories**

Ingredient	USA
	TSCA
Propylene glycol mono-n-propyl ether	Yes.
Isobutane	Yes.

Oreck Assail-A-Cell™ Air Machine Cell Cleaner

**HMIS - Hazardous Materials Identification System** 

Health - 2 Flammability - 1 Physical Hazard - 0 PPE - B

NFPA - National Fire Protection Association:

Health - 2 Fire - 1 Reactivity - 0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen. A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen. A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

### **Section 16: OTHER INFORMATION**

## Disclaimer:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**Prepared by:** Nexreg Compliance Inc.

Prepared for: Oreck Corporation - Phone: (800)-472-7619