Oreck Revelry

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Oreck Revelry Carpet Spot Remover		
Product Number:	A00173		
Product Use:	Spot Remover.		
Manufacturer:	Amrep, Inc. 990 Industrial Park Drive Marietta, GA 30062		
Manufacturer Phone Number:	(770) 422-2071 (Mon - Fri / 8am - 5pm ET	.)	
Supplier:	Oreck Corporation 1400 Salem Road Cookeville, TN 38501		
Supplier Phone Number:	(800)-472-7619		
D.O.T. Emergency Phone:	CHEM TEL (800) 255-3924 INTERNATIONAL: +01-813-248-0585		
Date of Preparation:	August 8, 2010	Revision #: 3.1	
Section 2: HAZARDS IDENTIFICATION			

EMERGENCY OVERVIEW

HMIS: See Section 15

CAUTION

MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED.

Potential Health Effects: See Section 11 for more information.

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

- **Eye:** May cause eye irritation.
- Skin: May cause skin irritation.

Ingestion: Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

Inhalation: May cause respiratory tract irritation. This product may be aspirated into the lungs and cause chemical pneumonitis.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

Signs and Symptoms: Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Medical Conditions Aggravated By Exposure: Asthma. Allergies.

Target Organs: Skin, eyes, gastrointestinal tract, respiratory system.

This product is a hazardous chemical as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Environmental Effects: May cause long-term adverse effects in the aquatic environment See Section 12 for more information.

Oreck Revelry

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS #	Wt. %
Propane	74-98-6	1 - 5
Isopropanol	67-63-0	5 - 10
Acetone	67-64-1	1 - 5
Alkyl polyglycosides	68515-73-1 / 110615-47-9	1 - 5
Propylene glycol phenyl ether	770-35-4	1 - 5
Diethylene glycol monobutyl ether	112-34-5	5 - 10
Butane	106-97-8	5 - 10

Section 4: FIRST AID MEASURES

Eye Contact:	In case of contact, immediately flush eyes with plenty of water. If easy to do,
	remove contact lenses, if worn.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

- **Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
- **Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).

Note to Physicians: Symptoms may not appear immediately.

Section 5: FIRE FIGHTING MEASURES

Flammability: Not flammable by OSHA criteria.

Means of Extinction:

Suitable Extinguishing Media: Powder, water spray, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

Environmental Precautions: Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

Oreck Revelry

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Clean-Up: Allow gas to dissipate harmlessly into the atmosphere.

Other Information: Not available.

Section 7: HANDLING AND STORAGE

Handling:

Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle and open container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking.

Storage:

Keep out of the reach of children. Keep container in a well-ventilated place. Do not store at temperatures above 49 °C / 120 °F.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

	Exposure Limits		
Ingredient	OSHA-PEL	ACGIH-TLV	
Propane	1000 ppm	1000 ppm	
Isopropanol	400 ppm	200 ppm	
Acetone	750 ppm	500 ppm	
Alkyl polyglycosides	Not available.	Not available.	
Propylene glycol phenyl ether	Not available.	Not available.	
Diethylene glycol monobutyl ether	Not available.	Not available.	
Butane	Not available.	mqq 008	

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Personal Protective Equipment:

Eye/Face Protection: Wear eye/face protection.

Hand Protection: Wear suitable gloves.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

HMIS: See Section 15

General Hygiene Considerations: Handle according to established industrial hygiene and safety practices.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear.
Color:	Colorless.
Odour:	Characteristic.
Odour Threshold:	Not available.
Physical State:	Gas/Pressurized Liquid.
pH:	8.5 – 9.5
Viscosity:	Not available.
Physical State: pH:	Gas/Pressurized Liquid. 8.5 – 9.5

Oreck Revelry

VOC content, g/L:	Not available.		
VOC content, wt. %:	14.6% (US federal/CARB/OTC/LADCO)		
Percent Volatile, wt. %:	Not available.		
Auto-ignition Temperature:	Not available.		
Coefficient of Water/Oil Distribution:	Not available.		
Solubility in Water:	Partial.		
Specific Gravity:	0.991 (Concentrate only)		
Vapor Density:	Not available.		
Vapor Pressure:	Not available.		
Upper Flammability Limit:	Not available.		
Lower Flammability Limit:	Not available.		
Evaporation Rate:	Not available.		
Flash Point:	Not available.		
Boiling Point:	Not available.		
Freezing Point:	Not available.		

Section 10: STABILITY AND REACTIVITY

Stability: Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Keep in a cool place.

Conditions of Reactivity: Heat. Incompatible materials.

Incompatible Materials: Oxidizers.

Hazardous Decomposition Products: May include, and are not limited to: oxides of carbon.

Possibility of Hazardous Reactions: No dangerous reaction known under conditions of normal use.

Section 11: TOXICOLOGY INFORMATION

EFFECTS OF ACUTE EXPOSURE

Component	Analysis		
Ingredient		LD ₅₀ (oral)	LC ₅₀
Propane		Not available.	658 mg/L 4hr, rat
Isopropano	I	4396 mg/kg, rat	72.6 mg/L 4hr, rat
Acetone		5800 mg/kg, rat	Not available.
Alkyl polyglycosides		Not available.	Not available.
Propylene glycol phenyl ether		2830 mg/kg, rat	Not available.
Diethylene glycol monobutyl ether		3384 mg/kg, rat	Not available.
Butane		Not available.	658 mg/L 4hr, rat
Eye:		ptoms may include discomfor with marked redness and swel	

- **Skin:** May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
- Ingestion: Not a normal route of exposure. Harmful: may cause lung damage if swallowed.
- **Inhalation:** May cause respiratory tract irritation. This product may be aspirated into the lungs and cause chemical pneumonitis.

Oreck Revelry

EFFECTS OF CHRONIC EXPOSURE

Target Organs: Not available.

Chronic Effects: Not hazardous by OSHA criteria.

Carcinogenicity: Not hazardous by OSHA criteria.

Ingredient

Isopropanol Acetone

Alkyl polyglycosides

Propylene glycol phenyl ether

Diethylene glycol monobutyl ether

Propane

Butane

Chemical Listed as Carcinogen or Potential Carcinogen * Not listed. G-A4, I-3 G-A4 Not listed. Not listed. Not listed. Not listed. Not listed. Not listed.

* See Section 15 for more information.

Mutagenicity: Not hazardous by OSHA criteria.

Reproductive Effects: Not hazardous by OSHA criteria.

Developmental Effects:

Teratogenicity: Not hazardous by OSHA criteria.

Embryotoxicity: Not hazardous by OSHA criteria.

Respiratory Sensitization: Not hazardous by OSHA criteria.

Skin Sensitization: Not hazardous by OSHA criteria.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: May cause long-term adverse effects in the aquatic environment

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions:

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

Section 14: TRANSPORTATION INFORMATION

DOT Classification ORM-D

Section 15: REGULATORY INFORMATION

Federal Regulations

US: MSDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200).

Oreck Revelry

SARA Title III

Ingredient	Section 302 (EHS) TPQ (Ibs.)	Section 304 EHS RQ (Ibs.)	CERCLA RQ (lbs.)	Section 313
Propane	Not listed.	Not listed.	Not listed.	Not listed.
Isopropanol	Not listed.	Not listed.	Not listed.	Yes.
Acetone	Not listed.	Not listed.	5,000	313
Alkyl polyglycosides	Not listed.	Not listed.	Not listed.	Not listed.
Propylene glycol phenyl ether	Not listed.	Not listed.	Not listed.	Not listed.
Diethylene glycol monobutyl ether	Not listed.	Not listed.	Not listed.	Not listed.
Butane	Not listed.	Not listed.	Not listed.	Not listed.

Global Inventories

Ingredient	USA TSCA
Propane	Yes.
Isopropanol	Yes.
Acetone	Yes.
Alkyl polyglycosides	Yes.
Propylene glycol phenyl ether	Yes.
Diethylene glycol monobutyl ether	Yes.
Butane	Yes.

HMIS - Hazardous Materials Identification System

Health - 1	Flammability - 2	Physical Hazard - 0	PPE - B
neann - i	i iaiiiiiabiiity - Z	i fiysical flazaru - 0	

NFPA - National Fire Protection Association:

Health - 1 Fire - 2 Reactivity - 0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

- **OSHA (O)** Occupational Safety and Health Administration.
- ACGIH (G) American Conference of Governmental Industrial Hygienists.
 - A1 Confirmed human carcinogen.
 - A2 Suspected human carcinogen.
 - A3 Animal carcinogen.
 - A4 Not classifiable as a human carcinogen.
 - A5 Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.
3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

- 4 The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.
- **NTP (N)** National Toxicology Program.
 - 1 Known to be carcinogens.
 - 2 Reasonably anticipated to be carcinogens.

Oreck Revelry

Section 16: OTHER INFORMATION

Disclaimer:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Expiry Date: August 8, 2013

Prepared by:Nexreg Compliance Inc.Prepared for:Oreck Corporation - Phone: (800)-472-7619