Oreck Revelry Carpet Spot Remover

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Oreck Revelry Carpet Spot Remover

Product Number: B06606

Product Use: Spot Remover

Manufacturer: Amrep, Inc.

990 Industrial Park Drive Marietta, GA 30062

Manufacturer Phone Number: (770) 422-2071 (Mon - Fri / 8am - 5pm ET)

Supplier: Oreck Corporation

1400 Salem Road Cookeville, TN 38501

Supplier Phone Number: (800)-472-7619

D.O.T. Emergency Phone: CHEM TEL (800) 255-3924

INTERNATIONAL: +01-813-248-0585

HMIS: See Section 15

Date of Preparation: November 27, 2010 Revision #: 2.0

Section 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

LIVILITOLITO I OVLITVILIV

CAUTION

MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

Potential Health Effects: See Section 11 for more information.

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Eye: May cause eye irritation.

Skin: May cause skin irritation.

Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Inhalation: May cause respiratory tract irritation.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

Signs and Symptoms: Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Handling can cause dry skin.

Medical Conditions Aggravated By Exposure: Asthma. Allergies.

Target Organs: Skin, eyes, gastrointestinal tract, respiratory system.

This product is a hazardous chemical as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Environmental Effects: May cause long-term adverse effects in the aquatic environment See Section 12 for more information.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

| Ingredient | CAS# | Wt. % |
|----------------------------------|------------|-----------|
| Ethylene glycol monobutyl ether | 111-76-2 | 5 - 10 |
| Dipropylene glycol n-butyl ether | 29911-28-2 | 1 - 5 |
| Sodium lauryl sulfate | 151-21-3 | 1 - 5 |
| Isopropanol | 67-63-0 | 0.5 - 1.5 |

Oreck Revelry Carpet Spot Remover

Section 4: FIRST AID MEASURES

Eye Contact: In case of contact, immediately flush eyes with plenty of water. If easy to do,

remove contact lenses, if worn.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Remove

contaminated clothing and shoes. Wash clothing before reuse. Call a physician

if irritation develops and persists.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately

(show the label or MSDS where possible).

Note to Physicians: Symptoms may not appear immediately.

Section 5: FIRE FIGHTING MEASURES

Flammability: Not flammable by OSHA criteria.

Means of Extinction:

Suitable Extinguishing Media: Treat for surrounding material.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker

gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental Precautions: This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Clean-Up: Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.

Other Information: Not available.

Section 7: HANDLING AND STORAGE

Handling:

Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking.

Oreck Revelry Carpet Spot Remover

Storage:

Keep out of the reach of children. Keep container tightly closed. Do not store at temperatures above 49 % / 120 %.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Exposure Limits OSHA-PEL ACGIH-TLV Ingredient Ethylene glycol monobutyl ether 50 ppm 20 ppm Dipropylene glycol n-butyl ether Not available. Not available. Sodium lauryl sulfate Not available. Not available. Isopropanol 200 ppm 400 ppm

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Personal Protective Equipment: HMIS: See Section 15

Eye/Face Protection: Wear eye/face protection.

Hand Protection: Wear suitable gloves.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations: Handle according to established industrial hygiene and

safety practices.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear.

Color: Colorless.

Odour: Minty fruit.

Odour Threshold: Not available.

Physical State: Liquid. pH: 10.3

Viscosity: Not available.

Freezing Point: Not available.

Boiling Point: $\sim 100 \, \text{°C} \, (\sim 212 \, \text{°F})$

Flash Point:

Evaporation Rate:

Lower Flammability Limit:

Upper Flammability Limit:

Vapor Pressure:

Not available.

Not available.

Not applicable.

Not available.

Specific Gravity: 0.99

Solubility in Water: Complete.

Coefficient of Water/Oil Distribution: Not available.

Oreck Revelry Carpet Spot Remover

Auto-ignition Temperature: Not available.

Percent Volatile. wt. %: Not available.

VOC content, wt. %: 8.0% (US federal/CARB/OTC/LADCO)

Section 10: STABILITY AND REACTIVITY

Stability: Stable under normal storage conditions.

Conditions of Reactivity: Heat. Incompatible materials.

Incompatible Materials: Oxidizers.

Hazardous Decomposition Products: May include, and are not limited to: oxides of carbon. **Possibility of Hazardous Reactions:** No dangerous reaction known under conditions of normal use.

Section 11: TOXICOLOGY INFORMATION

EFFECTS OF ACUTE EXPOSURE

Component Analysis

| Ingredient | LD ₅₀ (oral) | LC ₅₀ |
|----------------------------------|-------------------------|-----------------------------------|
| | | 450 ppm 4hr, rat; |
| Ethylene glycol monobutyl ether | 470 mg/kg, rat | 2.21 mg/L 4hr, rat |
| | | > 2.04 mg/L 4hr, rat; |
| Dipropylene glycol n-butyl ether | 1620 μL/kg, rat | 42.1 ppm 4hr, rat |
| Sodium lauryl sulfate | 1288 mg/kg, rat | > 3900 mg/m ³ 1hr, rat |
| Isopropanol | 4396 mg/kg, rat | 72.6 mg/L 4hr, rat |
| | | = |

Eye: May cause eye irritation. Symptoms may include discomfort or pain, excess

blinking and tear production, with marked redness and swelling of the conjunctiva.

Skin: May cause skin irritation. Handling can cause dry skin.

Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Inhalation: May cause respiratory tract irritation.

EFFECTS OF CHRONIC EXPOSURE

Target Organs: Not available.

Chronic Effects: Irritation. (Effects due to excessive exposure to the raw materials of this mixture) May cause damage to nasal & respiratory passages, throat & esophagus. Lab animals have experienced anemia, liver, kidney, lung, and blood damage with exposure to Ethylene glycol monobutyl ether.

Carcinogenicity: Not hazardous by OSHA criteria.

Ingredient Chemical Listed as Carcinogen or Potential Carcinogen *

Ethylene glycol monobutyl ether I-3
Dipropylene glycol n-butyl ether Not listed.
Sodium lauryl sulfate Not listed.
Isopropanol G-A4, I-3

Mutagenicity: Not hazardous by OSHA criteria.

Reproductive Effects: Not hazardous by OSHA criteria.

^{*} See Section 15 for more information.

Oreck Revelry Carpet Spot Remover

Developmental Effects:

Teratogenicity: Not hazardous by OSHA criteria.

Embryotoxicity: Not hazardous by OSHA criteria.

Respiratory Sensitization: Not hazardous by OSHA criteria.

Skin Sensitization: Not hazardous by OSHA criteria. **Toxicologically Synergistic Materials:** Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: May cause long-term adverse effects in the aquatic environment

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions:

This material and its container must be disposed of in a safe way.

Section 14: TRANSPORTATION INFORMATION

DOT Classification

Not regulated

Section 15: REGULATORY INFORMATION

Federal Regulations

US: MSDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200).

SARA Title III

| Ingredient | Section 302 (EHS) TPQ (Ibs.) | Section 304 EHS RQ (lbs.) | CERCLA RQ (lbs.) | Section 313 |
|----------------------------------|------------------------------------|---------------------------------|---------------------|----------------|
| Ethylene glycol monobutyl ether | Not listed. | Not listed. | Not listed. | Yes. |
| Dipropylene glycol n-butyl ether | Not listed. | Not listed. | Not listed. | Not listed. |
| Sodium lauryl sulfate | Not listed. | Not listed. | Not listed. | Not listed. |
| Isopropanol | Not listed. | Not listed. | Not listed. | Yes. |

State Regulations

California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

Global Inventories

| Ingredient | USA |
|----------------------------------|------|
| | TSCA |
| Ethylene glycol monobutyl ether | Yes. |
| Dipropylene glycol n-butyl ether | Yes. |
| Sodium lauryl sulfate | Yes. |
| Isopropanol | Yes. |

Oreck Revelry Carpet Spot Remover

HMIS - Hazardous Materials Identification System

Health - 1 Flammability - 0 Physical Hazard - 0 PPE - B

NFPA - National Fire Protection Association:

Health - 1 Fire - 0 Reactivity - 0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen. A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

Section 16: OTHER INFORMATION

Disclaimer:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by: Nexreg Compliance Inc.

Prepared for: Oreck Corporation - Phone: (800)-472-7619