

GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57113-00001	Date of first issue: 02/12/2015

SECTION 1. IDENTIFICATION

Product name : GOJO® ORIGINAL FORMULA™ Hand Cleaner

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.
Address : One GOJO Plaza, Suite 500
Akron OH 44311
Telephone : 1 (330) 255-6000
Emergency telephone : 1-800-424-9300 CHEMTREC


Recommended use of the chemical and restrictions on use

Recommended use : Skin-care
Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Serious eye damage : Category 1

GHS Label element

Hazard pictograms : The GHS hazard pictogram for serious eye damage (H318). It consists of a red diamond-shaped border containing a black and white illustration of a hand pouring liquid from a bottle into the eye of a human head.

Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.

Precautionary Statements : **Prevention:**
P280 Wear eye protection/ face protection.
Response:

GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version 1.0 Revision Date: 02/12/2015 MSDS Number: 57113-00001 Date of last issue: -
Date of first issue: 02/12/2015

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Other hazards

Repeated exposure may cause skin dryness or cracking.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Distillates (petroleum), hydrotreated light	64742-47-8	>= 30 - < 50
White mineral oil (petroleum)	8042-47-5	>= 10 - < 20
Ethoxylated branched C11-14, C13-rich alcohols	78330-21-9	>= 1 - < 5
Propylene glycol	57-55-6	>= 1 - < 5
Petrolatum	8009-03-8	>= 1 - < 5
Sodium Hydroxymethylglycinate	70161-44-3	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Prolonged or repeated contact may dry skin and cause irritation.
Causes serious eye damage.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
- Notes to physician : Treat symptomatically and supportively.


GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57113-00001	Date of first issue: 02/12/2015

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Dry chemical
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding

GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version 1.0 Revision Date: 02/12/2015 MSDS Number: 57113-00001 Date of last issue: -
Date of first issue: 02/12/2015

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Avoid inhalation of vapor or mist.
Do not swallow.
Do not get in eyes.
Handle in accordance with good industrial hygiene and safety practice.
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA (Mist)	5 mg/m ³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m ³	ACGIH
		TWA (Mist)	5 mg/m ³	NIOSH REL
Propylene glycol	57-55-6	ST (Mist)	10 mg/m ³	NIOSH REL
		TWA	10 mg/m ³	US WEEL
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m ³	ACGIH
		TWA (Mist)	5 mg/m ³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL

Hazardous components without workplace control parameters

Ingredients	CAS-No.


GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version 1.0 Revision Date: 02/12/2015 MSDS Number: 57113-00001 Date of last issue: -
 Date of first issue: 02/12/2015

Ethoxylated branched C11-14, C13-rich alcohols	78330-21-9
Sodium Hydroxymethylglycinate	70161-44-3

Engineering measures : Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Material : Impervious gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
 Chemical resistant goggles must be worn.
 If splashes are likely to occur, wear:
 Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
 Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.0 Revision Date: 02/12/2015 MSDS Number: 57113-00001 Date of last issue: -
Date of first issue: 02/12/2015

Color : opaque, white, yellow

Odor : solvent

Odor Threshold : No data available

pH : 9.0

Melting point/freezing point : No data available

Solidification / Setting point : No data available

Initial boiling point and boiling range : No data available

Flash point : > 100 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1 g/cm³

Solubility(ies)
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity
Viscosity, kinematic : 10,000 - 45,000 mm²/s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.


GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57113-00001	Date of first issue: 02/12/2015

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION
Information on likely routes of exposure

Inhalation
 Skin contact
 Ingestion
 Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
 Method: Calculation method

Ingredients:
Distillates (petroleum), hydrotreated light:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.3 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Assessment: The substance or mixture has no acute inhalation toxicity
 Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg
 Assessment: The substance or mixture has no acute dermal toxicity

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
 Assessment: The substance or mixture has no acute dermal toxicity

GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version 1.0 Revision Date: 02/12/2015 MSDS Number: 57113-00001 Date of last issue: -
Date of first issue: 02/12/2015

Ethoxylated branched C11-14, C13-rich alcohols:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg
Method: Expert judgment

Propylene glycol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 159 mg/l, > 51091 ppm
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Petrolatum:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Acute oral toxicity : LD50 (Rat): 1,050 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:**Distillates (petroleum), hydrotreated light:**

Assessment: Repeated exposure may cause skin dryness or cracking.

White mineral oil (petroleum):

Species: Rabbit
Result: No skin irritation

Ethoxylated branched C11-14, C13-rich alcohols:

Species: Rabbit
Result: No skin irritation
Remarks: Based on data from similar materials

Propylene glycol:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57113-00001	Date of first issue: 02/12/2015

Petrolatum:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation
Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Species: Rabbit
Result: Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Ingredients:**Distillates (petroleum), hydrotreated light:**

Species: Rabbit
Result: No eye irritation

White mineral oil (petroleum):

Species: Rabbit
Result: No eye irritation

Ethoxylated branched C11-14, C13-rich alcohols:

Result: Irreversible effects on the eye
Remarks: Based on data from similar materials

Propylene glycol:

Species: Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405

Petrolatum:

Species: Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405
Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Species: Rabbit
Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.
Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:**Distillates (petroleum), hydrotreated light:**

Test Type: Maximization Test (GPMT)
Routes of exposure: Skin contact


GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57113-00001	Date of first issue: 02/12/2015

Species: Guinea pig
 Result: negative
 Remarks: Based on data from similar materials

White mineral oil (petroleum):

Test Type: Buehler Test
 Routes of exposure: Skin contact
 Species: Guinea pig
 Result: negative

Ethoxylated branched C11-14, C13-rich alcohols:

Test Type: Human repeat insult patch test (HRIPT)
 Routes of exposure: Skin contact
 Result: negative
 Remarks: Based on data from similar materials

Propylene glycol:

Test Type: Maximization Test (GPMT)
 Routes of exposure: Skin contact
 Species: Guinea pig
 Result: negative

Petrolatum:

Test Type: Buehler Test
 Routes of exposure: Skin contact
 Species: Guinea pig
 Result: negative
 Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Test Type: Maximization Test (GPMT)
 Routes of exposure: Skin contact
 Species: Guinea pig
 Result: positive

Assessment: Probability or evidence of skin sensitization in humans

Germ cell mutagenicity

Not classified based on available information.

Ingredients:
Distillates (petroleum), hydrotreated light:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration
 Species: Rat
 Application Route: Intraperitoneal injection
 Result: negative
 Remarks: Based on data from similar materials

White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Result: negative

GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57113-00001	Date of first issue: 02/12/2015

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Method: OECD Test Guideline 474
 Result: negative
 Remarks: Based on data from similar materials

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative

Petrolatum:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
 Result: negative
 Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Method: OECD Test Guideline 474
 Result: negative
 Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
 Species: Rat
 Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:
White mineral oil (petroleum):

Species: Rat
 Application Route: Ingestion
 Exposure time: 24 Months
 Result: negative

Propylene glycol:

Species: Rat
 Application Route: Ingestion
 Exposure time: 2 Years
 Result: negative

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.0 Revision Date: 02/12/2015 MSDS Number: 57113-00001 Date of last issue: -
Date of first issue: 02/12/2015

Petrolatum:

Species: Rat
Application Route: Ingestion
Exposure time: 2 Years
Result: negative

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:**Distillates (petroleum), hydrotreated light:**

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

White mineral oil (petroleum):

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Skin contact
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

Propylene glycol:

Effects on fertility : Species: Mouse
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57113-00001	Date of first issue: 02/12/2015

Petrolatum:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Skin contact
Result: negative
Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Effects on fetal development : Species: Rat
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Ingredients:****Distillates (petroleum), hydrotreated light:**

Species: Rat
NOAEL: > 10.4 mg/l
Application Route: inhalation (vapor)
Exposure time: 90 d
Remarks: Based on data from similar materials

White mineral oil (petroleum):

Species: Rat
LOAEL: 160 mg/kg
Application Route: Ingestion
Exposure time: 90 d

Species: Rat
LOAEL: >= 1 mg/l
Application Route: inhalation (dust/mist/fume)
Exposure time: 4 w
Method: OECD Test Guideline 412

Propylene glycol:

Species: Rat
NOAEL: 1,700 mg/kg
Application Route: Ingestion
Exposure time: 2 y

Petrolatum:

Species: Rat

GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57113-00001	Date of first issue: 02/12/2015

NOAEL: 5,000 mg/kg
 Application Route: Ingestion
 Exposure time: 2 y

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Ingredients:
Distillates (petroleum), hydrotreated light:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

White mineral oil (petroleum):

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION
Ecotoxicity
Ingredients:
Distillates (petroleum), hydrotreated light:

Toxicity to fish	:	LL50 (Danio rerio (zebra fish)): > 250 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Acartia tonsa): > 3,193 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction
Toxicity to algae	:	EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction NOELR (Skeletonema costatum (marine diatom)): 993 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOELR (Ceriodaphnia dubia (water flea)): > 70 mg/l Exposure time: 8 d Test substance: Water Accommodated Fraction
Toxicity to bacteria	:	EC50: > 100 mg/l Exposure time: 3 h
White mineral oil (petroleum):		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h

GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57113-00001	Date of first issue: 02/12/2015

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,000 mg/l
Exposure time: 21 d

Ethoxylated branched C11-14, C13-rich alcohols:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5.6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae : EC50: > 1 - 10 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0.33 mg/l
Exposure time: 30 d
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.77 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l
Exposure time: 48 h

Toxicity to algae : EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : Chronic Toxicity Value: 2,500 mg/l
Exposure time: 30 d

Toxicity to daphnia and other aquatic invertebrates : NOEC (Ceriodaphnia dubia (water flea)): 29,000 mg/l
Exposure time: 7 d

GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57113-00001	Date of first issue: 02/12/2015

(Chronic toxicity)

Toxicity to bacteria : NOEC (*Pseudomonas putida*): > 20,000 mg/l
Exposure time: 18 h

Petrolatum:

Toxicity to fish : LL50 (*Pimephales promelas* (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Toxicity to algae : NOEL (*Pseudokirchneriella subcapitata* (green algae)): >= 100 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 10 mg/l
Exposure time: 21 d
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Toxicity to fish : LC50: > 10 - 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia pulex* (Water flea)): > 10 - 100 mg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (*Desmodesmus subspicatus* (*Scenedesmus subspicatus*)): > 10 - 100 mg/l
Exposure time: 72 h

Toxicity to bacteria : EC50: > 100 mg/l
Exposure time: 120 h

Persistence and degradability**Ingredients:****Distillates (petroleum), hydrotreated light:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 82 %
Exposure time: 24 d
Method: OECD Test Guideline 301F

White mineral oil (petroleum):

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 31 %


GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57113-00001	Date of first issue: 02/12/2015

Exposure time: 28 d

Ethoxylated branched C11-14, C13-rich alcohols:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 95 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F
 Remarks: Based on data from similar materials

Propylene glycol:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 98.3 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F

Petrolatum:

Biodegradability : Result: Not readily biodegradable.
 Biodegradation: 31 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F
 Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential
Ingredients:
Propylene glycol:

Partition coefficient: n- : log Pow: -1.07
 octanol/water

Sodium Hydroxymethylglycinate:

Partition coefficient: n- : log Pow: < 3
 octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS
Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.


GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57113-00001	Date of first issue: 02/12/2015

SECTION 14. TRANSPORT INFORMATION
International Regulation
UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation
49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION
EPCRA - Emergency Planning and Community Right-to-Know
CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations
Pennsylvania Right To Know

Distillates (petroleum), hydrotreated light	64742-47-8	30 - 50 %
Water	7732-18-5	30 - 50 %
White mineral oil (petroleum)	8042-47-5	10 - 20 %
Oleic acid	112-80-1	5 - 10 %
Ethoxylated branched C11-14, C13-rich alcohols	78330-21-9	1 - 5 %
Propylene glycol	57-55-6	1 - 5 %

GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version 1.0 Revision Date: 02/12/2015 MSDS Number: 57113-00001 Date of last issue: -
Date of first issue: 02/12/2015

Petrolatum 8009-03-8 1 - 5 %
Sodium hydroxide 1310-73-2 0.1 - 1 %

New Jersey Right To Know

Distillates (petroleum), hydrotreated light 64742-47-8 30 - 50 %
Water 7732-18-5 30 - 50 %
White mineral oil (petroleum) 8042-47-5 10 - 20 %
Oleic acid 112-80-1 5 - 10 %
Ethoxylated branched C11-14, C13-rich alcohols 78330-21-9 1 - 5 %
Propylene glycol 57-55-6 1 - 5 %

California Prop 65


This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

AICS : All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION
Further information
NFPA:

HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA : 8-hour, time-weighted average

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57113-00001	Date of first issue: 02/12/2015

NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Revision Date	:	02/12/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8