Printing date August 12, 2015

Revision: August 12, 2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: Instantaneous Blast CN Grenade
<ul> <li>Article number: 1041 (1012494)</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> </ul>
Application of the substance / the mixture Crowd Control Device Explosive product.
<ul> <li>1.3 Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: Safariland, LLC</li> <li>13386 International Parkway</li> <li>Jacksonville, FL 32218</li> <li>Customer Care (800) 347-1200</li> <li>Further information obtainable from: Customer Care Department</li> </ul>
• <b>1.4 Emergency telephone number:</b> ChemTel Inc. (800)255-3924, +1 (813)248-0585
SECTION 2: Hazards identification
<ul> <li>• 2.1 Classification of the substance or mixture</li> <li>• Classification according to Regulation (EC) No 1272/2008         The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.     </li> <li>• exploding bomb</li> </ul>
Expl. 1.4 H204 Fire or projection hazard.
skull and crossbones
Acute Tox. 3 H301 Toxic if swallowed.
Acute Tox. 3 H311 Toxic in contact with skin.
Acute Tox. 3 H331 Toxic if inhaled.
health hazard
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
corrosion
Eye Dam. 1       H318 Causes serious eye damage.       (Cont'd. on page 2)

Printing date August 12, 2015

Revision: August 12, 2015

## Trade name: Instantaneous Blast CN Grenade

	(Cont'd. from page
environr	ment
Aquatic Chronic	2 H411 Toxic to aquatic life with long lasting effects.
$\langle 1 \rangle$	
$\mathbf{v}$	
Skin Irrit. 2	H315 Causes skin irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.
	rmation: 0 % of the mixture consists of component(s) of unknown toxicity.
2.2 Label eleme	rding to Regulation (EC) No 1272/2008
	classified and labelled according to the CLP regulation.
Hazard pictogr	
~~~~~	
	GHS06 GHS08 GHS09
Signal word Da	anger
Signal word Da	-
Hazard-determ	ining components of labelling:
Hazard-determ 2-chloroacetoph	ining components of labelling:
Hazard-determ 2-chloroacetoph potassium chlor	ining components of labelling: nenone rate
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c	ining components of labelling: nenone rate colloided, granular
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat	ining components of labelling: nenone rate colloided, granular te
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard statem	ining components of labelling: nenone rate colloided, granular te ents
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following I	ining components of labelling: nenone rate colloided, granular te ents Hazard Statements are applicable only to the EU regulations and not the US GF
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard statem	ining components of labelling: nenone rate colloided, granular te ents Hazard Statements are applicable only to the EU regulations and not the US GH 2.
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following I regulation: H412 H204	ining components of labelling: nenone rate colloided, granular te ents Hazard Statements are applicable only to the EU regulations and not the US GF
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following I regulation: H412 H204	ining components of labelling: nenone rate colloided, granular te ents Hazard Statements are applicable only to the EU regulations and not the US GH 2. Fire or projection hazard.
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following I regulation: H412 H204 H301+H311+H3	ining components of labelling: nenone rate colloided, granular te ents Hazard Statements are applicable only to the EU regulations and not the US GF 2. Fire or projection hazard. 331 Toxic if swallowed, in contact with skin or if inhaled.
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following l regulation: H412 H204 H301+H311+H3 H315 H318 H334	<ul> <li>ining components of labelling:</li> <li>nenone</li> <li>rate</li> <li>colloided, granular</li> <li>te</li> <li>ents</li> <li>Hazard Statements are applicable only to the EU regulations and not the US GF</li> <li>2.</li> <li>Fire or projection hazard.</li> <li>331 Toxic if swallowed, in contact with skin or if inhaled.</li> <li>Causes skin irritation.</li> <li>Causes serious eye damage.</li> <li>May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> </ul>
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following I regulation: H412 H204 H301+H311+H3 H315 H318 H334 H317	<ul> <li>ining components of labelling: nenone rate</li> <li>colloided, granular</li> <li>te</li> <li>ents</li> <li>Hazard Statements are applicable only to the EU regulations and not the US GF</li> <li>2. Fire or projection hazard.</li> <li>331 Toxic if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.</li> </ul>
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following l regulation: H412 H204 H301+H311+H3 H315 H318 H334 H317 H335	<ul> <li>ining components of labelling: henone rate colloided, granular te</li> <li>ents</li> <li>Hazard Statements are applicable only to the EU regulations and not the US GF 2. Fire or projection hazard.</li> <li>331 Toxic if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause respiratory irritation.</li> </ul>
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following I regulation: H412 H204 H301+H311+H3 H315 H318 H334 H317 H335 H411	<ul> <li>ining components of labelling: henone rate colloided, granular te</li> <li>ents</li> <li>Hazard Statements are applicable only to the EU regulations and not the US GF2. Fire or projection hazard.</li> <li>331 Toxic if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause respiratory irritation. Toxic to aquatic life with long lasting effects.</li> </ul>
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following I regulation: H412 H204 H301+H311+H3 H315 H318 H334 H317 H335 H411 Precautionary	<ul> <li>ining components of labelling: henone rate</li> <li>colloided, granular</li> <li>te</li> <li>ents</li> <li>Hazard Statements are applicable only to the EU regulations and not the US GF2.</li> <li>Fire or projection hazard.</li> <li>331 Toxic if swallowed, in contact with skin or if inhaled. Causes skin irritation.</li> <li>Causes serious eye damage.</li> <li>May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>May cause an allergic skin reaction.</li> <li>May cause respiratory irritation.</li> <li>Toxic to aquatic life with long lasting effects.</li> </ul>
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following I regulation: H412 H204 H301+H311+H3 H315 H318 H334 H317 H335 H411	<ul> <li>ining components of labelling: nenone rate colloided, granular te ents Hazard Statements are applicable only to the EU regulations and not the US GH 2. Fire or projection hazard.</li> <li>331 Toxic if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause respiratory irritation. Toxic to aquatic life with long lasting effects.</li> <li>statements Keep away from heat, hot surfaces, sparks, open flames and other ignition source</li> </ul>
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following I regulation: H412 H204 H301+H311+H3 H301+H311+H3 H315 H318 H334 H317 H335 H411 Precautionary P210	<ul> <li>ining components of labelling: nenone rate colloided, granular te ents Hazard Statements are applicable only to the EU regulations and not the US GF 2. Fire or projection hazard.</li> <li>331 Toxic if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause respiratory irritation. Toxic to aquatic life with long lasting effects.</li> <li>statements Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking.</li> </ul>
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following I regulation: H412 H204 H301+H311+H3 H315 H318 H334 H317 H335 H411 Precautionary P210 P250	<ul> <li>ining components of labelling:</li> <li>nenone</li> <li>rate</li> <li>colloided, granular</li> <li>te</li> <li>ents</li> <li>Hazard Statements are applicable only to the EU regulations and not the US GF</li> <li>2.</li> <li>Fire or projection hazard.</li> <li>331 Toxic if swallowed, in contact with skin or if inhaled.</li> <li>Causes skin irritation.</li> <li>Causes serious eye damage.</li> <li>May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>May cause respiratory irritation.</li> <li>Toxic to aquatic life with long lasting effects.</li> <li>statements</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking.</li> <li>Do not subject to grinding/shock/friction.</li> </ul>
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following I regulation: H412 H204 H301+H311+H3 H315 H318 H334 H317 H335 H411 Precautionary P210 P250 P260	<ul> <li>ining components of labelling:</li> <li>nenone</li> <li>rate</li> <li>colloided, granular</li> <li>te</li> <li>ents</li> <li>Hazard Statements are applicable only to the EU regulations and not the US GF</li> <li>2.</li> <li>Fire or projection hazard.</li> <li>331 Toxic if swallowed, in contact with skin or if inhaled.</li> <li>Causes skin irritation.</li> <li>Causes serious eye damage.</li> <li>May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>May cause respiratory irritation.</li> <li>Toxic to aquatic life with long lasting effects.</li> <li>statements</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking.</li> <li>Do not subject to grinding/shock/friction.</li> <li>Do not breathe dust.</li> </ul>
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following I regulation: H412 H204 H301+H311+H3 H315 H318 H334 H317 H335 H411 Precautionary P210 P250 P260 P284	<ul> <li>ining components of labelling: henone rate solloided, granular te ents Hazard Statements are applicable only to the EU regulations and not the US GF 2. Fire or projection hazard.</li> <li>331 Toxic if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause an allergic skin reaction. May cause respiratory irritation. Toxic to aquatic life with long lasting effects. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking. Do not subject to grinding/shock/friction. Do not breathe dust. In case of inadequate ventilation wear respiratory protection.</li> </ul>
Hazard-determ 2-chloroacetoph potassium chlor Nitrocellulose, c potassium nitrat Hazard stateme The following I regulation: H412 H204 H301+H311+H3 H315 H318 H334 H317 H335 H411 Precautionary P210 P250 P260 P284	<ul> <li>ining components of labelling:</li> <li>nenone</li> <li>rate</li> <li>colloided, granular</li> <li>te</li> <li>ents</li> <li>Hazard Statements are applicable only to the EU regulations and not the US GF</li> <li>2.</li> <li>Fire or projection hazard.</li> <li>331 Toxic if swallowed, in contact with skin or if inhaled.</li> <li>Causes skin irritation.</li> <li>Causes serious eye damage.</li> <li>May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>May cause respiratory irritation.</li> <li>Toxic to aquatic life with long lasting effects.</li> <li>statements</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking.</li> <li>Do not subject to grinding/shock/friction.</li> <li>Do not breathe dust.</li> </ul>

Printing date August 12, 2015

Revision: August 12, 2015

#### Trade name: Instantaneous Blast CN Grenade

CAS: 9004-70-0 EC number: 603-037-0 (Cont'd. from page 2)

(Cont'd. on page 4)

P342+P311 P333+P313	If experiencing reapiratory symptoms, Call & DOISON CENTED/deater
	If experiencing respiratory symptoms: Call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P401	Store in accordance with local/regional/national/international regulations.
· Additional info	
Can become hig	ghly flammable in use.
· 2.3 Other haza	
<ul> <li>Results of PBT</li> </ul>	and vPvB assessment
<ul> <li>• PBT: Not applic</li> </ul>	able.
<ul> <li>vPvB: Not appli</li> </ul>	
<ul> <li>Explosive Proc</li> </ul>	
of explosives is user must reme been developed	OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use a result of careful planning and observance of the best known practices. The explosives omber that he is dealing with a powerful force and that various devices and methods have to assist him in directing this force. He should realize that this force, if misdirected, may re both him and his fellow workers.
safety procedur all applicable for doubts as to ho or the manufac	I explosives are dangerous and must be carefully handled and used following approved es either by or under the direction of competent, experienced persons in accordance with ederal, state, and local laws, regulations, or ordinances. If you have any questions or w to use any explosive product, DO NOT USE IT before consulting with your supervisor, turer, if you do not have a supervisor. If your supervisor has any questions or doubts, he he manufacturer before use.
	Composition/information on ingredients
SECTION 3:	
• <b>3.2 Mixtures</b> • <b>Description:</b> Mixture of subst	tances listed below with nonhazardous additions. Itain various combinations of the following substances. Not all substances will be in each
· <b>3.2 Mixtures</b> · <b>Description:</b> Mixture of substance     Product will cor	tances listed below with nonhazardous additions. Itain various combinations of the following substances. Not all substances will be in each
3.2 Mixtures     Description:     Mixture of subst Product will cor product.	tances listed below with nonhazardous additions. Itain various combinations of the following substances. Not all substances will be in each
<ul> <li>3.2 Mixtures</li> <li>Description: Mixture of subst Product will cor product.</li> <li>Dangerous cor</li> </ul>	tances listed below with nonhazardous additions. Intain various combinations of the following substances. Not all substances will be in each mponents: 31-1 2-chloroacetophenone Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 1, H330 Resp. Sens. 1, H334 Eye Dam. 1, H318
<ul> <li>3.2 Mixtures</li> <li>Description: Mixture of subst Product will cor product.</li> <li>Dangerous cor CAS: 532-27-4 EINECS: 208-53</li> </ul>	tances listed below with nonhazardous additions. Intain various combinations of the following substances. Not all substances will be in each <b>mponents:</b> 31-1 31-1 31-1 2-chloroacetophenone Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 1, H330 Resp. Sens. 1, H334 Eye Dam. 1, H318 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335
3.2 Mixtures     Description:     Mixture of subst Product will cor product.     Dangerous cor CAS: 532-27-4	tances listed below with nonhazardous additions. Intain various combinations of the following substances. Not all substances will be in each <b>mponents:</b> 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1 31-1

Acute Tox. 4, H302; Acute Tox. 4, H332

Nitrocellulose, colloided, granular

🔶 Expl. 1.1, H201

Printing date August 12, 2015

Revision: August 12, 2015

#### Trade name: Instantaneous Blast CN Grenade

	(Cont'd. from page 3)
CAS: 57-50-1	sucrose, pure
EINECS: 200-334-9	substance with a Community workplace exposure limit
CAS: 546-93-0	Magnesium carbonate
EINECS: 208-915-9	substance with a Community workplace exposure limit
CAS: 7757-79-1	potassium nitrate
EINECS: 231-818-8	Ox. Sol. 2, H272
CAS: 78-11-5 EINECS: 201-084-3 Index number: 603-035-00-5	pentaerythritol tetranitrate (PETN)
CAS: 7440-21-3	silicon
EINECS: 231-130-8	Flam. Sol. 2, H228
CAS: 13424-46-9 EINECS: 236-542-1 Index number: 082-003-00-7	lead diazide / lead azide Unst. Expl., H200 Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332
CAS: 557-04-0	magnesium distearate, pure
EINECS: 209-150-3	substance with a Community workplace exposure limit
· SVHC	
13424-46-9 lead diazide / lea	ad azide

· Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product. Take affected persons out into the fresh air. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. · After inhalation: Supply fresh air. Seek immediate medical advice. Seek medical help for symptoms or if unconscious. Provide oxygen treatment if affected person has difficulty breathing. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

Seek immediate medical help for blistering or open wounds.

## After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

(Cont'd. on page 5)

Printing date August 12, 2015

Revision: August 12, 2015

#### Trade name: Instantaneous Blast CN Grenade

(Cont'd. from page 4)

 After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. · 4.2 Most important symptoms and effects, both acute and delayed Asthma attacks Breathing difficulty Coughing Gastric or intestinal disorders when ingested. Nausea in case of ingestion. Allergic reactions Eye damage. Irritating to respiratory system and skin. Hazards Danger of blast or crush-type injuries. Danger of impaired breathing. Danger of disturbed cardiac rhythm. Danger of pulmonary oedema. Toxic if swallowed or in contact with skin. Fatal if inhaled. 4.3 Indication of any immediate medical attention and special treatment needed Contains 2-chloroacetophenone. May produce an allergic reaction. If necessary oxygen respiration treatment. Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects. **SECTION 5: Firefighting measures** · 5.1 Extinguishing media · Suitable extinguishing agents: Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn. DO NOT fight fire when fire reaches explosives. · For safety reasons unsuitable extinguishing agents: None. · 5.2 Special hazards arising from the substance or mixture Fire or projection hazard. Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely. During heating or in case of fire poisonous gases are produced. 5.3 Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information Eliminate all ignition sources if safe to do so. Evacuate area and fight fire from from the upwind side. (Cont'd. on page 6)

Printing date August 12, 2015

Revision: August 12, 2015

#### Trade name: Instantaneous Blast CN Grenade

(Cont'd. from page 5)

Cool endangered product with water spray. Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

## **SECTION 6: Accidental release measures**

## · 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities. Use respiratory protective device against the effects of fumes/dust/aerosol.
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Protect from heat. **6.2 Environmental precautions:**Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

#### • 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Keep away from heat and direct sunlight. Handle with care. Avoid jolting, friction and impact. Use only outdoors or in a well-ventilated area.
- Information about fire and explosion protection: Protect from heat. Emergency cooling must be available in case of nearby fire.

Keep respiratory protective device available.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Avoid storage near extreme heat, ignition sources or open flame. Protect from humidity and water.
- Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidising agents.

(Cont'd. on page 7)

Printing date August 12, 2015

Revision: August 12, 2015

## Trade name: Instantaneous Blast CN Grenade

Store away from flammable substances.

• Further information about storage conditions: Store in dry conditions.

• 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see section 7.

#### · 8.1 Control parameters

· Ingredients v	Ingredients with limit values that require monitoring at the workplace:		
532-27-4 2-chloroacetophenone			
PEL (USA)	Long-term value: 0,3 mg/m <sup>3</sup> , 0,05 ppm		
REL (USA)	Long-term value: 0,3 mg/m <sup>3</sup> , 0,05 ppm		
TLV (USA)	Long-term value: 0,32 mg/m <sup>3</sup> , 0,05 ppm		
EL (Canada)	Long-term value: 0,05 ppm S		
EV (Canada)	Long-term value: 0,32 mg/m <sup>3</sup> , 0,05 ppm		
57-50-1 sucro			
PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction		
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction		
TLV (USA)	Long-term value: 10 mg/m <sup>3</sup>		
EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *total dust;**respirable fraction		
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> total dust		
546-93-0 Mag	nesium carbonate		
PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction		
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction		
TLV (USA)	TLV withdrawn		
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust, **respirable fraction		
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> total dust		
7440-21-3 sil	icon		
PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction		
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction		
	(Cont'd. on page 8)		

(Cont'd. from page 6)

Printing date August 12, 2015

Revision: August 12, 2015

## Trade name: Instantaneous Blast CN Grenade

	(Cont'd. from page 7)
TLV (USA)	TLV withdrawn
EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *total dust;**respirable fraction
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> total dust
13424-46-9 le	ad diazide / lead azide
PEL (USA)	Long-term value: 0,05 mg/m <sup>3</sup> as Pb; See 29 CFR 1910,1025
REL (USA)	Long-term value: 0,05* mg/m³ as Pb;*8-hr TWA; See Pocket Guide App. C
TLV (USA)	Long-term value: 0,05 mg/m <sup>3</sup> as Pb; BEI
EL (Canada)	Long-term value: 0,05 mg/m³ as Pb; IARC 2A, R
557-04-0 mag	nesium distearate, pure
TLV (USA)	Long-term value: 10 mg/m <sup>3</sup>
	rther relevant information available. rther relevant information available.
· Ingredients v	vith biological limit values:
13424-46-9 le	ead diazide / lead azide
Tii	) µg/100 ml edium: blood me: not critical arameter: Lead
<ul> <li>8.2 Exposure</li> <li>Engineering</li> <li>Do not subjec</li> <li>Use only outd</li> <li>Personal prote</li> <li>General prote</li> <li>The usual pre</li> <li>Keep away from</li> <li>Immediately re</li> <li>Wash hands to</li> <li>Do not inhale</li> </ul>	measures t to grinding/shock/friction. oors or in a well-ventilated area. tective equipment: ective and hygienic measures: cautionary measures are to be adhered to when handling chemicals. om foodstuffs, beverages and feed. emove all soiled and contaminated clothing. before breaks and at the end of work. dust / smoke / mist. with the eyes and skin.
Resp	iratory protection required.
Wear positive quantities.	e pressure NIOSH or European EN149 vapor respirators when deploying product in large (Cont'd. on page 9)

(Cont'd. on page 9)

Printing date August 12, 2015

Revision: August 12, 2015

## Trade name: Instantaneous Blast CN Grenade

(Cont'd. from page 8)

· Protection of hands:

None required for handling unused product; where possible, use protective gloves for handling spent rounds.

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## · Eye protection:



Safety glasses

· Body protection: Protective work clothing

- · Limitation and supervision of exposure into the environment
- No further relevant information available.
- Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

## **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- General Information
- · Appearance: Form: Solid metal container containing liquid and solid contents. Colour: According to product specification · Odour: Odourless · Odour threshold: Not determined. · pH-value: Not applicable. · Change in condition Melting point/Melting range: Not Determined. **Boiling point/Boiling range:** Undetermined. · Flash point: Not applicable. · Flammability (solid, gaseous): Not determined. Auto/Self-ignition temperature: Not determined. · Decomposition temperature: Not determined. · Self-igniting: Product is not self-igniting. · Danger of explosion: Fire or projection hazard.

(Cont'd. on page 10)

Printing date August 12, 2015

Revision: August 12, 2015

## Trade name: Instantaneous Blast CN Grenade

		(Cont'd. from page 9)
<ul> <li>Explosion limits: Lower: Upper:</li> <li>Oxidising properties</li> </ul>	Not determined. Not determined. Contains oxidizing agent.	
· Vapour pressure:	Not applicable.	
<ul> <li>Density:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	Not determined. Not determined. Not applicable. Not applicable.	
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Insoluble.	
· Partition coefficient (n-octanol	/water): Not determined.	
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> <li>9.2 Other information</li> </ul>	Not applicable. Not applicable. No further relevant information available.	
SECTION 10: Stability and	l reactivity	
Reacts with flammable substance Reacts with strong acids and alke • <b>10.4 Conditions to avoid</b> Store away from oxidising agents Keep ignition sources away - Do Cartridge may detonate if case is	itions to be avoided: pred according to specifications. eactions heated above the decomposition point. es. ali. s. not smoke. s punctured or severely damaged. o further relevant information available. h products:	
		(Cont'd. on page 11)

Printing date August 12, 2015

Revision: August 12, 2015

#### Trade name: Instantaneous Blast CN Grenade

(Cont'd. from page 10)

## **SECTION 11: Toxicological information**

#### · 11.1 Information on toxicological effects

#### · Acute toxicity

Toxic if swallowed, in contact with skin or if inhaled.

· LD/LC50 values relevant for classification:

#### 532-27-4 2-chloroacetophenone

Oral LD50 50 mg/kg (rat)

#### 3811-04-9 potassium chlorate

Oral LD50 1870 mg/kg (rat)

- Primary irritant effect:
- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- May cause an allergic skin reaction.
- · Additional toxicological information:
- Danger through skin adsorption.

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

Toxic and/or corrosive effects may be delayed up to 24 hours.

• Acute effects (acute toxicity, irritation and corrosivity):

Danger of blast or crush-type injuries.

Toxic if swallowed, in contact with skin or if inhaled.

- Causes serious eye damage.
- Irritating to skin.
- May cause respiratory irritation.
- Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- · Germ cell mutagenicity
- Based on available data, the classification criteria are not met.
- · Carcinogenicity
- Based on available data, the classification criteria are not met.
- Reproductive toxicity
- Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure
- Based on available data, the classification criteria are not met.
- Aspiration hazard
- Based on available data, the classification criteria are not met.

Printing date August 12, 2015

Revision: August 12, 2015

#### Trade name: Instantaneous Blast CN Grenade

(Cont'd. from page 11)

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.


· Uncleaned packaging:

• Recommendation: Disposal must be made according to local official regulations.

SECTION 14: Transport information	
<ul> <li>· 14.1 UN-Number</li> <li>· DOT, ADR, IMDG, IATA</li> <li>· 14.2 UN proper shipping name</li> </ul>	UN0301
· DOT	Ammunition Tear-producing with burster, expelling charge or propelling charge
· ADR	0301 AMMUNITION TEAR-PRODUCING with burster, expelling
	charge or propelling charge (Cont'd. on page 13)

Printing date August 12, 2015

Revision: August 12, 2015



Printing date August 12, 2015

Revision: August 12, 2015

#### Trade name: Instantaneous Blast CN Grenade

	(Cont'd. from page 13)
Transport/Additional information:	
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	0 Code: E0 Not permitted as Excepted Quantity
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> <li>UN "Model Regulation":</li> </ul>	0 Code: E0 Not permitted as Excepted Quantity UN0301, 0301, ENVIRONMENTALLY HAZARDOUS, 1.4G (6.1+8), II

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
· United States (USA)

· SARA

<ul> <li>Section 355 (extremely hazardous substances):</li> </ul>	
None of the ingredients are listed.	

#### · Section 313 (Specific toxic chemical listings):

532-27-4 2-chloroacetophenone 7757-79-1 potassium nitrate

13424-46-9 lead diazide / lead azide

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65 (California):

· Chemicals known to cause cancer:

13424-46-9 lead diazide / lead azide

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

#### • Chemicals known to cause developmental toxicity: Present in trace quantities.

13424-46-9 lead diazide / lead azide

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

## · Carcinogenic Categories

· EPA (Environmental Protection Agency)

13424-46-9 lead diazide / lead azide

(Cont'd. on page 15)

Printing date August 12, 2015

Revision: August 12, 2015

2A

A4

A4

A3

#### Trade name: Instantaneous Blast CN Grenade

(Cont'd, from p	age 14)

<ul> <li>IARC (International Age</li> </ul>	ncy for Research on Cancer)
---------------------------------------------	-----------------------------

13424-46-9 lead diazide / lead azide

#### • TLV (Threshold Limit Value established by ACGIH)

532-27-4 2-chloroacetophenone

57-50-1 sucrose, pure

13424-46-9 lead diazide / lead azide

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Canada

## · Canadian Domestic Substances List (DSL)

All ingredients listed on DSL or NDSL.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

· Canadian Ingredient Disclosure list (limit 1%)

532-27-4 2-chloroacetophenone

#### · Directive 2012/18/EU

· Named dangerous substances - ANNEX I

None of the ingredients are listed.

## · Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Substances of very high concern (SVHC) according to REACH, Article 57

13424-46-9 lead diazide / lead azide

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H200 Unstable explosives.
- H201 Explosive; mass explosion hazard.
- H228 Flammable solid.
- H271 May cause fire or explosion; strong oxidiser.
- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.

(Cont'd. on page 16)

Printing date August 12, 2015

Revision: August 12, 2015

#### Trade name: Instantaneous Blast CN Grenade

(Cont'd. from page 15) H318 Causes serious eye damage. H330 Fatal if inhaled. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H350 May cause cancer. H360Df May damage the unborn child. Suspected of damaging fertility. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410 H411 Toxic to aquatic life with long lasting effects. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Expl. 1.1: Explosives, Division 1.1 Expl. 1.4: Explosives, Division 1.4 Unst. Expl.: Explosives, Unstable explosives Flam. Sol. 2: Flammable solids, Hazard Category 2 Ox. Sol. 1: Oxidising Solids, Hazard Category 1 Ox. Sol. 2: Oxidising Solids, Hazard Category 2 Acute Tox. 2: Acute toxicity, Hazard Category 2 Acute Tox. 4: Acute toxicity, Hazard Category 4 Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 1: Acute toxicity, Hazard Category 1 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 1B: Carcinogenicity, Hazard Category 1B Repr. 1A: Reproductive toxicity, Hazard Category 1A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 (Cont'd. on page 17)

Printing date August 12, 2015

Revision: August 12, 2015

#### Trade name: Instantaneous Blast CN Grenade

(Cont'd. from page 16)

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com