

according to Australia WHS Regulations

Revision: 25 February 2021

## **1** Identification Product identifier · Trade name: Skat-Shell® 37mm Multiple Projectile Round, CS · Product code: 1172 (1012243) · Recommended use: Crowd Control Device · Restrictions on use: Contact manufacturer/supplier <sup>•</sup> Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 USA Customer Care (800) 347-1200 · Importer/Distributor: Distributed within Australia by: Aquaterro Advanced Product Supplies - ABN: 31 064 779 746 77 National Avenue Pakenham, Victoria, 3810 Australia Tel +61 (03) 9754 2922 Toll-Free 1300 TACTICAL (Australia) Distributed within Australia by: Grycol International Pty Ltd 3 Zenith Business Park, 34 Alliance Avenue Morisset, New South Wales 2264, Australia

(Mailing Address) P.O. Box 723 Morisset NSW 2264, Australia Tel +61 2 4970 4377 Fax: +61 2 4913 5310

 Emergency telephone number: ChemTel
 1-800-526-4727 (North America)
 1-314-985-1511 (International)
 Emergencies within Australia - 131126 (NSW Poison Control Centre)
 Emergencies within New Zealand - 0800 764 766 (National Poison Control Centre)

## 2 Hazard(s) Identification

Australia NOI National Code	on (Australia, New Zealand) HSC – Hazardous Substance (Classified according to Worksafe Australia NOHSC 2018 of Practice) G – Dangerous Goods (Classified according to National Transport Commision Australian
Dangerous Go	pods Code)
· Classificatio	on of the substance or mixture
Expl. 1.4	H204 Fire or projection hazard.
Acute Tox. 3	H301 Toxic if swallowed.
Acute Tox. 4	H312 Harmful in contact with skin.
Acute Tox. 3	H331 Toxic if inhaled.

(Cont'd. on page 2)

Revision: 25 February 2021

(Cont'd. from page 1)

# Trade name: Skat-Shell® 37mm Multiple Projectile Round, CS

	(Contal non page )
Skin Irrit. 2 H	I315 Causes skin irritation.
Eye Irrit. 2A H	1319 Causes serious eye irritation.
	1334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
•	
	I317 May cause an allergic skin reaction.
Repr. 1A H	I360 May damage fertility or the unborn child.
STOT SE 3 H	1335 May cause respiratory irritation.
Additional infor	mation:
	er hazards not otherwise classified that have been identified.
	e consists of component(s) of unknown toxicity.
Hazard pictogra	ims
$\wedge$	
GHS01 GHS06 (	GHS08
Signal word Dar	nger
Hazard stateme	
H204 Fire or proj	ection hazard.
H301 Toxic if swa	
	contact with skin.
H331 Toxic if inh	aled.
H315 Causes ski	in irritation.
H319 Causes se	rious eye irritation.
	allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause	an allergic skin reaction.
H360 May damag	ge fertility or the unborn child.
H335 May cause	respiratory irritation.
<b>Precautionary s</b>	tatements
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P240	Ground/bond container and receiving equipment.
P250	Do not subject to grinding/shock/friction.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.
P321	Specific treatment (see on this label).
	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
P304+P340	
	breathing.
	breathing. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses
P305+P351+P33	breathing. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P305+P351+P33 P308+P313	breathing. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention.
P305+P351+P33	breathing. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Revision: 25 February 2021

## Trade name: Skat-Shell® 37mm Multiple Projectile Round, CS

	(Cont'd. from page 2)		
P330	Rinse mouth.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.		
P337+P313	If eye irritation persists: Get medical advice/attention.		
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTRE/doctor.		
P370+P380	In case of fire: Evacuate area.		
P372	Explosion risk in case of fire.		
P373	DO NOT fight fire when fire reaches explosives.		
P374	Fight fire with normal precautions from a reasonable distance.		
P401	Store in accordance with local/regional/national/international regulations.		
P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
P405 P501	Store locked up.		
F301	Dispose of contents/container in accordance with local/regional/national/international regulations.		
· Additional infor	•		
	prophenyl)methylene]malononitrile. May produce an allergic reaction.		
Other hazards			
	and vPvB assessment		
• <b>PBT:</b> Not applica			
vPvB: Not applie			
Explosive Prod			
	OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use		
	a result of careful planning and observance of the best known practices. The explosives		
	mber that they are dealing with a powerful force and that various devices and methods		
	eloped to assist them in directing this force. They should realize that this force, if		
misdirected, may	<i>y</i> either kill or injure both themself and their fellow workers.		
	and a first and dependence and much be constituted and and used following any second		
	explosives are dangerous and must be carefully handled and used following approved		
	es either by or under the direction of competent, experienced persons in accordance with		
	deral, state, and local laws, regulations, or ordinances. If you have any questions or		
	w to use any explosive product, DO NOT USE IT before consulting with your supervisor,		
	urer, if you do not have a supervisor. If your supervisor has any questions or doubts, they ne manufacturer before use.		
3 Composition	and Information on Ingredients		
· Chemical chara	· Chemical characterisation: Mixtures		

· Componen	ts:	
9004-70-0	Nitrocellulose, colloided, granular	10-30%
	🔗 Expl. 1.1, H201	
1309-48-4	Magnesium oxide	10-30%
7757-79-1	Potassium nitrate	10-30%
	🚸 Ox. Sol. 2, H272	
55-63-0	glycerol trinitrate / nitroglycerin	<10%
	Onst. Expl., H200 Flam. Liq. 2, H225	
	Flam. Liq. 2, H225	
	Acute Tox. 1, H300; Acute Tox. 1, H310; Acute Tox. 1, H330 STOT RE 2, H373	
	(Cont'd	. on page 4)

according to Australia WHS Regulations

Revision: 25 February 2021

## Trade name: Skat-Shell® 37mm Multiple Projectile Round, CS

	(Cont'd. from page 3)
2698-41-1 [(2-chlorophenyl)methylene]malononitrile	<10%
Acute Tox. 3, H301; Acute Tox. 2, H330	
Resp. Sens. 1, H334; STOT RE 2, H373	
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT	
7440-50-8 Copper	<10%
7778-74-7 Potassium perchlorate	<10%
Ox. Liq. 1, H271; Ox. Sol. 1, H271 Acute Tox. 4, H302	
7704-34-9 Sulfur	<10%
🚯 Skin Irrit. 2, H315	
7631-86-9 Silicon dioxide	<10%
1314-23-4 Zirconium oxide	<10%
85-98-3 1,3-diethyldiphenylurea	<10%
O Acute Tox. 4, H302	
122-39-4 diphenylamine	<10%
<ul> <li>Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331</li> <li>STOT RE 2, H373</li> </ul>	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate	<1.0%
🔆 Unst. Expl., H200	
& Repr. 1A, H360; STOT RE 2, H373	
Acute Tox. 4, H302; Acute Tox. 4, H332	1.00/
8050-09-7 Rosin	<1.0%
♦ Skin Sens. 1, H317	14.00/
1345-04-6 antimony sulphide	<1.0%
10022-31-8 barium nitrate	<1.0%
Ox. Sol. 2, H272 Acute Tox. 3, H301	
Acute Tox. 4, H332; Eye Irrit. 2A, H319	
· Additional information:	
For the wording of the listed Hazard Statements refer to section 16.	
For the listed ingredient(s), the identity and/or exact percentages are being withhe	eld as a trade secret.
Notable Trace Components (< 0,1% w/w)	
592-87-0 lead dithiocyanate	
😵 Repr. 1A, H360Df; STOT RE 2, H373	
Acute Tox. 4, H302; Acute Tox. 4, H332	

## **4 First Aid Measures**

## <sup>.</sup> Description of first aid measures

## General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Remove breathing equipment only after contaminated clothing have been completely removed.

## • After inhalation:

Seek immediate medical advice.

(Cont'd. on page 5)

according to Australia WHS Regulations

Revision: 25 February 2021

## Trade name: Skat-Shell® 37mm Multiple Projectile Round, CS (Cont'd. from page 4) Remove victim to fresh air. Provide oxygen treatment if affected person has difficulty breathing. In case of irregular breathing or respiratory arrest provide artificial respiration. After skin contact: Immediately remove any clothing soiled by the product. Brush off loose particles from skin. Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. Most important symptoms and effects, both acute and delayed Asthma attacks Blast injury if mishandled. Allergic reactions May cause respiratory irritation. Breathing difficulty Coughing Causes eye irritation. Irritant to skin and mucous membranes. · Hazards: Explosive crush or blast injury. Harmful in contact with skin. Danger of impaired breathing. Indication of any immediate medical attention and special treatment needed Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects. Contains [(2-chlorophenyl)methylene]malononitrile. May produce an allergic reaction. Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants. Monitor circulation, possible shock treatment. Treat skin and mucous membrane with antihistamine and corticoid preparations. If necessary oxygen respiration treatment. Medical supervision for at least 48 hours.

## **5 Fire Fighting Measures**

## Extinguishing media

## · Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

## • For safety reasons unsuitable extinguishing agents: None.

## · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

## Advice for firefighters

(Cont'd. on page 6)

according to Australia WHS Regulations

Revision: 25 February 2021

## Trade name: Skat-Shell® 37mm Multiple Projectile Round, CS

(Cont'd. from page 5)

#### · Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

## • Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapours. In unusual cases, shrapnel may be thrown from exploding devices under containment. See Emergency Response Guidebook for further information.

## 6 Accidental Release Measures

## • Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Isolate area and prevent access.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

· Environmental precautions No special measures required.

## • Methods and material for containment and cleaning up

Pick up mechanically.

Dispose contaminated material as waste according to section 13.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

Send for recovery or disposal in suitable receptacles.

## **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

## · Handling:

## · Precautions for safe handling

Handle with care. Avoid jolting, friction and impact.

Avoid breathing dust.

Use only in well ventilated areas.

- Information about fire and explosion protection:
- Protect from heat.

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

(Cont'd. on page 7)

Revision: 25 February 2021

		(Cont'd. from page 6
<ul> <li>Requirements to be Avoid storage near ex</li> <li>Information about so Store away from food Store away from flam</li> <li>Further information</li> </ul>		ΥΥΥΥ ΥΥΥ ΥΥΥ ΥΥΥ ΥΥΥ ΥΥΥ ΥΥΥ ΥΥ
S Exposuro contro	Is and personal protection	
-	· · ·	
· Control parameter		
-	it values that require monitoring at the workplace:	
1309-48-4 Magnesiu		
WES (Australia) PEL (USA)	Long-term value: 10 mg/m <sup>3</sup> Long-term value: 15* mg/m <sup>3</sup> fume; *total particulate	
TLV (USA)	Long-term value: 10* mg/m³ *as inhalable fraction	
WES (New Zealand)	Long-term value: 10 mg/m³ fume	
69012-64-2 Silica-an	norphous silica fume	
TLV (USA)	TLV withdrawn	
55-63-0 glycerol trin		
WES (Australia)	Long-term value: 0.46 mg/m³, 0.05 ppm Sk	
PEL (USA)	Peak limitation: 2 mg/m³, 0.2 ppm Skin	
REL (USA)	Short-term value: 0.1 mg/m³ Skin	
TLV (USA)	Long-term value: 0.46 mg/m³, 0.05 ppm Skin	
· · ·	Long-term value: 0.46 mg/m³, 0.05 ppm skin	
	phenyl)methylene]malononitrile	
WES (Australia)	Peak limitation: 0.39 mg/m³, 0.05 ppm Sk	
PEL (USA)	Long-term value: 0.4 mg/m³, 0.05 ppm	
REL (USA)	Peak limitation: 0.4 mg/m³, 0.05 ppm Skin	
TLV (USA)	Peak limitation: 0.39* mg/m³, 0.05* ppm *inhalable fraction and vapor;Skin	
WES (New Zealand)	Peak limitation: 0.39 mg/m³, 0.05 ppm skin	
		(Cont'd. on page 8

Revision: 25 February 2021

## Trade name: Skat-Shell® 37mm Multiple Projectile Round, CS

	(Cont'd. from page
7440-50-8 Copper	(containen page
WES (Australia)	Long-term value: 1* 0.2** mg/m <sup>3</sup>
*dust & mists (as Cu) **fume	
PEL (USA)	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume
REL (USA) Long-term value: 1* 0.1** mg/m <sup>3</sup>	
	as Cu *dusts and mists **fume
TLV (USA)	Long-term value: 1* 0.2** mg/m³
	*dusts and mists; **fume; as Cu
WES (New Zealand)	Long-term value: 0.2* 1** mg/m³ *fume;**dusts and mists, as Cu
7631-86-9 Silicon di	
WES (Australia)	Long-term value: 2 mg/m <sup>3</sup>
NIOSH REL (USA)	Long-term value: 6 mg/m <sup>3</sup>
OSHA PEL (USA)	Long-term value: 80 mg/m³
1314-23-4 Zirconiun	
WES (Australia)	Short-term value: 10 mg/m <sup>3</sup>
, , , , , , , , , , , , , , , , , , ,	Long-term value: 5 mg/m³
	as Zr
PEL (USA)	Long-term value: 5 mg/m³ as Zr
REL (USA)	Short-term value: 10 mg/m³
	Long-term value: 5 mg/m³
	as Zr
TLV (USA)	Short-term value: 10 mg/m³ Long-term value: 5 mg/m³
	as Zr
WES (New Zealand)	Short-term value: 10 mg/m³
	Long-term value: 5 mg/m³
	as Zr
8050-09-7 Rosin TLV (USA)	ong torm volue: NIC 0.01* mg/m <sup>3</sup>
TLV (USA)	Long-term value: NIC-0.01* mg/m³ *inhalable fraction, NIC-DSEN, RSEN
122-39-4 diphenylar	nine
WES (Australia)	Long-term value: 10 mg/m³
REL (USA)	Long-term value: 10 mg/m³
TLV (USA)	Long-term value: 10 mg/m³
	Long-term value: 10 mg/m³
10022-31-8 barium r	
WES (Australia)	Long-term value: 0.5 mg/m³ as Ba
PEL (USA)	Long-term value: 0.5 mg/m³ as Ba
REL (USA)	Long-term value: 0.5 mg/m³
. ,	(Cont'd. on page

according to Australia WHS Regulations

Revision: 25 February 2021

## Trade name: Skat-Shell® 37mm Multiple Projectile Round, CS

		(Cont'd. from page 8)
	as Ba	
TLV (USA)	Long-term value: 0.5 mg/m³ as Ba	
WES (New Zealand)	Long-term value: 0.5 mg/m³ as Ba	
1345-04-6 antimony	sulphide	
WES (Australia)	Long-term value: 0.5 mg/m³ as Sb	
PEL (USA)	Long-term value: 0.5 mg/m³ as Sb	
REL (USA)	Long-term value: 0.5 mg/m³ as Sb	
TLV (USA)	Long-term value: 0.5 mg/m³ as Sb	
WES (New Zealand)	Long-term value: 0.5 mg/m³ as Sb	

## Exposure controls

· Engineering measures Provide adequate ventilation.

## · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

## Respiratory protection:



Respiratory protection required.

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

## Protection of hands:



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to

(Cont'd. on page 10)

according to Australia WHS Regulations

Revision: 25 February 2021

Trade name: Skat-Shell® 37mm Multiple Projectile Round, CS

(Cont'd. from page 9)

be observed.

• Eye protection:



Safety glasses

· Body protection: Protective work clothing

Limitation and supervision of exposure into the environment:

No further relevant information available.

<sup>•</sup> Risk management measures:

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

## 9 Physical and Chemical Properties

<ul> <li>Information on basic physical an</li> <li>Appearance</li> </ul>	d chemical properties
Form: Colour: Odour: Odour threshold:	Solid metal container containing liquid and solid contents. According to product specification Odourless Not determined.
<ul> <li>PH-value:</li> <li>Melting point/freezing point:</li> <li>Initial boiling point and boiling range</li> </ul>	Not applicable. Not determined. e: Not determined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not determined.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Explosive properties:	Heating may cause an explosion.
<ul> <li>Explosion limits</li> <li>Lower:</li> <li>Upper:</li> <li>Oxidising properties</li> </ul>	Not determined. Not determined. Contains oxidizing agent.
· Vapour pressure:	Not applicable.
<ul> <li>Density:</li> <li>Relative density:</li> <li>Vapour density:</li> <li>Evaporation rate:</li> </ul>	Not determined. Not determined. Not applicable. Not applicable.
Solubility in / Miscibility with water:	Insoluble.
· Partition coefficient: n-octanol/wate	r: Not determined.
	(Cont'd. on page 11)

according to Australia WHS Regulations

Revision: 25 February 2021

## Trade name: Skat-Shell® 37mm Multiple Projectile Round, CS

(Cont'd. from page 10)

· Viscosity	
Dynamic:	
Kinematic:	
Other information	

Not applicable. Not applicable. No further relevant information available.

## **10 Stability and Reactivity**

• **Reactivity** No further relevant information available. · Chemical stability • Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. Possibility of hazardous reactions Danger of explosion. Toxic fumes may be released if heated above the decomposition point. Contact with acids releases toxic gases. Acts as an oxidising agent on organic materials such as wood, paper and fats. Reacts with strong alkali. · Conditions to avoid Sources of ignition, open flame, incompatible materials. · Incompatible materials No further relevant information available. · Hazardous decomposition products Carbon monoxide and carbon dioxide Nitrogen oxides Sulphur oxides (SOx)

## 11 Toxicological Information

· Inform	ation	on toxicological effects	
· Acute t			
Toxic if	inhaled	d.	
Toxic if			
Harmful	l in con	ntact with skin.	
· LD/LC5	0 valu	ues relevant for classification:	
55-63-0	glyce	erol trinitrate / nitroglycerin	
Oral	LD50	0 115 mg/kg (mouse)	
		105 mg/kg (rat)	
Dermal	LD50	280 mg/kg (rabbit)	
2698-41	i-1 [(2-	-chlorophenyl)methylene]malononitrile	
Oral	LD50	0 178 mg/kg (rat)	
122-39-	4 diph	henylamine	
Oral	LD50	0 1120 mg/kg (rat)	
15245-4	44-0 lea	ad 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate	
Oral	LD50	0 650 mg/kg (rat)	
10022-3	81-8 ba	arium nitrate	
		(Cont'd.	on page 12)

according to Australia WHS Regulations

Revision: 25 February 2021

## Trade name: Skat-Shell® 37mm Multiple Projectile Round, CS

#### (Cont'd. from page 11) Oral LD50 355 mg/kg (rat) Primary irritant effect Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not possess these effects. · Skin corrosion/irritation: Irritant to skin and mucous membranes. · Serious eye damage/irritation: Causes eye irritation. **Respiratory or skin sensitisation:** May cause sensitisation by inhalation and skin contact. · IARC (International Agency for Research on Cancer): 7631-86-9 Silicon dioxide 3 2B 15245-44-0 lead 2.4.6-trinitro-m-phenylene dioxide/ lead styphnate 592-87-0 lead dithiocyanate 2B 1345-04-6 antimony sulphide 3 69012-64-2 Silica-amorphous silica fume 3 · Probable routes of exposure: Ingestion. Inhalation. Eve contact. Skin contact. Acute effects (acute toxicity, irritation and corrosivity): Explosive crush or blast injury. Irritating to eyes, respiratory system and skin. Harmful in contact with skin. Toxic if swallowed or if inhaled. • Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity. · Germ cell mutagenicity: Based on available data, the classification criteria are not met. • Carcinogenicity: Based on available data, the classification criteria are not met. • **Reproductive toxicity:** Based on available data, the classification criteria are not met. · STOT-single exposure: May cause respiratory irritation. • STOT-repeated exposure: Based on available data, the classification criteria are not met. · Aspiration hazard: Based on available data, the classification criteria are not met. **12 Ecological Information** · Toxicity · Aquatic toxicity: The product contains materials that are harmful to the environment. 2698-41-1 [(2-chlorophenyl)methylene]malononitrile EC50 0.2-0.3 mg/kg (Oncorhynchus mykiss) · Persistence and degradability No further relevant information available. · Bioaccumulative potential May be accumulated in organism · Mobility in soil No further relevant information available. · Ecotoxical effects: · Remark: Harmful to fish

- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

(Cont'd. on page 13)

according to Australia WHS Regulations

Revision: 25 February 2021

## Trade name: Skat-Shell® 37mm Multiple Projectile Round, CS

(Cont'd. from page 12)

system. The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Other adverse effects No further relevant information available.

## **13 Disposal considerations**

## <sup>·</sup> Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

#### <sup>•</sup> Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADG, IMDG, IATA	UN0301
· UN proper shipping name	
DOT	Ammunition Tear-producing with burster, expelling charge or propelling charge
ADG	0301 Ammunition Tear-producing with burste expelling charge or propelling charge
· IMDG, IATA	Ammunition Tear-producing with burster, expellin charge or propelling charge
Transport hazard class(es)	
DOT	
Class	1.4
· Label	1.4G+6.1+8

Revision: 25 February 2021

		(Cont'd. from page
ADG, IMDG		
Class	1.4	
Label	1.4G+6.1+8	
ΙΑΤΑ		
Class	1.4G	
Label	1.4G+6.1+8	
Packing group		
DOT, ADG, IMDG, IATA	II	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
EMS Number:	<u>F-A</u> ,S-Q	
Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	

# 15 Regulatory information

<sup>·</sup> Safety, health and environmental regulations/legislation specific for the substance or mixture

· IARC (International Agency for Research on Cancer)			
69012-64-2	Silica-amorphous silica fume	3	
7631-86-9	Silicon dioxide	3	
15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate	2B	
1345-04-6	antimony sulphide	3	
592-87-0	lead dithiocyanate	2B	
Australia			
· Australian Inventory of Chemical Substances			
All ingredients are listed.			
· Standard for the Uniform Scheduling of Medicines and Poisons			
55-63-0	glycerol trinitrate / nitroglycerin Si	3, S4	
7778-74-7 H	Potassium perchlorate S	4	
· Australia: Priority Existing Chemicals			
None of the ingredients are listed.			

(Cont'd. on page 15)

according to Australia WHS Regulations

Revision: 25 February 2021

#### Trade name: Skat-Shell® 37mm Multiple Projectile Round, CS

(Cont'd. from page 14)

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

- H200 Unstable explosives.
- H201 Explosive; mass explosion hazard.
- H225 Highly flammable liquid and vapour.
- H271 May cause fire or explosion; strong oxidiser.
- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H315 Causes skill initation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H360 May damage fertility or the unborn child.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.

#### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative Expl. 1.1: Explosives – Division 1.1 Expl. 1.4: Explosives – Division 1.4 Unst. Expl.: Explosives - Unstable explosive Flam. Liq. 2: Flammable liquids - Category 2 Ox. Liq. 1: Oxidizing liquids - Category 1 Ox. Sol. 1: Oxidizing solids - Category 1 Ox. Sol. 2: Oxidizing solids - Category 2 Acute Tox. 1: Acute toxicity - oral - Category 1 Acute Tox. 3: Acute toxicity - oral - Category 3 Acute Tox. 4: Acute toxicity - oral - Category 4 Acute Tox. 2: Acute toxicity - inhalation - Category 2 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Repr. 1A: Reproductive toxicity - Category 1A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2