
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015



according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

Trade name: Skat-Shell® Saf-Smoke[™] 37mm Multiple Projectile Round

GHS

Printing date December 1, 2015

consult the manufacturer before use.

Revision: December 1, 2015

(Cont'd. from page 1) P250 Do not subject to grinding/shock/friction. P280 Wear protective gloves / eye protection. DO NOT fight fire when fire reaches explosives. P373 P370+P380 In case of fire: Evacuate area. P372 Explosion risk in case of fire. P401 Store in accordance with local/regional/national/international regulations. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: Contains lead. Should not be used on surfaces liable to be chewed or sucked by children. Contains Rosin. May produce an allergic reaction. Can become highly flammable in use. NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 3 The substance demonstrates unusual reactivity with water. HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2 Fire = 0 FIRE REACTIVITY 3 Reactivity = 3 Warning: Contains lead salt(s). Long-term health hazard. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. · Explosive Product Notice PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers. WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the

manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Trade name: Skat-Shell® Saf-Smoke™ 37mm Multiple Projectile Round

(Cont'd. from page 2)

Revision: December 1, 2015

SECTION 3: Comp	oosition/information on ingredients
------------------------	-------------------------------------

· 3.2 Mixtures

· Description:

Product will contain various combinations of the following substances. Not all substances will be in each product.

Mixture of substances listed below with nonhazardous additions.

CAS: 9004-70-0	Nitrocellulose, colloided, granular	25-50
EC number: 603-037-0	Expl. 1.1, H201	
CAS: 7757-79-1	potassium nitrate	10-25
EINECS: 231-818-8	Ox. Sol. 2, H272	
CAS: 55-63-0 EINECS: 200-240-8 Index number: 603-034-00-X	Aquatic Chronic 2, H411 Flam. Liq. 2, H225	2,5-10
CAS: 7778-74-7 EINECS: 231-912-9 Index number: 017-008-00-5	potassium perchlorate Ox. Sol. 1, H271 Acute Tox. 4, H302	2,5-10
CAS: 100-21-0 EINECS: 202-830-0	terephthalic acid	2,5-10
CAS: 3811-04-9 EINECS: 223-289-7 Index number: 017-004-00-3	potassium chlorate Ox. Sol. 1, H271 Aquatic Chronic 2, H411 Acute Tox. 4, H302; Acute Tox. 4, H332	2,5-10
CAS: 7704-34-9 EINECS: 231-722-6 Index number: 016-094-00-1	sulfur Skin Irrit. 2, H315	2,5-10
CAS: 57-50-1 EINECS: 200-334-9	sucrose, pure	≤ 2,5
CAS: 598-62-9 EINECS: 209-942-9	manganese carbonate	≤ 2,5
CAS: 85-98-3 EINECS: 201-645-2	1,3-diethyldiphenylurea Acute Tox. 4, H302 Aquatic Chronic 3, H412	≤ 2,5
CAS: 7439-89-6 EINECS: 231-096-4	iron substance with a Community workplace exposure limit	≤ 2,5
CAS: 8050-09-7 EINECS: 232-475-7 Index number: 650-015-00-7	Rosin ♦ Skin Sens. 1, H317	_ ≤ 2,5

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Skat-Shell® Saf-Smoke™ 37mm Multiple Projectile Round

	(Cont'd.	from page 3)
CAS: 122-39-4 EINECS: 204-539-4 Index number: 612-026-00-5	diphenylamine Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT RE 2, H373	≤ 2,5%
010 7440 50 0	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.5%
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	≤ 2,5%
CAS: 7440-66-6	zinc metal k Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≤ 2,5%
CAS: 69012-64-2 EINECS: 273-761-1	Silica-Amorphous Silica fume substance with a Community workplace exposure limit	≤ 2,5%
CAS: 7782-42-5 EINECS: 231-955-3	Graphite	≤ 2,5%
For the wording of the listed H	e identity and exact percentages are being withheld as a trade seculazard Statements refer to section 16.	ret.
· Notable Trace Components	(≤ 0,1% w/w)	
CAS: 15245-44-0 EINECS: 239-290-0 Index number: 609-019-00-4	 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate Unst. Expl., H200 Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332 	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Brush off loose particles from skin.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed Blast injury if mishandled.
- · Hazards Danger of blast or crush-type injuries.

4.3 Indication of any immediate medical attention and special treatment needed

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

(Cont'd. on page 5)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Skat-Shell® Saf-Smoke™ 37mm Multiple Projectile Round

(Cont'd. from page 4)

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents:

DO NOT fight fire when fire reaches explosives.

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

· For safety reasons unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture

Fire or projection hazard.

Formation of toxic gases is possible during heating or in case of fire.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of should be handled carefully. Do not subject materials to mechanical shock or extreme heat, material will normally not require emergency response team capabilities. Remove persons from danger area. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Protect from heat. Keep away from ignition sources. Isolate area and prevent access. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to section 13. Do not flush with water or aqueous cleansing agents 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. 	. A spill of this
(C	Cont'd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Trade name: Skat-Shell® Saf-Smoke™ 37mm Multiple Projectile Round

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Use only in well ventilated areas.

Handle with care. Avoid jolting, friction and impact.

• **Information about fire - and explosion protection:** Protect from heat.

Emergency cooling must be available in case of nearby fire.

7.2 Conditions for safe storage, including any incompatibilities
 Storage:

• Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

	with limit values that require monitoring at the workplace: agnesium oxide	
PEL (USA)	Long-term value: 15* mg/m ³ fume; *total particulate	
TLV (USA)	Long-term value: 10* mg/m³ *as inhalable fraction	
EL (Canada)	Short-term value: 10** mg/m³ Long-term value: 10* 3** mg/m³ *inhalable fume;**respirable dust and fume	
EV (Canada)	Long-term value: 10 mg/m³ inhalable	
55-63-0 glyce	erol trinitrate / nitroglycerin	
PEL (USA)	Ceiling limit: 2 mg/m³, 0,2 ppm Skin	
REL (USA)	Short-term value: 0,1 mg/m³ Skin	
TLV (USA)	Long-term value: 0,46 mg/m³, 0,05 ppm Skin	
EL (Canada)	Long-term value: 0,05 ppm Skin	

(Cont'd. from page 5)

Revision: December 1, 2015

Revision: December 1, 2015

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 1, 2015

Trade name: Skat-Shell® Saf-Smoke™ 37mm Multiple Projectile Round

EV (Canada)	Long-term value: 0,5 mg/m ³ , 0,05 ppm	(Cont'd. from pag
, , , , , , , , , , , , , , , , , , ,	Skin	
7439-89-6 iro	'n	
EV (Canada)	Long-term value: 1* 5** mg/m ³	
	as iron;*salts, water-soluble;**welding fume	
8050-09-7 Ro	osin	
TLV (USA)	DSEN, RSEN, L	
EL (Canada)	S	
122-39-4 dipl	henylamine	
REL (USA)	Long-term value: 10 mg/m ³	
TLV (USA)	Long-term value: 10 mg/m ³	
EL (Canada)	Long-term value: 10 mg/m ³	
EV (Canada)	Long-term value: 10 mg/m ³	
7440-50-8 co	pper	
PEL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume	
REL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume	
TLV (USA)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume; as Cu	
EL (Canada)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume, as Cu	
EV (Canada)	Long-term value: 0,2* 1** mg/m³ as copper, *fume;**dust and mists	
69012-64-2 S	ilica-Amorphous Silica fume	
TLV (USA)	TLV withdrawn	
EL (Canada)	Long-term value: 4* 1,5** mg/m³ fume *total; **respirable	
EV (Canada)	Long-term value: 2 mg/m ³ respirable	
	rther relevant information available. rther relevant information available.	
General prot The usual pre Keep away fro Immediately r	ective equipment: ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals. for foodstuffs, beverages and feed. remove all soiled and contaminated clothing.	
	before breaks and at the end of work.	
 Respiratory 	protection: Not required under normal conditions of use.	(Cont'd. on pag

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

· Protection of hands:

Revision: December 1, 2015

Trade name: Skat-Shell® Saf-Smoke™ 37mm Multiple Projectile Round

(Cont'd. from page 7)



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

· Limitation and supervision of exposure into the environment

No special requirements.

No further relevant information available.

Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

SECTION 9: Physical and ch	emical properties	
 9.1 Information on basic physical General Information Appearance: 	and chemical properties	
Form:	Solid material	
Colour:	Dark grey	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
		(Cont'd. on page 9)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Skat-Shell® Saf-Smoke™ 37mm Multiple Projectile Round

	(Cont'd. from page
Flash point:	Not applicable.
Flammability (solid, gaseous):	Highly flammable. Contact with water liberates extremely flammable gases.
Auto/Self-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self-igniting.
Danger of explosion:	Fire or projection hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapour pressure:	Not applicable.
Density: Relative density Vapour density Evaporation rate	Not determined. Not determined. Not applicable. Not applicable.
Solubility in / Miscibility with water:	Insoluble.
Partition coefficient (n-octanol/water): Not determined.
Viscosity: Dynamic: Kinematic: 9.2 Other information	Not applicable. Not applicable. No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.
10.2 Chemical stability
Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions Toxic fumes may be released if heated above the decomposition point. Fire or projection hazard. Reacts with strong acids and alkali.

Reacts violently with oxidising agents.

• 10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.

- · 10.5 Incompatible materials: Oxidizers
- 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

(Cont'd. on page 10)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Trade name: Skat-Shell® Saf-Smoke™ 37mm Multiple Projectile Round

Sulphur oxides (SOx)

SECTION 11: Toxicological information · 11.1 Information on toxicological effects · Acute toxicity Based on available data, the classification criteria are not met. · LD/LC50 values relevant for classification: 55-63-0 glycerol trinitrate / nitroglycerin Oral LD50 115 mg/kg (mouse) 105 mg/kg (rat) Dermal LD50 29 mg/kg (rat) 280 mg/kg (rabbit) 85-98-3 1.3-diethyldiphenylurea LD50 780 mg/kg (rat, female) Oral 122-39-4 diphenylamine Oral LD50 1120 mg/kg (rat) · Primary irritant effect: • Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Based on available data, the classification criteria are not met. · Respiratory or skin sensitisation Based on available data, the classification criteria are not met. • Acute effects (acute toxicity, irritation and corrosivity): From product as supplied: None. · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. • **Reproductive toxicity** Based on available data, the classification criteria are not met. • **STOT-single exposure** Based on available data, the classification criteria are not met. • STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. **SECTION 12: Ecological information** · 12.1 Toxicity · Aquatic toxicity: The product contains materials that are harmful to the environment. 85-98-3 1,3-diethyldiphenylurea LC50 15,6 mg/l (zebra fish) • **12.2 Persistence and degradability** The product is partially biodegradable. Significant residuals remain. · 12.3 Bioaccumulative potential May be accumulated in organism · 12.4 Mobility in soil No further relevant information available. · Additional ecological information: · General notes: This statement was deduced from the properties of the single components. (Cont'd. on page 11)

Revision: December 1, 2015

(Cont'd. from page 9)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Skat-Shell® Saf-Smoke™ 37mm Multiple Projectile Round

(Cont'd. from page 10) The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number DOT, ADR, IMDG, IATA	
	UN0012
14.2 UN proper shipping name	
DOT, IMDG, IATA ADR	CARTRIDGES FOR WEAPONS, INERT PROJECT 0012 CARTRIDGES FOR WEAPONS, INE
	PROJECTILE
 14.3 Transport hazard class(es) 	
• 14.3 Transport hazard class(es) • DOT, ADR, IMDG, IATA	
•	
•	1.4
DOT, ADR, IMDG, IATA	1.4 1.4S
DOT, ADR, IMDG, IATA	
DOT, ADR, IMDG, IATA	
DOT, ADR, IMDG, IATA	1.4S

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Skat-Shell® Saf-Smoke™ 37mm Multiple Projectile Round

	(Cont'd. from page 11)
 14.6 Special precautions for user EMS Number: 	Not applicable. F-A,S-Q
 14.7 Transport in bulk according to Anno Marpol and the IBC Code 	ex II of Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) Tunnel restriction code 	5 kg Code: E0 Not permitted as Excepted Quantity D/E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5 kg Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN0012, CARTRIDGES FOR WEAPONS, INERT PROJECTILE, 1.4S, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA

SARA

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

7757-79-1 potassium nitrate

55-63-0 glycerol trinitrate / nitroglycerin

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

• Proposition 65 (California):

· Chemicals known to cause cancer:

Present in trace quantities.

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

Present in trace quantities.

(Cont'd. on page 13)

Revision: December 1, 2015

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Trade name: Skat-Shell® Saf-Smoke™ 37mm Multiple Projectile Round

	(Cont'd. 1	from page 1
15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate	
· Carcinoge	nic Categories	
•	onmental Protection Agency)	
7778-74-7	potassium perchlorate	NL
7440-50-8		D
7440-66-6	zinc metal	D, I, II
•	national Agency for Research on Cancer)	
	silicon dioxide	3
69012-64-2	Silica-Amorphous Silica fume	3
· NIOSH-Ca	(National Institute for Occupational Safety and Health)	
	ingredients are listed.	
· Canada		
	Domestic Substances List (DSL)	
All ingredie	nts are listed.	
· Canadian I	ngredient Disclosure list (limit 0.1%)	
122-39-4 d	iphenylamine	
· Canadian I	ngredient Disclosure list (limit 1%)	
	magnesium oxide	
7631-86-9	silicon dioxide	
· Directive 2	012/18/EU	
· Named dar	ngerous substances - ANNEX I	
None of the	ingredients are listed.	
	lations, limitations and prohibitive regulations	
	s of very high concern (SVHC) according to REACH, Article 57	
None of the	ingredients are listed.	
[.] 15.2 Chem	ical safety assessment: A Chemical Safety Assessment has not been carried out.	

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H200 Unstable explosives.

H201 Explosive; mass explosion hazard.

H225 Highly flammable liquid and vapour.

H271 May cause fire or explosion; strong oxidiser.

H272 May intensify fire; oxidiser.

H300 Fatal if swallowed.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

(Cont'd. on page 14)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date December 1, 2015

Revision: December 1, 2015

Trade name: Skat-Shell® Saf-Smoke™ 37mm Multiple Projectile Round

(Cont'd. from page 13) H310 Fatal in contact with skin. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H330 Fatal if inhaled. H331 Toxic if inhaled. H332 Harmful if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety Expl. 1.1: Explosives, Division 1.1 Expl. 1.4: Explosives, Division 1.4 Unst. Expl.: Explosives, Unstable explosives Flam. Liq. 2: Flammable liquids, Hazard Category 2 Ox. Sol. 1: Oxidising Solids, Hazard Category 1 Ox. Sol. 2: Oxidising Solids, Hazard Category 2 Acute Tox. 2: Acute toxicity, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Acute Tox. 1: Acute toxicity, Hazard Category 1 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com