

Printing date: September 9, 2014 Revision: September 9, 2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: 37MM 32 Caliber Stinger Rubber Balls (5" Shell)

· Article number: 1196

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Application of the substance / the mixture Explosive product.
- · 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway

Jacksonville, FL 32218

Customer Care (800) 347-1200

- · Further information obtainable from: Customer Care Department
- · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



exploding bomb

Expl. 1.4 H204 Fire or projection hazard.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

R5-44: Heating may cause an explosion. Risk of explosion if heated under confinement.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Printing date: September 9, 2014 Revision: September 9, 2014

Trade name: 37MM 32 Caliber Stinger Rubber Balls (5" Shell)

(Contd. of page 1)

· Hazard pictograms



- · Signal word Warning
- · Hazard statements

H204 Fire or projection hazard.

· Precautionary statements

The following Precautionary Statements are applicable only to the general GHS regulations and not the specific CLP regulation: P374.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P250 Do not subject to grinding/shock/friction.

P373 DO NOT fight fire when fire reaches explosives.

P374 Fight fire with normal precautions from a reasonable distance.

P372 Explosion risk in case of fire.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Hazard description:
- · WHMIS-symbols:
- F Dangerously reactive material



· NFPA ratings (scale 0 - 4)



Health = 0 Fire = 0 Reactivity = 3

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 0

REACTIVITY 3 Reactivity = 3

Warning: Contains lead salt(s). Long-term health hazard.

· HMIS Long Term Health Hazard Substances

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.
- · Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

(Contd. on page 3)

Printing date: September 9, 2014 Revision: September 9, 2014

Trade name: 37MM 32 Caliber Stinger Rubber Balls (5" Shell)

(Contd. of page 2)

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate O R8	50-100%
CAS: 7704-34-9 EINECS: 231-722-6 Index number: 016-094-00-1	 ♦ Ox. Sol. 2, H272 sulfur Xi R38 ♦ Skin Irrit. 2, H315 	5-10%
CAS: 7439-89-6 EINECS: 231-096-4	iron substance with a Community workplace exposure limit	1-5%
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	< 1,0%
CAS: 7440-66-6	zinc metal N R50/53 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	< 1,0%

· Additional information: For the wording of the listed risk phrases refer to section 16.

· Notable Trace Components (≤ 0,1% w/w)		
CAS: 15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide	
EINECS: 239-290-0	😡 T Repr. Cat. 1, 3 R61; 🗙 Xn R62-20/22; 🎇 E R3; 👺 N R50/53	
Index number: 609-019-00-4	R33	
	♦ Unst. Expl., H200	
	♠ Repr. 1A, H360Df; STOT RE 2, H373	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Acute Tox. 4, H302; Acute Tox. 4, H332	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Unlikely route of exposure.

Brush off loose particles from skin.

(Contd. on page 4)

Printing date: September 9, 2014 Revision: September 9, 2014

Trade name: 37MM 32 Caliber Stinger Rubber Balls (5" Shell)

(Contd. of page 3)

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed Blast injury if mishandled.
- · Hazards Danger of blast or crush-type injuries.
- 4.3 Indication of any immediate medical attention and special treatment needed

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

• **6.2 Environmental precautions:** No special measures required.

(Contd. on page 5)

Printing date: September 9, 2014 Revision: September 9, 2014

Trade name: 37MM 32 Caliber Stinger Rubber Balls (5" Shell)

(Contd. of page 4)

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Handle with care. Avoid jolting, friction and impact.
- Information about fire and explosion protection:

Protect from heat.

Emergency cooling must be available in case of nearby fire.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients v	vith limit values that require monitoring at the workplace:
7439-89-6 iro	n
EV (Canada)	Long-term value: 1* 5** mg/m³ as iron;*salts, water-soluble;**welding fume
7440-50-8 co	pper
PEL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume
REL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume
TLV (USA)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume; as Cu
EL (Canada)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume, as Cu
	(Contd. on page 6)

(Contd. on page 6)

Printing date: September 9, 2014 Revision: September 9, 2014

Trade name: 37MM 32 Caliber Stinger Rubber Balls (5" Shell)

	(Contd. of page 5)	
EV (Canada)	Long-term value: 0,2* 1** mg/m³	
	as copper, *fume;**dust and mists	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide		
EV (Canada)	Long-term value: 0,05 mg/m³	
, ,	as Pb, Skin (organic compounds)	

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required under normal conditions of use.
- Protection of hands:

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

(Contd. on page 7)

Printing date: September 9, 2014 Revision: September 9, 2014

Trade name: 37MM 32 Caliber Stinger Rubber Balls (5" Shell)

(Contd. of page 6)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid metal container containing liquid and solid contents.

Colour: According to product specification

Odour:OdourlessOdour threshold:pH-value:Not applicable.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.

Flash point:
Flammability (solid, gaseous):
Auto/Self-ignition temperature:
Not determined.

Not determined.

Not determined.

· **Self-igniting:** Product is not self-igniting.

• **Danger of explosion:** Heating may cause an explosion.

· Explosion limits:

Lower: Not determined.

Vapour pressure: Not applicable.

Density: Not determined.

Relative density Not determined.

Vapour density Not applicable.

Evaporation rate Not applicable.

· Solubility in / Miscibility with

water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

· Solvent content:

Organic solvents: 0,0 %
Solids content: 85,6 %

• **9.2 Other information** No further relevant information available.

(Contd. on page 8)

Printing date: September 9, 2014 Revision: September 9, 2014

Trade name: 37MM 32 Caliber Stinger Rubber Balls (5" Shell)

(Contd. of page 7)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Danger of explosion.

Toxic fumes may be released if heated above the decomposition point.

Acts as an oxidizing agent on organic materials such as wood, paper and fats.

Reacts with strong acids and alkali.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Sulphur oxides (SOx)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin:

Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.

on the eye:

Not an eye irritant in unused form. Vapors/particles from used product are possibly irritating to eyes.

Additional toxicological information:

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential May be accumulated in organism
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish

(Contd. on page 9)

Printing date: September 9, 2014 Revision: September 9, 2014

Trade name: 37MM 32 Caliber Stinger Rubber Balls (5" Shell)

(Contd. of page 8)

Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

· DOT. ADR. IMDG. IATA UN0012

· 14.2 UN proper shipping name

· DOT, IMDG, IATA CARTRIDGES FOR WEAPONS, INERT PROJECTILE · ADR

0012, CARTRIDGES FOR WEAPONS, INERT

PROJECTILE

· 14.3 Transport hazard class(es)

· DOT, ADR, IMDG, IATA



· Class 1.4 · Label 1.4S

(Contd. on page 10)

Printing date: September 9, 2014 Revision: September 9, 2014

Trade name: 37MM 32 Caliber Stinger Rubber Balls (5" Shell)

(Contd. of page 9)

· 14.4 Packing group

· DOT, ADR, IMDG, IATA

Ш

· 14.5 Environmental hazards:

· Marine pollutant:

No

• 14.6 Special precautions for user Not applicable. • EMS Number: F-A.S-Q

Segregation groups

Heavy metals and their salts (including their

organometallic compounds)

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

UN "Model Regulation": UN0012, C/

UN0012, CARTRIDGES FOR WEAPONS, INERT

PROJECTILE, 1.4S, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA

· Section 355	(extremely	, hazardous	substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

7757-79-1 potassium nitrate

7440-50-8 copper

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide

· Carcinogenic Categories

· EPA	(Environmental	Protection	Agency)
-------	----------------	-------------------	--------	---

7440-50-8 copper D
7440-66-6 zinc metal D, I, II

· IARC (International Agency for Research on Cancer)

69012-64-2 Silica-Amorphous Silica fume 3

(Contd. on page 11)

Printing date: September 9, 2014 Revision: September 9, 2014

Trade name: 37MM 32 Caliber Stinger Rubber Balls (5" Shell)

(Contd. of page 10)

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Canada
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

7440-50-8 copper

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Substances of very high concern (SVHC) according to REACH, Article 57

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant phrases
- H272 May intensify fire; oxidiser.
- H315 Causes skin irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R38 Irritating to skin.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R8 Contact with combustible material may cause fire.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

(Contd. on page 12)

Printing date: September 9, 2014 Revision: September 9, 2014

Trade name: 37MM 32 Caliber Stinger Rubber Balls (5" Shell)

(Contd. of page 11)

PNEC: Predicted No-Effect Concentration (REACH)

Expl. 1.4: Explosives, Division 1.4
Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com