according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 2, 2015 Revision: December 2, 2015

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- Trade name: Lightning Thermo Tube™ for Command Initiated Devices, 1000 Feet
- · Article number: 150944 (1012464)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture: Propagating device
- · Uses advised against Contact manufacturer.
- · 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:
 Safariland, LLC
 13386 International Parkway

Jacksonville, FL 32218 Customer Care (800) 347-1200



+1 (800)255-3924, +1 (813)248-0585



SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

The product is not classified as hazardous according to the CLP regulation.

· Additional information:

Thermal hazard when transported or stored at elevated temperatures.

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

This product does not have a classification according to the CLP regulation.

The product is not classified as hazardous according to OSHA GHS regulations within the United States.

- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard-determining components of labelling: None.
- · Hazard statements Not Regulated
- · Additional information:

Safety data sheet available on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Cont'd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 2, 2015 Revision: December 2, 2015

Trade name: Lightning Thermo Tube™ for Command Initiated Devices, 1000 Feet

(Cont'd. from page 1)

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7429-90-5 EINECS: 231-072-3 Index number: 013-001-00-6	aluminium powder (pyrophoric) Pyr. Sol. 1, H250; Water-react. 2, H261	25-50%
CAS: 1345-25-1 EINECS: 215-721-8	iron oxide substance with a Community workplace exposure limit	10-25%
CAS: 7778-74-7 EINECS: 231-912-9 Index number: 017-008-00-5	potassium perchlorate Ox. Sol. 1, H271 Acute Tox. 4, H302	10-25%
CAS: 14807-96-6 EINECS: 238-877-9	Talc substance with a Community workplace exposure limit	≤ 2,5%

· Additional information:

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: No special measures required.
- · After inhalation:

Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Unlikely route of exposure.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- · Hazards No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 2, 2015 Revision: December 2, 2015

Trade name: Lightning Thermo Tube™ for Command Initiated Devices, 1000 Feet

(Cont'd. from page 2)

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

May intensify fire; oxidiser.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Cool endangered product with water spray.

No further relevant information available.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Protect from heat.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the material collected according to regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Use only outdoors or in a well-ventilated area.
- · Information about fire and explosion protection:

Protect from heat.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

- · Further information about storage conditions: Store in dry conditions.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see section 7.

(Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 2, 2015 Revision: December 2, 2015

Trade name: Lightning Thermo Tube™ for Command Initiated Devices, 1000 Feet

(Cont'd. from page 3)

· 8.1 Control p	· 8.1 Control parameters				
· Ingredients with limit values that require monitoring at the workplace:					
7429-90-5 aluminium powder (pyrophoric)					
PEL (USA)	Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction				
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.				
TLV (USA)	Long-term value: 1* mg/m³ as Al; *as respirable fraction				
EL (Canada)	Long-term value: 1,0 mg/m³ respirable, as Al				
EV (Canada)	Long-term value: 5 mg/m³ aluminium-containing (as aluminium)				
1345-25-1 iro	1345-25-1 iron oxide				
REL (USA)	Long-term value: 1 mg/m³ as Fe				
TLV (USA)	Long-term value: 1 mg/m³ as Fe				
14807-96-6 T	alc				
PEL (USA)	Long-term value: 20 mppcf ppm (containing <1% Quartz)				
REL (USA)	Long-term value: 2* mg/m³ *respirable dust; and <1% Quartz				
TLV (USA)	Long-term value: 2* mg/m³ *as respirable fraction; E				
EL (Canada)	Long-term value: 2 *0,1 f/cc mg/m³ resp. *if contains asbestos : ACGIH A1, IARC 1				
EV (Canada)	Long-term value: 2* mg/m³, 2 f/cc ppm *respirable				

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · 8.2 Exposure controls
- Engineering measures Use only outdoors or in a well-ventilated area.
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

- Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands:

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

(Cont'd. on page 5)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 2, 2015 Revision: December 2, 2015

Trade name: Lightning Thermo Tube™ for Command Initiated Devices, 1000 Feet

(Cont'd. from page 4)

· Eye protection:



Safety glasses

- · Body protection: Not required under normal conditions of use.
- Limitation and supervision of exposure into the environment No special requirements.
- Risk management measures No special requirements.

9.1 Information on basic physical a	and chemical properties
General Information	
Appearance: Form:	Solid material
Colour:	According to product specification
Odour:	Odourless
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	Not determined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Auto/Self-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Contains oxidizing agent.
Vapour pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Partly soluble.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 2, 2015 Revision: December 2, 2015

Trade name: Lightning Thermo Tube™ for Command Initiated Devices, 1000 Feet

(Cont'd. from page 5)

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- **10.2 Chemical stability** Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

· 10.3 Possibility of hazardous reactions

Reacts with strong acids.

Substance/product can reduce the ignition temperature of flammable substances.

10.4 Conditions to avoid

Moisture.

Excessive heat.

- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: Possible in traces.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification: None.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Repeated dose toxicity: No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · **Aspiration hazard** Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 2, 2015 Revision: December 2, 2015

Trade name: Lightning Thermo Tube™ for Command Initiated Devices, 1000 Feet

(Cont'd. from page 6)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information			
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	Not Regulated		
· 14.2 UN proper shipping name · DOT, ADR, IMDG, IATA	Not Regulated		
· 14.3 Transport hazard class(es)			
· DOT, ADR, IMDG, IATA · Class	Not Regulated		
· 14.4 Packing group · DOT, ADR, IMDG, IATA	Not Regulated		
· 14.5 Environmental hazards:	Not applicable.		
· 14.6 Special precautions for user	Not applicable.		
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.		
· UN "Model Regulation":	Not Regulated		

(Cont'd. on page 8)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 2, 2015 Revision: December 2, 2015

Trade name: Lightning Thermo Tube™ for Command Initiated Devices, 1000 Feet

(Cont'd. fro	om page 7)
SECTION 15: Regulatory information	
· 15.1 Safety, health and environmental regulations/legislation specific for the substance or in · United States (USA) · SARA	mixture
Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
7429-90-5 aluminium powder (pyrophoric)	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
 Proposition 65 (California): Chemicals known to cause cancer: Reference to talc is based on unbound respirable particles and is not generally applicable to presupplied. 14807-96-6 Talc 	oduct as
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
7778-74-7 potassium perchlorate	NL
IARC (International Agency for Research on Cancer)	1
14807-96-6 Talc	2B
NIOSH-Ca (National Institute for Occupational Safety and Health)	-0
None of the ingredients are listed.	
Canada	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients are listed.	
Canadian Ingredient Disclosure list (limit 1%)	
7429-90-5 aluminium powder (pyrophoric)	
7-25-50-5 didnimiditi powder (pyrophone)	

Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients are listed.

(Cont'd. on page 9)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 2, 2015 Revision: December 2, 2015

Trade name: Lightning Thermo Tube™ for Command Initiated Devices, 1000 Feet

(Cont'd. from page 8)

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H250 Catches fire spontaneously if exposed to air.

H261 In contact with water releases flammable gases.

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

Pyr. Sol. 1: Pyorphoric Solids, Hazard Category 1

Water-react. 2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 2

Ox. Sol. 1: Oxidising Solids, Hazard Category 1

Acute Tox. 4: Acute toxicity, Hazard Category 4

· Sources

Website, European Chemicals Agency (http://http://echa.europa.eu/)

Website, US EPA Substance Registry Services (http://http://ofmpub.epa.gov/sor_internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (https://www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

(Cont'd. on page 10)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 2, 2015 Revision: December 2, 2015

Trade name: Lightning Thermo Tube™ for Command Initiated Devices, 1000 Feet

(Cont'd. from page 9)

Website: www.chemtelinc.com