according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2019

1 Identification

Product identifier

· Trade name: First Defense®, OC, Stream 0.7%

· Product code: 3005, 4005, 6005, 56343, 56725, 56733, 56785, 56795

· Recommended use and restriction on use

· Recommended use: Crowd Control Device

· Restrictions on use: Contact manufacturer/supplier

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway Jacksonville, FL 32218

Customer Care (800) 347-1200



ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)



2 Hazard(s) identification

· Classification of the substance or mixture

Press. Gas H280 Contains gas under pressure; may explode if heated.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS04 GHS07

· Signal word: Warning

· Hazard statements:

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements:

P261 Avoid breathing mist, vapors, or spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves and eye protection.
P302+P352 If on skin: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2019

Trade name: First Defense®, OC, Stream 0.7%

(Cont'd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

| · Components: | | | | |
|---------------|---|--------|--|--|
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 60-80% | | |
| | ♦ Eye Irrit. 2A, H319 | | | |
| | Propylene glycol | 10-20% | | |
| 7727-37-9 | | <20% | | |
| | Simple Asphyxiant | | | |
| 8023-77-6 | Oleoresin Capsicum | <10% | | |
| | ① Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 | | | |

[•] Additional information: For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Coughing

Dizziness

Irritant to skin and mucous membranes.

Causes eye irritation.

(Cont'd. on page 3)

Page: 3/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2019

Trade name: First Defense®, OC, Stream 0.7%

(Cont'd. of page 2)

May cause respiratory irritation.

Gastric or intestinal disorders when ingested.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours. If necessary oxygen respiration treatment.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Danger of receptacles bursting because of high vapor pressure if heated.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

For large spills, wear protective clothing.

Ensure adequate ventilation.

- **Environmental precautions** No special measures required.
- · Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- ·Handling
- · Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

Handle with care.

Information about protection against explosions and fires:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C,

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2019

Trade name: First Defense®, OC, Stream 0.7%

(Cont'd. of page 3)

i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurized containers.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace: 112-34-5 2-(2-butoxyethoxy)ethanol TLV (USA) Long-term value: 67.5* mg/m³, 10* ppm *Inhalable fraction and vapor 57-55-6 Propylene glycol WEEL (USA) Long-term value: 10 mg/m³ Long-term value: 155* 10** mg/m³, 50* ppm EV (Canada) *vapour and aerosol; **aerosol only 7727-37-9 Nitrogen TLV (USA) withdrawn TLV, see App. F; simple asphyxiant EL (Canada) Simple asphyxiant LMPE (Mexico) | Asfixiante simple
 - · Exposure controls
 - · Engineering measures Provide adequate ventilation.
 - General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- **Engineering controls:** No relevant information available.
- · Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eye protection:



(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2019

Trade name: First Defense®, OC, Stream 0.7%

(Cont'd. of page 4)

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

| 9 Physical and chemical prope | erties | |
|-------------------------------------|---|--|
| Information on basic physical a | and chemical properties | |
| · Appearance: | | |
| Form: | Aerosol | |
| Color: | According to product specification | |
| · Odor: | Pungent | |
| · Odor threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| Melting point/Melting range: | Not determined. | |
| · Boiling point/Boiling range: | Not applicable, as aerosol. | |
| · Flash point: | Not applicable, as aerosol. | |
| · Flammability (solid, gaseous): | Not applicable. | |
| · Auto-ignition temperature: | Not determined. | |
| · Decomposition temperature: | Not determined. | |
| · Danger of explosion: | Product does not present an explosion hazard. | |
| · Explosion limits | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| · Oxidizing properties: | Non-oxidizing. | |
| · Vapor pressure: | Not determined. | |
| · Density: | | |
| Relative density: | Not determined. | |
| Vapor density: | Not determined. | |
| Evaporation rate: | Not determined. | |
| · Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/wa | ter): Not determined. | |
| · Viscosity | | |
| Dynamic: | Not determined. | |

Not determined.

No relevant information available.

10 Stability and reactivity

Kinematic:

Other information

· **Reactivity:** No relevant information available.

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2019

Trade name: First Defense®, OC, Stream 0.7%

(Cont'd. of page 5)

- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

Danger of receptacles bursting because of high vapor pressure if heated.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Excessive heat.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products Possible in traces.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

| · LD/LC5 | 0 valu | es that are relevant for classification: |
|----------|--------|--|
| | • | butoxyethoxy)ethanol |
| Oral | LD50 | 5660 mg/kg (rat) |
| Dermal | LD50 | 4000 mg/kg (rabbit) |
| | | oresin Capsicum |
| Oral | LD50 | 3000 mg/kg (rat) |
| Dermal | LD50 | >2500 mg/kg (mouse) |

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Causes eye irritation.
- Sensitization: No sensitizing effects known.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Inhalation.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: May cause respiratory irritation.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- Toxicity
- · Aquatic toxicity No relevant information available.

(Cont'd. on page 7)

Page: 7/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2019

Trade name: First Defense®, OC, Stream 0.7%

(Cont'd. of page 6)

(Cont'd. on page 8)

- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Negative ecological effects are, according to the current state of knowledge, not expected.

Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**
- · Recommendation: Disposal must be made according to official regulations.

| 4 Transport information | | |
|--|-------------------------|--|
| • | | |
| · UN-Number | LINIAGEG | |
| · DOT, ADR/RID/ADN, IMDG, IATA | UN1950 | |
| UN proper shipping name | | |
| DOT | Aerosols | |
| · ADR/RID/ADN, IMDG | AEROSOLS | |
| · IATA | Aerosols, non-flammable | |
| Transport hazard class(es) | | |
| · DOT | | |
| | | |
| The Committee of the Co | | |
| 2 | | |
| · Class | 2.2 | |
| · Label | 2.2 | |
| · ADR/RID/ADN | | |
| | | |
| | | |
| | | |
| · Class | 2.2 5A | |
| · Label | 2.2 | |

Page: 8/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2019

Trade name: First Defense®, OC, Stream 0.7%

(Cont'd. of page 7)

· IMDG, IATA



· Class 2.2 · Label 2.2

• **Packing group** This UN-number is not assigned a packing group.

· Environmental hazards

· Marine pollutant: No

· Special precautions for user Not applicable.

Danger code (Kemler): 20EMS Number: F-D,S-U

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

112-34-5 2-(2-butoxyethoxy)ethanol

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

(Cont'd. on page 9)

Page: 9/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 01, 2019

Trade name: First Defense®, OC, Stream 0.7%

(Cont'd. of page 8)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed or exempt.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Press. Gas: Gases under pressure - Compressed gas

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com