according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS
- · Article number: 3012 (1011802)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture: Crowd Control Device
- · Uses advised against Contact manufacturer.
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway

Jacksonville, FL 32218

Customer Care (800) 347-1200

- · Further information obtainable from: Customer Care Department
- · 1.4 Emergency telephone number:

ChemTel Inc.

+1 (800)255-3924, +1 (813)248-0585



SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.



exploding bomb

Expl. 1.4 H204 Fire or projection hazard.



skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

(Cont'd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

(Cont'd. from page 1)



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.

Aguatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Additional information:

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS01 GHS06 GHS08

· Signal word Danger

· Hazard-determining components of labelling:

[(2-chlorophenyl)methylene]malononitrile

dichloromethane

glycerol trinitrate / nitroglycerin

Rosin

diphenylamine

· Hazard statements

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

H204 Fire or projection hazard. H302 Harmful if swallowed.

H311+H331 Toxic in contact with skin or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.
 H351 Suspected of causing cancer.
 H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

(Cont'd. from page 2)

 Precautionary statemen 	ts
--	----

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P250 Do not subject to grinding/shock/friction.
P260 Do not breathe mist/vapours/spray.
P284 Wear respiratory protection.
P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P373 DO NOT fight fire when fire reaches explosives.

P370+P380 In case of fire: Evacuate area.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P330 Rinse mouth.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P372 Explosion risk in case of fire.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P314 Get medical advice/attention if you feel unwell.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse. Store in accordance with local/regional/national/international regulations.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Can become highly flammable in use.

· NFPA ratings (scale 0 - 4)



Health = 4 Fire = 3 Reactivity = 3

· HMIS-ratings (scale 0 - 4)



Warning: Contains lead salt(s). Long-term health hazard.

* - Indicates a long term health hazard from repeated or prolonged exposures.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

(Cont'd. from page 3)

- · **vPvB**: Not applicable.
- **Explosive Product Notice**

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

CAS: 75-09-2	dichloromethane	50-100%
EINECS: 200-838-9 Index number: 602-004-00-3	♦ Carc. 2, H351	
CAS: 2698-41-1 EINECS: 220-278-9	[(2-chlorophenyl)methylene]malononitrile Acute Tox. 3, H301; Acute Tox. 2, H330 Resp. Sens. 1, H334 Aquatic Acute 1, H400 Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	10-25%
CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular ♦ Expl. 1.1, H201	10-25%
CAS: 55-63-0 EINECS: 200-240-8 Index number: 603-034-00-X	glycerol trinitrate / nitroglycerin Unst. Expl., H200 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 STOT RE 2, H373 Aquatic Chronic 2, H411 Flam. Liq. 2, H225	10-25%
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate Ox. Sol. 2, H272	≤ 2,5%
CAS: 8050-09-7 EINECS: 232-475-7 Index number: 650-015-00-7	Rosin Sens. 1, H317	≤ 2,5%
CAS: 7439-89-6 EINECS: 231-096-4	iron substance with a Community workplace exposure limit	≤ 2,5%

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

	(Cont'd.	from page 4)
CAS: 7440-50-8	copper	≤ 2,5%
EINECS: 231-159-6	substance with a Community workplace exposure limit	
CAS: 122-39-4	diphenylamine	≤ 2,5%
EINECS: 204-539-4 Index number: 612-026-00-5	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT RE 2, H373	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 7440-66-6	zinc metal	≤ 2,5%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

· Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret.

· Notable Trace Components (≤ 0,1% w/w)			
CAS: 15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate		
EINECS: 239-290-0	♦ Unst. Expl., H200		
Index number: 609-019-00-4	│ 🗞 Repr. 1A, H360Df; STOT RE 2, H373		
	│		
	Acute Tox. 4, H302; Acute Tox. 4, H332		

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Do not leave affected persons unattended.

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

After inhalation:

Remove victim to fresh air.

Seek immediate medical advice.

Provide oxygen treatment if affected person has difficulty breathing.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Asthma attacks

Blast injury if mishandled.

(Cont'd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

(Cont'd. from page 5)

Breathing difficulty

Coughing

Allergic reactions

Irritating to eyes, respiratory system and skin.

Gastric or intestinal disorders when ingested.

· Hazards

Danger of blast or crush-type injuries.

Suspected of causing cancer.

Danger of impaired breathing.

Harmful if swallowed.

Toxic in contact with skin.

Toxic if inhaled.

· 4.3 Indication of any immediate medical attention and special treatment needed

Contains methylene chloride.

Monitor circulation, possible shock treatment.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary oedema.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

Contains [(2-chlorophenyl)methylene]malononitrile. May produce an allergic reaction.

If medical advice is needed, have product container or label at hand.

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents:

DO NOT fight fire when fire reaches explosives.

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Fire or projection hazard.

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning

(Cont'd. on page 7)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

(Cont'd. from page 6)

material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

- · **6.2 Environmental precautions:** No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to section 13.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Handle with care. Avoid jolting, friction and impact.

Use only outdoors or in a well-ventilated area.

· Information about fire - and explosion protection:

Protect from heat.

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

(Cont'd. on page 8)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

(Cont'd. from page 7)

SECTION 8	3: Exposure controls/personal protection
· Additional in	formation about design of technical facilities: No further data; see section 7.
· 8.1 Control p	
•	vith limit values that require monitoring at the workplace:
75-09-2 dichl	
PEL (USA)	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910,1052
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: 174 mg/m³, 50 ppm BEI
, ,	Long-term value: 25 ppm IARC 2B
, ,	Long-term value: 175 mg/m³, 50 ppm
- `	-chlorophenyl)methylene]malononitrile
PEL (USA)	Long-term value: 0,4 mg/m³, 0,05 ppm
REL (USA)	Ceiling limit: 0,4 mg/m³, 0,05 ppm Skin
TLV (USA)	Ceiling limit: 0,39 mg/m³, 0,05 ppm Skin
EL (Canada)	Ceiling limit: 0,05 ppm Skin
EV (Canada)	Ceiling limit: 0,4 mg/m³, 0,05 ppm Skin
	erol trinitrate / nitroglycerin
PEL (USA)	Ceiling limit: 2 mg/m³, 0,2 ppm Skin
REL (USA)	Short-term value: 0,1 mg/m³ Skin
TLV (USA)	Long-term value: 0,46 mg/m³, 0,05 ppm Skin
EL (Canada)	Long-term value: 0,05 ppm Skin
EV (Canada)	Long-term value: 0,5 mg/m³, 0,05 ppm Skin
8050-09-7 Ro	
TLV (USA)	DSEN, RSEN, L
EL (Canada)	
7439-89-6 iro	
EV (Canada)	Long-term value: 1* 5** mg/m³ as iron;*salts, water-soluble;**welding fume
	(Cont'd. on pag

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

		(Cont'd. from page 8)	
7440-50-8 co	7440-50-8 copper		
PEL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume		
REL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume		
TLV (USA)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume; as Cu		
EL (Canada)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume, as Cu		
EV (Canada)	Long-term value: 0,2* 1** mg/m³ as copper, *fume;**dust and mists		
122-39-4 dipl	henylamine		
REL (USA)	Long-term value: 10 mg/m³		
TLV (USA)	Long-term value: 10 mg/m³		
EL (Canada)	Long-term value: 10 mg/m³		
EV (Canada)	Long-term value: 10 mg/m³		
	irther relevant information available. Irther relevant information available.		
· Ingredients v	with biological limit values:		
75-09-2 dichl	loromethane		
Ti	,3 mg/L ledium: urine ime: end of shift arameter: Dichloromethane (semi-quantitative)		

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection:



Respiratory protection required.

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

Protection of hands:



Protective gloves

(Cont'd. on page 10)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

(Cont'd. from page 9)

(Cont'd. on page 11)

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

SECTION 9: Physical and chemical properties		
· 9.1 Information on basic physical a	and chemical properties	
· General Information		
· Appearance:		
Form:	Solid metal container containing liquid and solid contents.	
Colour:	According to product specification	
· Odour:	Odourless	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
	·	

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

	(Cont'd.	from page 1
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Heating may cause an explosion.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient (n-octano	I/water): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Fire or projection hazard.

Toxic fumes may be released if heated above the decomposition point.

Contact with acids releases toxic gases.

Acts as an oxidising agent on organic materials such as wood, paper and fats.

Reacts with strong alkali.

Reacts with certain metals.

- · 10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Sulphur oxides (SOx)

Chlorine compounds

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

(Cont'd. from page 11)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

Toxic in contact with skin or if inhaled.

· LD/LC50 values relevant for classification:			
75-09-2 dichloromethane			
LD50	> 2000 mg/kg (rat)		
LC50/4h	88 mg/l (rat)		
2698-41-1 [(2-chlorophenyl)methylene]malononitrile			
LD50	178 mg/kg (rat)		
55-63-0 glycerol trinitrate / nitroglycerin			
LD50	115 mg/kg (mouse)		
	105 mg/kg (rat)		
LD50	29 mg/kg (rat)		
	280 mg/kg (rabbit)		
122-39-4 diphenylamine			
LD50	1120 mg/kg (rat)		
	chlorome LD50 LC50/4h [(2-chlor LD50 ycerol tri LD50 LD50		

· Primary irritant effect:

Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not possess these effects.

Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Additional toxicological information:

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

Toxic and/or corrosive effects may be delayed up to 24 hours.

· Acute effects (acute toxicity, irritation and corrosivity):

Danger of blast or crush-type injuries.

Harmful if swallowed.

Toxic in contact with skin or if inhaled.

Irritating to eyes, respiratory system and skin.

Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

(Cont'd. on page 13)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

(Cont'd. from page 12)

Repeated exposures may result in skin and/or respiratory sensitivity.

Suspected of causing cancer.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity

Suspected of causing cancer.

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

· STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

The product contains materials that are harmful to the environment.

2698-41-1 [(2-chlorophenyl)methylene]malononitrile

EC50 0,2-0,3 mg/kg (Oncorhynchus mykiss)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential May be accumulated in organism
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Danger to drinking water if even extremely small quantities leak into the ground.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Cont'd. on page 14)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

(Cont'd. from page 13)

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informat	ion
14.1 UN-Number DOT, ADR, IMDG, IATA	UN0301
14.2 UN proper shipping name DOT, IMDG, IATA	Ammunition Tear-producing with burster, expelling charge or propelling charge
ADR	0301 Ammunition Tear-producing with burst expelling charge or propelling charge
14.3 Transport hazard class(es)	
DOT	
1.4 TOXIC SORROSIVE	
Class	1.4
Label	1.4G+6.1+8
ADR, IMDG	
1.4 G 6 6 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
Class	1.4
Label	1.4G+6.1+8
IATA	
1.4 P	
Class	1.4G
Label	1.4G+6.1+8
14.4 Packing group DOT, ADR, IMDG, IATA	II

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

No

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

(Cont'd. from page 14)

· 14.5 Environmental hazards:

· Marine pollutant:

Special marking (IATA):



Cargo Aircraft Only.

· 14.6 Special precautions for user

EMS Number: F-A,S-Q

· Segregation groups Liquid halogenated hydrocarbons

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

· UN "Model Regulation": UN0301, Ammunition Tear-producing with burster,

expelling

Not applicable.

charge or propelling charge, 1.4G (6.1+8), II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA

· Section 355 (e	extremely b	hazardous รเ	(bstances):
------------------	-------------	--------------	-----------	----

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

55-63-0 glycerol trinitrate / nitroglycerin

7757-79-1 potassium nitrate

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65 (California):

· Chemicals known to cause cancer:

75-09-2 dichloromethane

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

Present in trace quantities.

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

(Cont'd. on page 16)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

(Cont'd. from page 15) · Carcinogenic Categories		
· EPA (Environmental Protection Agency)		
75-09-2	dichloromethane	L
7440-50-8	copper	D
7440-66-6	zinc metal	D, I, II
· IARC (International Agency for Research on Cancer)		
75-09-2 di	chloromethane	2B
· NIOSH-Ca (National Institute for Occupational Safety and Health)		
75-09-2 di	chloromethane	
Canada		
Canadian Domestic Substances List (DSL)		
All ingredients are listed.		
· Canadian Ingredient Disclosure list (limit 0.1%)		
75-09-2 dichloromethane		
122-39-4	diphenylamine	
· Canadian Ingredient Disclosure list (limit 1%)		
2698-41-1	[(2-chlorophenyl)methylene]malononitrile	
Other regulations, limitations and prohibitive regulations		
· Substances of very high concern (SVHC) according to REACH, Article 57		
None of the ingredients are listed.		
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.		

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H200 Unstable explosives.

H201 Explosive; mass explosion hazard.

H225 Highly flammable liquid and vapour.

H272 May intensify fire; oxidiser.

H300 Fatal if swallowed.

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(Cont'd. on page 17)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date December 11, 2015 Revision: December 11, 2015

Trade name: Ferret® 12-Gauge Liquid Barricade Round, CS

(Cont'd. from page 16)

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

Expl. 1.1: Explosives, Division 1.1

Expl. 1.4: Explosives, Division 1.4

Unst. Expl.: Explosives, Unstable explosives

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 1: Acute toxicity, Hazard Category 1

Acute Tox. 4: Acute toxicity, Hazard Category 4

Acute Tox. 2: Acute toxicity, Hazard Category 2

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com