

Printing date: March 10, 2015 Revision: March 10, 2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Pepper Fog CN Formulation (Quart)
- · Article number: 4030
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway

Jacksonville, FL 32218

Customer Care (800) 347-1200

- · Further information obtainable from: Customer Care Department
- · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



skull and crossbones

Acute Tox. 1 H330 Fatal if inhaled.



Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC
 Not applicable.

T+; Very toxic

R26: Very toxic by inhalation.

Xn; Harmful

R22: Harmful if swallowed.

(Contd. on page 2)

Printing date: March 10, 2015 Revision: March 10, 2015

Trade name: Pepper Fog CN Formulation (Quart)

(Contd. of page 1)

Xi; Sensitising

May cause sensitisation by skin contact.

R10: Flammable.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GHS06

· Signal word Danger

· Hazard-determining components of labelling:

cyclohexanone

2-chloroacetophenone

· Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H330 Fatal if inhaled.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210

P260 Do not breathe mist/vapours/spray.

P284 Wear respiratory protection.

Use only outdoors or in a well-ventilated area.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

Immediately call a POISON CENTER or doctor/physician. P310

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

P403+P235 Store in a well-ventilated place. Keep cool.

· Hazard description:

· WHMIS-symbols:

B3 - Combustible liquid

D1A - Very toxic material causing immediate and serious toxic effects

(Contd. on page 3)

Printing date: March 10, 2015 Revision: March 10, 2015

Trade name: Pepper Fog CN Formulation (Quart)

(Contd. of page 2)

D2B - Toxic material causing other toxic effects



· NFPA ratings (scale 0 - 4)



Health = 4Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*4 Health = *4 ² Fire = 2 REACTIVITY Reactivity = 0

· HMIS Long Term Health Hazard Substances

None of the ingredients are listed.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 108-94-1 EINECS: 203-631-1 Index number: 606-010-00-7	cyclohexanone	25-50%	
	♦ Flam. Liq. 3, H226♦ Acute Tox. 4, H332		
CAS: 532-27-4 EINECS: 208-531-1	2-chloroacetophenone ☐ T+ R26; ☐ T R24/25; ☐ Xn R42/43; ☐ Xi R37/38-41 ☐ Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 1, H330 ☐ Resp. Sens. 1, H334 ☐ Eye Dam. 1, H318 ☐ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	2,5-10%	

· Additional information:

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This product meets these requirements.

(Contd. on page 4)

Printing date: March 10, 2015 Revision: March 10, 2015

Trade name: Pepper Fog CN Formulation (Quart)

(Contd. of page 3)

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Involve doctor immediately.

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Do not use mouth to mouth or mouth to nose resuscitation.

Use a respiratory bag or breathing device.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Coughing

Breathing difficulty

Dizziness

Nausea

Cramp

Irritant to skin and mucous membranes.

Allergic reactions

Irritant to eyes.

Disorientation

· Hazards

Danger of impaired breathing.

Danger of disturbed cardiac rhythm.

Danger of convulsion.

Condition may deteriorate with alcohol consumption.

Danger of pulmonary oedema.

Danger of pneumonia.

· 4.3 Indication of any immediate medical attention and special treatment needed

Treat skin and mucous membrane with antihistamine and corticoid preparations.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

(Contd. on page 5)

Printing date: March 10, 2015 Revision: March 10, 2015

Trade name: Pepper Fog CN Formulation (Quart)

(Contd. of page 4)

Later observation for pneumonia and pulmonary oedema.

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

Contains 2-chloroacetophenone. May produce an allergic reaction.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Eliminate all ignition sources if safe to do so.

Evacuate area and fight fire from from the upwind side.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Protect from heat.

Isolate area and prevent access.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Use only in well ventilated areas.

(Contd. on page 6)

Printing date: March 10, 2015 Revision: March 10, 2015

Trade name: Pepper Fog CN Formulation (Quart)

(Contd. of page 5)

Take note of emission threshold.

Open and handle receptacle with care.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

Store only in the original receptacle.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

Store away from metals.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

108-94-1 cyclohexanone

IOELV (EU) Short-term value: 81,6 mg/m³, 20 ppm

Long-term value: 40,8 mg/m³, 10 ppm

Skin

PEL (USA) Long-term value: 200 mg/m³, 50 ppm

REL (USA) Long-term value: 100 mg/m³, 25 ppm

Skin

TLV (USA) Long-term value: 50 mg/m³, 20 ppm

Skin

EL (Canada) Short-term value: 50 ppm

Long-term value: 20 ppm

Skin

EV (Canada) Short-term value: 50 ppm

Long-term value: 20 ppm

Skin

(Contd. on page 7)

Printing date: March 10, 2015 Revision: March 10, 2015

Trade name: Pepper Fog CN Formulation (Quart)

	(Contd. of page 6)		
532-27-4 2-ch	532-27-4 2-chloroacetophenone		
PEL (USA)	Long-term value: 0,3 mg/m³, 0,05 ppm		
REL (USA)	Long-term value: 0,3 mg/m³, 0,05 ppm		
TLV (USA)	Long-term value: 0,32 mg/m³, 0,05 ppm		
EL (Canada)	Long-term value: 0,05 ppm S		
, ,	Long-term value: 0,32 mg/m³, 0,05 ppm		

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Ingredients with biological limit values:

108-94-1 cyclohexanone

BEI (USA) 80 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: 1,2-Cyclohexanediol with hydrolysis (nonspecific, semi-quantitative)

8 mg/L Medium: urine Time: end

of shift

Parameter: Cyclohexanol with hydrolysis (nonspecific, semi-quantitative)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:



Respiratory protection required.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

· Protection of hands:



Protective gloves

(Contd. on page 8)

Printing date: March 10, 2015 Revision: March 10, 2015

Trade name: Pepper Fog CN Formulation (Quart)

(Contd. of page 7)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- Body protection: Use protective suit.
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information. No further relevant information available.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Liquid Colour: Clear

· Odour: Pungent, makes eyes water

Odour threshold: Not determined.pH-value: Not determined.

· Change in condition

Melting point/Melting range: Not Determined.

Boiling point/Boiling range: >302 °F / >150 °C (>576 °F / >302 °F) **· Flash point:** >116 °F / >46 °C (>241 °F / >115 °F)

· Flammability (solid, gaseous): Not applicable.

• Auto/Self-ignition temperature: $>500 \,^{\circ}\text{F} / >260 \,^{\circ}\text{C} (>932 \,^{\circ}\text{F} / >500 \,^{\circ}\text{F})$

• **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not self-igniting.

• Danger of explosion: Product is not explosive. However, formation of explosive air/

vapour mixtures are possible.

(Contd. on page 9)

Printing date: March 10, 2015 Revision: March 10, 2015

Trade name: Pepper Fog CN Formulation (Quart)

(Contd. of page 8)

· Explosion limits:

Lower: 1,0 Vol % **Upper:** 9,0 Vol %

Vapour pressure: Not determined.
Density: Not determined.
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Flammable.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

Develops toxic gases/fumes.

Toxic fumes may be released if heated above the decomposition point.

Contact with acids releases toxic gases.

Reacts violently with oxidising agents.

Reacts with certain metals.

Reacts with metals forming hydrogen.

· 10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidising agents.

- 10.5 Incompatible materials: Contact with acids liberates toxic gas.
- · 10.6 Hazardous decomposition products:

Poisonous gases/vapours

Corrosive gases/vapours

Chlorine

Hydrogen chloride (HCI)
Halogenated hydrocarbons

(Contd. on page 10)

Printing date: March 10, 2015 Revision: March 10, 2015

Trade name: Pepper Fog CN Formulation (Quart)

(Contd. of page 9)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

108-94-1 cyclohexanone

Oral LD50 1535 mg/kg (rat)

Inhalative LC50/4h 6,2 mg/l (rat)

532-27-4 2-chloroacetophenone

Oral LD50 50 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitisation:

Sensitisation possible through skin contact.

Sensitising effect through inhalation is possible by prolonged exposure.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

Very toxic

Danger through skin adsorption.

Toxic and/or corrosive effects may be delayed up to 24 hours.

- · Sensitisation: May cause an allergic skin reaction.
- · Repeated dose toxicity:

Repeated exposures may result in skin and/or respiratory sensitivity.

May cause damage to organs through prolonged or repeated exposure.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen.
- · Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

(Contd. on page 11)

Printing date: March 10, 2015 Revision: March 10, 2015

Trade name: Pepper Fog CN Formulation (Quart)

(Contd. of page 10)

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

UN2929

6.1 + 3

CYCLOHEXANONE)

Toxic liquids, flammable, organic, n.o.s.

2929 TOXIC LIQUID, FLAMMABLE, ORGANIC,

N.O.S. (CHLOROACETOPHENONE,

TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.

(CHLOROACETOPHENONE, CYCLOHEXANONE)

(CHLOROACETOPHENONE, Cyclohexanone)

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

· DOT, ADR, IMDG, IATA

· 14.2 UN proper shipping name

· 14.3 Transport hazard class(es)

· DOT

· ADR

· IMDG, IATA

· DOT



· Class 6.1 Toxic substances.

· Label · ADR



Class
 6.1 (TF1) Toxic substances.

(Contd. on page 12)

Printing date: March 10, 2015 Revision: March 10, 2015

Trade name: Pepper Fog CN Formulation (Quart)

• **Label** 6.1+3

(Contd. of page 11)

· IMDG, IATA



· Class 6.1 Toxic substances.

• **Label** 6.1+3

· 14.4 Packing group

· DOT, ADR, IMDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Toxic substances.

Danger code (Kemler):EMS Number:F-E,S-D

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ)
 Transport category
 Tunnel restriction code

• UN "Model Regulation": UN2929, TOXIC LIQUID, FLAMMABLE, ORGANIC,

N.O.S. (CHLOROACETOPHENONE,

CYCLOHEXANONE), 6.1 (3), II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

532-27-4 2-chloroacetophenone

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

(Contd. on page 13)

Printing date: March 10, 2015 Revision: March 10, 2015

Trade name: Pepper Fog CN Formulation (Quart)

(Contd.	of page 12)
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer)	
108-94-1 cyclohexanone	3
TLV (Threshold Limit Value established by ACGIH)	
108-94-1 cyclohexanone	A3
532-27-4 2-chloroacetophenone	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
108-94-1 cyclohexanone	
64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic	
· Canadian Ingredient Disclosure list (limit 0.1%)	
108-94-1 cyclohexanone	
Canadian Ingredient Disclosure list (limit 1%)	
532-27-4 2-chloroacetophenone	
· Other regulations, limitations and prohibitive regulations	
· Substances of very high concern (SVHC) according to REACH, Article 57	
None of the ingredients are listed.	
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H226 Flammable liquid and vapour.
- H300 Fatal if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H332 Harmful if inhaled.

(Contd. on page 14)

Printing date: March 10, 2015 Revision: March 10, 2015

Trade name: Pepper Fog CN Formulation (Quart)

Website: www.chemtelinc.com

(Contd. of page 13) May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334 H335 May cause respiratory irritation. R10 Flammable. R20 Harmful by inhalation. R24/25 Toxic in contact with skin and if swallowed. Very toxic by inhalation. R37/38 Irritating to respiratory system and skin. Risk of serious damage to eyes. R42/43 May cause sensitisation by inhalation and skin contact. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 2: Acute toxicity, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 1: Acute toxicity, Hazard Category 1 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573