acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 22, 2016

Revision: February 22, 2016

1 Identification Product identifier · Trade name: First Defense® .2 Percent MK-4 Stream OC Aerosol • Article number: 5049 (1011719) · Recommended use and restriction on use · Recommended use: Crowd Control Device · Restrictions on use: Contact manufacturer · Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 · Emergency telephone number: ChemTel Inc. +1 (800)255-3924, +1 (813)248-0585 2 Hazard(s) identification · Classification of the substance or mixture Press. Gas H280 Contains gas under pressure; may explode if heated. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. · Additional information: There are no other hazards not otherwise classified that have been identified. 0 % of the mixture consists of component(s) of unknown toxicity. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms: GHS04 GHS07 · Signal word: Warning · Hazard-determining components of labeling: Oleoresin Capsicum · Hazard statements: H280 Contains gas under pressure; may explode if heated. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements: P261

Avoid breathing mist/vapors/spray.

(Cont'd. on page 2)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 22, 2016

Revision: February 22, 2016

Trade name: First Defense® .2 Percent MK-4 Stream OC Aerosol (Cont'd. of page 1) P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water. P302+P352 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P312 If skin irritation occurs: Get medical advice/attention. P332+P313 If eye irritation persists: Get medical advice/attention. P337+P313 P362+P364 Take off contaminated clothing and wash it before reuse. P405 Store locked up. Protect from sunlight. Store in a well-ventilated place. P410+P403 P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system · NFPA ratings (scale 0 - 4) Health = 1Fire = 2Reactivity = 1 · HMIS-ratings (scale 0 - 4) 1 Health = 1 HEALTH ² Fire = 2 FIRE REACTIVITY 1 Reactivity = 1

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• (Components:
-----	-------------

1	••••••			
	64-17-5	ethanol	 Flam. Liq. 2, H225 Eye Irrit. 2A, H319 	25-40%
	8023-77-6	Oleoresin Capsicum	Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315	5-<10%
ſ	7727-37-9	nitrogen	< Press. Gas, H281	5-<10%
ſ	57-55-6	Propylene Glycol		5-<10%
	 Additional 	information:		

For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

Description of first aid measures

- · General information: Take affected persons out into the fresh air.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

(Cont'd. on page 3)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 22, 2016

Revision: February 22, 2016

Trade name: First Defense® .2 Percent MK-4 Stream OC Aerosol
(Cont'd. of page 2)
· After skin contact:
Immediately wash with water and soap and rinse thoroughly.
If skin irritation or rash occurs: Get medical advice/attention.
· After eye contact:
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· After swallowing:
Unlikely route of exposure.
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
 Most important symptoms and effects, both acute and delayed:
Coughing
Dizziness
Irritant to skin and mucous membranes.
Irritant to eyes.
May cause respiratory irritation.
Gastric or intestinal disorders when ingested.
Danger: No relevant information available.
· Indication of any immediate medical attention and special treatment needed:
Medical supervision for at least 48 hours.
If necessary oxygen respiration treatment.
5 Fire-fighting measures

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture
- Danger of receptacles bursting because of high vapor pressure if heated.
- · Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.
- Additional information: Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures: For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. For large spills, wear protective clothing. Ensure adequate ventilation.
 Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Send for recovery or disposal in suitable receptacles.

(Cont'd. on page 4)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 22, 2016

Revision: February 22, 2016

Trade name: First Defense® .2 Percent MK-4 Stream OC Aerosol

(Cont'd. of page 3)

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

- Information about protection against explosions and fires: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C, i.e. electric lights. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:
- Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.
- Specific end use(s): No relevant information available.

8 Exposure controls/personal protection

· Control parameters

Control parameters			
 Components with limit values that require monitoring at the workplace: 			
64-17-5 ethano	1		
PEL (USA)	Long-term value: 1900 mg/m ³ , 1000 ppm		
REL (USA)	Long-term value: 1900 mg/m ³ , 1000 ppm		
TLV (USA)	Short-term value: 1880 mg/m³, 1000 ppm		
EL (Canada)	Short-term value: 1000 ppm		
EV (Canada)	Long-term value: 1.900 mg/m ³ , 1.000 ppm		
LMPE (Mexico)	LMPE (Mexico) Long-term value: 1000 ppm		
	A3		
7727-37-9 nitro	gen		
TLV (USA)	withdrawn TLV, see App. F; simple asphyxiant		
EL (Canada)	Simple asphyxiant		
LMPE (Mexico) Asfixiante simple			
57-55-6 Propyle	57-55-6 Propylene Glycol		
WEEL (USA)	Long-term value: 10 mg/m ³		
	(Cont'd. on page 5)		

(Cont'd. on page 6)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 22, 2016

· pH-value:

Revision: February 22, 2016

Trade name: First Defense® .2 Percent MK-4 Stream OC Aerosol

EV (Canada) Long-term value: 155* 10** mg/m³, 50* ppm *vapour and aerosol;**aerosol only • Exposure controls • Engineering measures Provide adequate ventilation. • Personal protective equipment: • General protective equipment: • General protective equipment: • General protective equipment: • Main and protective equipment: • General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. • Engineering controls: No relevant information available. • Breathing equipment: Use suitable respiratory protective device when high concentrations are present. • Protective gloves The selection of hands: • Over the glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer. As the product is a preparation of several substances, the resistance of the glove material can n				
*vapour and aerosol;**aerosol only Exposure controls Engineering measures Provide adequate ventilation. Personal protective equipment: General protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / turnes / aerosols. Avoid contact with the eyes and skin. Engineering controls: No relevant information available. Breathing equipment: Use suitable respiratory protective device when high concentrations are present. Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The selection of the application. Penetration time of glove material The selection of the application. Penetration time of glove material The selection is the application. Penetration time of glove material The evaluation and supervision of exposure into the environment No relevant information available. Exponetion: Safety glasses Softy protection: Protective work clothing Limitation and supervision of exposure into the environment No relevant information available. Information on basic physical and chemical properties According to product specification Color: According to product specification <	EV (Canada)			
 Engineering measures Provide adequate ventilation. Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. Engineering controls: No relevant information available. Breathing equipment: Use suitable respiratory protective device when high concentrations are present. Protection of hands: Wwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwww				
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses Body protection: Protective work clothing Limitation and supervision of exposure into the environment No relevant information available. 9 Physical and chemical properties Aerosol Color: Aerosol Color: Aerosol Color: Pungent 	 Exposure controls Engineering measures Provide adequate ventilation. Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. Engineering controls: No relevant information available. Breathing equipment: Use suitable respiratory protective device when high concentrations are present. 			
 Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Eye protection: Safety glasses Body protection: Protective work clothing Limitation and supervision of exposure into the environment No relevant information available. 9 Physical and chemical properties Agrees Appearance: Form: Aerosol Color: According to product specification Odor: Pungent Description: Description: Description: Description: No relevant information available. Description: Description: Description: Description: Description: Color: According to product specification Odor: Pungent Description: Description:	Protect	tive gloves		
 Body protection: Protective work clothing Limitation and supervision of exposure into the environment No relevant information available. 9 Physical and chemical properties Information on basic physical and chemical properties Appearance:	 Material of glo The selection of quality and va substances, the checked prior to Penetration tim The exact breat be observed. 	oves of the suitable gloves does not only depend on the material, but also on further marks of iries from manufacturer to manufacturer. As the product is a preparation of several e resistance of the glove material can not be calculated in advance and has therefore to be the application. me of glove material k through time has to be found out by the manufacturer of the protective gloves and has to		
Limitation and supervision of exposure into the environment No relevant information available. 9 Physical and chemical properties Information on basic physical and chemical properties Appearance: Form: Aerosol Color: According to product specification Odor: Pungent	Safety	glasses		
Information on basic physical and chemical properties Appearance: Form: Aerosol Color: According to product specification Odor: Pungent	· Limitation an	nd supervision of exposure into the environment		
· Appearance: Form: Aerosol Color: According to product specification · Odor: Pungent	9 Physical and chemical properties			
Form: Aerosol Color: According to product specification · Odor: Pungent		on basic physical and chemical properties		
Color: According to product specification · Odor: Pungent		Acrosol		
· Odor: Pungent				
	· Odor threshold			

Not determined.

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 22, 2016

Revision: February 22, 2016

Trade name: First Defense® .2 Percent MK-4 Stream OC Aerosol

		(Cont'd. of page s
 Melting point/Melting range: Boiling point/Boiling range: 	Not determined. > 104 °C (> 219 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	371 °C (700 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits Lower: Upper: 	3.5 Vol % 15.0 Vol %	
· Vapor pressure at 20 °C (68 °F):	59 hPa (44 mm Hg)	
 Density: Relative density: Vapor density: Evaporation rate: 	Not determined. Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
 Viscosity Dynamic: Kinematic: Other information 	Not determined. Not determined. No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability:

· Thermal decomposition / conditions to be avoided:

Danger of receptacles bursting because of high vapor pressure if heated.

· Possibility of hazardous reactions: No dangerous reactions known.

· Conditions to avoid: No relevant information available.

- · Incompatible materials: No relevant information available.
- · Hazardous decomposition products: Possible in traces.

(Cont'd. on page 7)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 22, 2016

Revision: February 22, 2016

Trade name: First Defense® .2 Percent MK-4 Stream OC Aerosol

(Cont'd. of page 6)

	tion on toxicological effects	
Acute to:	values that are relevant for classification:	
	6 Oleoresin Capsicum	
	_D50 3000 mg/kg (rat)	
Dermal	_D50 >2500 mg/kg (mouse)	
	irritant effect:	
	kin: Irritant to skin and mucous membranes.	
	ye: Irritating effect.	
	ation: No sensitizing effects known.	
	e to chronic toxicity: No relevant information available.	
•	ternational Agency for Research on Cancer):	
64-17-5	ethanol	
•	tional Toxicology Program):	
None of t	he ingredients are listed.	
· OSHA-Ca	a (Occupational Safety & Health Administration):	
	he ingredients are listed.	
	e route(s) of exposure:	
Inhalatior		
Eye conta		
Skin cont		
Irritating t	fects (acute toxicity, irritation and corrosivity):	
	to respiratory system.	
Irritating t		
	d dose toxicity: No relevant information available.	
2 Ecolog	ical information	
 Toxicity 		

- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:
- Negative ecological effects are, according to the current state of knowledge, not expected.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Cont'd. on page 8)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 22, 2016

Revision: February 22, 2016

Trade name: First Defense® .2 Percent MK-4 Stream OC Aerosol

(Cont'd. of page 7)

• Other adverse effects: No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packagings

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, IMDG, IATA	UN1950	
UN proper shipping name		
DOT	Aerosols, non-flammable	
ADR	1950 AEROSOLS	
IMDG	AEROSOLS	
ΙΑΤΑ	AEROSOLS, non-flammable	
Transport hazard class(es)		
DOT		
~		
Class	2.2	
Label	2.2	
ADR		
		
Class	2.2 5A	
Label	2.2	

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 22, 2016

Revision: February 22, 2016

Trade name: First Defense® .2 Percent MK-4 Stream OC Aerosol

	(Cont'd. of p	age
· IMDG, IATA		
· Class	2.2	
· Label	2.2	
· Packing group		
· DOT, ADR, IMDG, IATA	II	
· Environmental hazards		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Danger code (Kemler):	20	
· EMS Number:	F-D,S-U	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
· DOT		
· Quantity limitations	On passenger aircraft/rail: 75 kg	
	On cargo aircraft only: 150 kg	
· ADR		
 Excepted quantities (EQ) 	Code: E0	
	Not permitted as Excepted Quantity	
 Excepted quantities (EQ) 	Code: E0 Not permitted as Excepted Quantity	
	Not permitted as Excepted Quantity	

 Section 355 (extremely hazardous substances): None of the ingredients are listed. Section 313 (Specific toxic chemical listings):	 Safety, I mixture United St SARA 		I regulations/legislation specific for	or the substance o
Section 313 (Specific toxic chemical listings): None of the ingredients are listed. TSCA (Toxic Substances Control Act)	· Section 3	55 (extremely hazardous su	ostances):	
None of the ingredients are listed. • TSCA (Toxic Substances Control Act)	None of th	e ingredients are listed.		
· TSCA (Toxic Substances Control Act)	· Section 3	13 (Specific toxic chemical	istings):	
	None of th	e ingredients are listed.		
All ingredients are listed.	· TSCA (To	xic Substances Control Ac)	
	All ingredi	ents are listed.		

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 22, 2016

Revision: February 22, 2016

Thinking date. Tebruary 22, 2010	
Trade name: First Defense® .2 Percent MK-4 Stream OC Aerosol	
· Proposition 65 (California)	(Cont'd. of page 9)
Chemicals known to cause cancer: Ethanol - listing refers specifically to alcoholic beverage consumption and is	s not applicable for product.
64-17-5 ethanol	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity: Ethanol - listing refers specifically to alcoholic beverage consumption and is	s not applicable for product.
64-17-5 ethanol	
· Carcinogenic categories	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer):	
64-17-5 ethanol	1
· NIOSH-Ca (National Institute for Occupational Safety and Health):	
None of the ingredients are listed.	
· Canada · Canadian substance listings	
· Canadian Domestic Substances List (DSL):	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%):	
64-17-5 ethanol	
· Canadian Ingredient Disclosure list (limit 1%):	
57-55-6 Propylene Glycol	
Chemical safety assessment: A Chemical Safety Assessment has no	t been carried out.
16 Other information	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision February 22, 2016 / -

Abbreviations and acronyms:
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 ACGIH: American Conference of Governmental Industrial Hygienists
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 DNEL: Derived No-Effect Level (REACH)

(Cont'd. on page 11)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: February 22, 2016

Revision: February 22, 2016

Trade name: First Defense® .2 Percent MK-4 Stream OC Aerosol

(Cont'd. of page 10)

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Press. Gas: Gases under pressure: Compressed gas Press. Gas: Gases under pressure: Refrigerated liquefied gas Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 · Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com