# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 31, 2017 Revision: August 31, 2017

### 1 Identification

· Product identifier

· Trade name: Aerosol Grenade, Inert Fogger

· Article number: 56544I (1150523), 56594I (1150522)

· Recommended use and restriction on use

· Recommended use: Practice munition / device.

· Restrictions on use: Contact manufacturer/supplier

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 USA Customer Care (800) 347-1200

Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)



### 2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Aerosol 1 H222 Extremely flammable aerosol.

Press. Gas H280 Contains gas under pressure; may explode if heated.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Additional information:

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:







GHS02 GHS04 GHS07

· Signal word: Danger

· Hazard statements:

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P211 Do not spray on an open flame or other ignition source.

(Cont'd. on page 2)

Page: 2/11

# **Safety Data Sheet**

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 31, 2017 Revision: August 31, 2017

### Trade name: Aerosol Grenade, Inert Fogger

(Cont'd. of page 1)

P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing mist/vapors/spray. P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### NFPA ratings (scale 0 - 4)



Health = 1 Fire = 0

Reactivity = 3

· HMIS-ratings (scale 0 - 4)



1 Health = 1

Fire = 0

REACTIVITY 3 Reactivity = 3

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:				
68476-86-8 Petroleum (diene) Flam. Ga	gases, liquefied, (Nota K, -R45, R46, <0.1% 1,3-butadiene buta-1,3- as 1, H220 bas, H280	60-80%		
67-63-0 propan-2-ol Flam. Lid Eye Irrit.	q. 2, H225 2A, H319; STOT SE 3, H336	20-40%		

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

### 4 First-aid measures

- Description of first aid measures
- **General information:** No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.

(Cont'd. on page 3)

# **Safety Data Sheet**

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 31, 2017 Revision: August 31, 2017

Trade name: Aerosol Grenade, Inert Fogger

(Cont'd. of page 2)

### · After skin contact:

Rinse with warm water.

If skin irritation continues, consult a doctor.

### · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

### Most important symptoms and effects, both acute and delayed:

Causes eye irritation.

Dizziness

Coughing

· Danger:

Causes mild skin irritation.

May cause drowsiness or dizziness.

Indication of any immediate medical attention and special treatment needed:

No relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Extremely flammable aerosol.

Danger of receptacles bursting because of high vapor pressure if heated.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information:

Use large quantities of foam as it is partially destroyed by the product.

Cool endangered product with water spray.

### 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

For large spills, wear protective clothing.

Ensure adequate ventilation.

- Environmental precautions No special measures required.
- · Methods and material for containment and cleaning up

Allow to evaporate.

Absorb liquid components with non-combustible liquid-binding material.

Dispose contaminated material as waste according to item 13.

(Cont'd. on page 4)

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 31, 2017 Revision: August 31, 2017

Trade name: Aerosol Grenade, Inert Fogger

(Cont'd. of page 3)

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- Handling
- Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Information about protection against explosions and fires:

Extremely flammable aerosol.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Observe official regulations on storing packagings with pressurized containers.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· Specific end use(s) No relevant information available.

### 8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:				
67-63-0 propan-2-ol				
PEL (USA)	Long-term value: 980 mg/m³, 400 ppm			
REL (USA)	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm			
TLV (USA)	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI			
EL (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm			

(Cont'd. on page 5)

Page: 5/11

# **Safety Data Sheet**

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 31, 2017 Revision: August 31, 2017

Trade name: Aerosol Grenade, Inert Fogger

(Cont'd. of page 4) EV (Canada) Short-term value: 400 ppm Long-term value: 200 ppm Short-term value: 400 ppm LMPE (Mexico) Long-term value: 200 ppm A4, ĪBE Ingredients with biological limit values:

# 67-63-0 propan-2-ol

BEI (USA) 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Exposure controls
- · Engineering measures Provide adequate ventilation.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Engineering controls: No relevant information available.
- · Breathing equipment: Not required under normal conditions of use.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

**Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

**Body protection:** Protective work clothing

(Cont'd. on page 6)

Page: 6/11

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 31, 2017 Revision: August 31, 2017

Trade name: Aerosol Grenade, Inert Fogger

9 Physical and chemical properties

(Cont'd. of page 5)

· Limitation and supervision of exposure into the environment

No relevant information available.

Form:	Aerosol
Color: Odor:	According to product specification Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	Not applicable, as aerosol.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Extremely flammable aerosol.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Danger of explosion:	Risk of explosion if heated under confinement.
Danger of explosion:  Explosion limits	Risk of explosion if heated under confinement.
Lower:	Not determined.

Upper: Not determined.
Oxidizing properties: Non-oxidizing.
Vapor pressure: Not determined.
Density: Not determined.

Relative density: Not determined.
 Vapor density: Not determined.
 Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

**Dynamic:** Not determined. **Kinematic:** Not determined.

• Other information No relevant information available.

### 10 Stability and reactivity

· **Reactivity:** No relevant information available.

(Cont'd. on page 7)

Page: 7/11

# **Safety Data Sheet**

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 31, 2017 Revision: August 31, 2017

Trade name: Aerosol Grenade, Inert Fogger

(Cont'd. of page 6)

- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

Danger of receptacles bursting because of high vapor pressure if heated.

· Possibility of hazardous reactions

Extremely flammable aerosol.

Risk of explosion if heated under confinement.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidizing agents.

- · Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products Possible in traces.

### 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Causes mild skin irritation.
- · On the eye: Irritating effect.
- · Sensitization: Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: No relevant information available.
- · IARC (International Agency for Research on Cancer):

67-63-0 propan-2-ol

3

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Inhalation.

Eye contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Vapors have narcotic effect.

Irritating to eyes.

- · Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: May cause drowsiness or dizziness.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

Page: 8/11

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 31, 2017 Revision: August 31, 2017

Trade name: Aerosol Grenade, Inert Fogger

(Cont'd. of page 7)

# 12 Ecological information

- ·Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Negative ecological effects are, according to the current state of knowledge, not expected.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

# 14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA UN1950

UN proper shipping name

· **DOT** Aerosols, Flammable

· ADR, IMDG, IATA AEROSOLS

- Transport hazard class(es)
- · DOT



· Class 2 Gases

(Cont'd. on page 9)

Page: 9/11

# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 31, 2017 Revision: August 31, 2017

Trade name: Aerosol Grenade, Inert Fogger

	(Cont'd. of page 8
· Label	2.1
· ADR	
Class	2 5F Gases
· Label 	2.1
· IMDG, IATA	
· Class	2 Gases
Label	2.1
· Packing group	This UN-number is not assigned a packing group. Aerosols are not assigned a packing group.
· Environmental hazards · Marine pollutant:	No
· Special precautions for user · EMS Number:	Warning: Gases F-D,S-U
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	t II of Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
· ADR	
· Excepted quantities (EQ)	Code: E0  Not permitted as Excepted Quantity
· IMDG	
· Excepted quantities (EQ)	Code: E0  Not permitted as Excepted Quantity

(Cont'd. on page 10)

Page: 10/11

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 31, 2017 Revision: August 31, 2017

Trade name: Aerosol Grenade, Inert Fogger

(Cont'd. of page 9)

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

3

NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

All ingredients are listed.

67-63-0 propan-2-ol

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision August 31, 2017 / -
- · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods

(Cont'd. on page 11)

Page: 11/11

# **Safety Data Sheet**

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 31, 2017 Revision: August 31, 2017

### Trade name: Aerosol Grenade, Inert Fogger

(Cont'd. of page 10)

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxique

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

Flam. Gas 1: Flammable gases – Category 1
Flam. Aerosol 1: Aerosols – Category 1
Press. Gas: Gases under pressure – Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

### Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com