acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2017

Revision: March 30, 2017

1 Identification

· Product identifier

- · Trade name: First Defense® 1.3% MK-9 Foam OC Aerosol
- · Product code: 56792 (1030675)
- · Recommended use and restriction on use
- Recommended use: Crowd Control Device
- Restrictions on use: Contact manufacturer/supplier
- · Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 Information department: Customer Care Department

- Information department: Customer Care Department
- Emergency telephone number: ChemTel Inc.
 (800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

- Press. Gas H280 Contains gas under pressure; may explode if heated.
- Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Carc. 2 H351 Suspected of causing cancer.

Repr. 1 H360 May damage fertility or the unborn child.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



· Signal word: Danger

Hazard statements:
H280 Contains gas under pressure; may explode if heated.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H360 May damage fertility or the unborn child.

(Cont'd. on page 2)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2017

Revision: March 30, 2017

Trade name: First Defense® 1.3% MK-9 Foam OC Aerosol (Cont'd. of page 1) H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. · Precautionary statements: P201 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. P202 Do not breathe mist/vapors/spray. P260 Wash thoroughly after handling. P264 P280 Wear protective gloves and eye protection. Use only outdoors or in a well-ventilated area. P271 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of soap and water. P302+P352 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 If skin irritation occurs: Get medical advice/attention. P332+P313 P337+P313 If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. P308+P313 Take off contaminated clothing and wash it before reuse. P362+P364 Store locked up. P405 P410 Protect from sunlight. P403+P233 Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. • NFPA ratings (scale 0 - 4) Health = 1Fire = 3Reactivity = 1· HMIS-ratings (scale 0 - 4) HEALTH Health = *1 3 FIRE Fire = 3REACTIVITY 1 Reactivity = 1

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
57-55-6	propylene glycol	20-40%
8023-77-6	Oleoresin Capsicum	10-20%
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
106-94-5	1-bromopropane	5-10%
	 ♦ Flam. Liq. 2, H225 ♦ Carc. 2, H351; Repr. 1B, H360; STOT RE 2, H373 	
	🚯 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H336	
68603-42-9	coconut diethanolamide	1-5%
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
	(Cont	d. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2017

Revision: March 30, 2017

Trade name: First Defense® 1.3% MK-9 Foam OC Aerosol

		t'd. of page 2)
56-81-5	glycerol	0.1-1%
111-42-2	2,2'-iminodiethanol	0.1-1%
	 Carc. 2, H351; STOT RE 2, H373 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315 	
29118-24-9	(1E)-1,3,3,3-Tetrafluoro-1-propene	
	information:	

For the wording of the listed Hazard Statements refer to section 16.

Equivalent to 0.2% major capsaicinoid (MC) content.

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product. Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Provide oxygen treatment if affected person has difficulty breathing.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After skin contact:

Immediately rinse with water.

Clean with water and soap.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. • Most important symptoms and effects, both acute and delayed: Coughing Nausea Breathing difficulty Cramp Thirst Dizziness

Irritating to eyes, respiratory system and skin.

Disorientation

· Danger:

Danger of impaired breathing. May damage fertility or the unborn child. Suspected of causing cancer.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2017

Revision: March 30, 2017

Trade name: First Defense® 1.3% MK-9 Foam OC Aerosol

(Cont'd. of page 3)

May cause damage to organs through prolonged or repeated exposure.
Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. Monitor circulation, possible shock treatment. Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture Danger of receptacles bursting because of high vapor pressure if heated. Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.
- Additional information: Cool endangered receptacles with water spray. No relevant information available.

6 Accidental release measures

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2017

Revision: March 30, 2017

Trade name: First Defense® 1.3% MK-9 Foam OC Aerosol

(Cont'd. of page 4)

7 Handling and storage

· Handling

· Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

\cdot Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers. Avoid storage near extreme heat, ignition sources or open flame. Provide ventilation for receptacles.

• Information about storage in one common storage facility: Store away from foodstuffs. • Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

57-55-6 propyle	ene glycol
WEEL (USA)	Long-term value: 10 mg/m ³
EV (Canada)	Long-term value: 155* 10** mg/m³, 50* ppm *vapour and aerosol;**aerosol only
106-94-5 1-bror	nopropane
TLV (USA)	Long-term value: 0.5 mg/m ³ , 0.1 ppm
EL (Canada)	Long-term value: 10 ppm R
EV (Canada)	Long-term value: 10 ppm
LMPE (Mexico)	Long-term value: 10 ppm
56-81-5 glycero	bl
PEL (USA)	Long-term value: 15* 5** mg/m ³ mist; *total dust **respirable fraction
TLV (USA)	TLV withdrawn-insufficient data human occup. exp.
EL (Canada)	Long-term value: 10* 3** mg/m ³ *mist; **mist, respirable
EV (Canada)	Long-term value: 10 mg/m ³
	(Cont'd. on page 6

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2017

Revision: March 30, 2017

Trade name: First Defense® 1.3% MK-9 Foam OC Aerosol

	(Cont'd. of page
	Long-term value: 10 mg/m ³
111-42-2 2,2'-im	
REL (USA)	Long-term value: 15 mg/m ³ , 3 ppm
TLV (USA)	Long-term value: 1* mg/m³, 0.2* ppm Skin; *inhalable fraction and vapor
EL (Canada)	Long-term value: 2 mg/m³ Skin, IARC 2B
EV (Canada)	Long-term value: 2 mg/m ³
LMPE (Mexico)	Long-term value: 2 mg/m ³ A3, PIEL
Immediately ren Wash hands bef Do not inhale ga Avoid contact w Engineering co Breathing equi	a foodstuffs, beverages and feed. nove all soiled and contaminated clothing. fore breaks and at the end of work. ases / fumes / aerosols. ith the eyes and skin. ontrols: Provide adequate ventilation. pment: pressure NIOSH or European EN149 vapor respirators when deploying product in large
quantities.	atory protection may be advisable.
	ired under normal conditions of use.
The glove mater Selection of the degradation	gloves to handle contents of damaged or leaking units. rial has to be impermeable and resistant to the product/ the substance/ the preparation. e glove material on consideration of the penetration times, rates of diffusion and the
degradation Material of glov	

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

· Body protection:

Not required under normal conditions of use. Protection may be required for spills.

(Cont'd. on page 7)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2017

- - -

Revision: March 30, 2017

Trade name: First Defense® 1.3% MK-9 Foam OC Aerosol

(Cont'd. of page 6)

· Limitation and supervision of exposure into the environment No relevant information available.

• **Risk management measures** See Section 7 for additional information. No relevant information available.

-	Aerosol
Form:	
Color:	
	Whitish
	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
 Melting point/Melting range: 	Not determined.
 Boiling point/Boiling range: 	Not determined.
· Flash point:	Not applicable - does not support sustained combustion.
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density:	Not determined.
 Relative density: 	Not determined.
	Not determined.
 Evaporation rate: 	Not applicable.
· Solubility in / Miscibility with	
	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity	
Dynamic:	Not determined.
	Not determined.
 Other information 	No relevant information available.

(Cont'd. on page 8)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2017

Revision: March 30, 2017

Trade name: First Defense® 1.3% MK-9 Foam OC Aerosol

(Cont'd. of page 7)

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- **Possibility of hazardous reactions** Toxic fumes may be released if heated above the decomposition point.
- · Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products

Under fire conditions only:

Danger of toxic fluorine based pyrolysis products.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

8023-77-6 Oleoresin Capsicum

Oral LD50 3000 mg/kg (rat)

Dermal LD50 >2500 mg/kg (mouse)

106-94-5 1-bromopropane

Inhalative LC50/4h 253 mg/l (rat)

Primary irritant effect:

- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Irritating effect.
- Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

106-94-5 1-bromopropane

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Inhalation.

Eye contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes, respiratory system and skin.

- Repeated dose toxicity: Danger of very serious irreversible effects.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Carc. 2, Repr. 1

(Cont'd. on page 9)

R

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2017

Revision: March 30, 2017

Trade name: First Defense® 1.3% MK-9 Foam OC Aerosol

(Cont'd. of page 8)

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Suspected of causing cancer.
- Reproductive toxicity: May damage fertility or the unborn child.
- STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

· Aquatic toxicity

106-94-5 1-bromopropane

LC50 24.3 mg/l (Oncorhynchus mykiss)

- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packagings

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

(Cont'd. on page 10)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2017

Revision: March 30, 2017

Trade name: First Defense® 1.3% MK-9 Foam OC Aerosol

(Cont'd. of page 9)

UN-Number	
DOT, ADR, IMDG, IATA	UN1950
UN proper shipping name	
DOT	Aerosols, Non-Flammable
ADR	1950 AEROSOLS
IMDG, IATA	AEROSOLS
Transport hazard class(es)	
DOT	
Class	2 Gases
Label	2 Gases 2.2
	<i>L.L</i>
ADR	
Class	2 5A Gases
Label	2.2
IMDG, IATA	
Class	2 Gases
Label	2.2
Packing group	Aerosols are not assigned a packing group.
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Warning: Gases
Danger code (Kemler):	20
EMS Number:	F-D,S-U
Transport in bulk according to Annex	, ll of

(Cont'd. on page 11)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2017

Revision: March 30, 2017

Trade name: First Defense® 1.3% MK-9 Foam OC Aerosol

(Cont'd. of page 10)

· Safety, h mixture · United Sta · SARA	ealth and environmental regulations/legislation specific for the substance tes (USA)
Section 30	2 (extremely hazardous substances):
None of the	e ingredients are listed.
Section 35	5 (extremely hazardous substances):
None of the	ingredients are listed.
Section 31	3 (Specific toxic chemical listings):
	e ingredients are listed.
	tic Substances Control Act)
•	nts are listed.
•	n 65 (California)
Chemicals	known to cause cancer:
68603-42-9	coconut diethanolamide
106-94-5	1-bromopropane
111-42-2	2,2'-iminodiethanol
Chemicals	known to cause reproductive toxicity for females:
106-94-5 1	-bromopropane
Chemicals	known to cause reproductive toxicity for males:
106-94-5 1	-bromopropane
- Chemicals	known to cause developmental toxicity:
	-bromopropane
67-56-1 r	nethanol
Carcinoge	nic categories
	ronmental Protection Agency):
None of the	e ingredients are listed.
· IARC (Inte	rnational Agency for Research on Cancer):
68603-42-9	coconut diethanolamide
111-42-2	2,2'-iminodiethanol
NIOSH-Ca	(National Institute for Occupational Safety and Health):
None of the	e ingredients are listed.
Canadian	Domestic Substances List (DSL):

(Cont'd. on page 12)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2017

Revision: March 30, 2017

Trade name: First Defense® 1.3% MK-9 Foam OC Aerosol

(Cont'd. of page 11)

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Date of preparation / last revision March 30, 2017 / -· Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Press. Gas: Gases under pressure . Compressed gas Press. Gas: Gases under pressure . Liquefied gas Flam. Liq. 2: Flammable liquids . Category 2 Acute Tox. 4: Acute toxicity . Category 4 Skin Irrit. 2: Skin corrosion/irritation . Category 2 Eye Dam. 1: Serious eye damage/eye irritation . Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation . Category 2A Carc. 2: Carcinogenicity . Category 2 Carc. 2: Carcinogenicity . Category 2 Repr. 1: Reproductive toxicity . Category 1 Repr. 1B: Reproductive toxicity . Category 1B STOT SE 3: Specific target organ toxicity (single exposure) . Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) . Category 2 · Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com