Page: 1/11

Safety Data Sheet


acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 15, 2018 Revision: June 15, 2018

1 Identification

- · Product identifier
- Trade name: 40MM Foam Multiple Baton (2) Smokeless Round 40MM Foam Multiple Baton (2) Smokeless Round 4 Inch
- · **Product code:** 6099 (1011857) 6099 SL (1208720)
- · Recommended use and restriction on use
- · Recommended use: Explosive product.
- · Restrictions on use: Contact manufacturer/supplier
- Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200





ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)



2 Hazard(s) identification

Classification of the substance or mixture

Expl. 1.4 H204 Fire or projection hazard.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS01

- · Signal word: Warning
- Hazard statements:

H204 Fire or projection hazard.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P250 Do not subject to grinding/shock/friction.

P372 Explosion risk in case of fire.

P373 DO NOT fight fire when fire reaches explosives.

P374 Fight fire with normal precautions from a reasonable distance.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

NFPA ratings (scale 0 - 4)

(Cont'd. on page 2)

Page: 2/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 15, 2018 Revision: June 15, 2018

Trade name: 40MM Foam Multiple Baton (2) Smokeless Round

40MM Foam Multiple Baton (2) Smokeless Round 4 Inch

(Cont'd. of page 1)



· HMIS-ratings (scale 0 - 4)



Warning: Contains lead salt(s). Long-term health hazard.

- Other hazards
- Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that they are dealing with a powerful force and that various devices and methods have been developed to assist them in directing this force. They should realize that this force, if misdirected, may either kill or injure both themself and their fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, they should consult the manufacturer before use.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Componen	ts:	
9004-70-0	Nitrocellulose, colloided, granular	>80%
85-98-3	1,3-diethyldiphenylurea Ohren Acute Tox. 4, H302	5-10%
7439-89-6	Iron	1-5%
122-39-4	diphenylamine Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT RE 2, H373	1-5%
7440-50-8	Copper	1-5%
15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate Unst. Expl., H200 Repr. 1A, H360; STOT RE 2, H373 Acute Tox. 4, H302; Acute Tox. 4, H332	0.1-1%
10022-31-8	barium nitrate Ohrange Acute Tox. 4, H302; Acute Tox. 4, H332	0.1-1%

· Additional information: For the wording of the listed Hazard Statements, refer to section 16.

Page: 3/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 15, 2018 Revision: June 15, 2018

Trade name: 40MM Foam Multiple Baton (2) Smokeless Round

40MM Foam Multiple Baton (2) Smokeless Round 4 Inch

(Cont'd. of page 2)

4 First-aid measures

- Description of first aid measures
- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Unlikely route of exposure.

Brush off loose particles from skin.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Most important symptoms and effects, both acute and delayed: Blast injury if mishandled.
- · Danger: Danger of blast or crush-type injuries.
- · Indication of any immediate medical attention and special treatment needed:

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

(Cont'd. on page 4)

Page: 4/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 15, 2018 Revision: June 15, 2018

Trade name: 40MM Foam Multiple Baton (2) Smokeless Round

40MM Foam Multiple Baton (2) Smokeless Round 4 Inch

(Cont'd. of page 3)

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation.

Protect from heat.

Isolate area and prevent access.

- · Environmental precautions No special measures required.
- · Methods and material for containment and cleaning up

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling: Handle with care. Avoid jolting, friction and impact.
- Information about protection against explosions and fires:

Protect from heat.

Emergency cooling must be available in case of nearby fire.

- Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

· Control parameters						
· Components w	· Components with limit values that require monitoring at the workplace:					
7439-89-6 Iron						
EV (Canada)	Long-term value: 1* 5** mg/m³ as iron;*salts, water-soluble;**welding fume					
LMPE (Mexico)	Long-term value: 1 mg/m³					
122-39-4 diphenylamine						
REL (USA)	Long-term value: 10 mg/m³					
	(Cont'd.	on page 5)				

Page: 5/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 15, 2018 Revision: June 15, 2018

Trade name: 40MM Foam Multiple Baton (2) Smokeless Round 40MM Foam Multiple Baton (2) Smokeless Round 4 Inch

TLV (USA)	Long-term value: 10 mg/m³ (Cont'd. of page 4)
l I ' '	
EL (Canada)	Long-term value: 10 mg/m³
EV (Canada)	Long-term value: 10 mg/m³
LMPE (Mexico)	Long-term value: 10 mg/m³ A4
7440-50-8 Cop	per
PEL (USA)	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume
REL (USA)	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume
TLV (USA)	Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume; as Cu
EL (Canada)	Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume, as Cu
EV (Canada)	Long-term value: 0.2* 1** mg/m³ as copper, *fume;**dust and mists
LMPE (Mexico)	Long-term value: 0.2* 1** mg/m³ *humo (como Cu);**polvo y niebla (como Cu)
15245-44-0 lead	2,4,6-trinitro-m-phenylene dioxide/ lead styphnate
EV (Canada)	Long-term value: 0.05 mg/m³ as Pb, Skin (organic compounds)
10022-31-8 bar	ium nitrate
PEL (USA)	Long-term value: 0.5 mg/m³ as Ba
REL (USA)	Long-term value: 0.5 mg/m³ as Ba
TLV (USA)	Long-term value: 0.5 mg/m³ as Ba
EL (Canada)	Long-term value: 0.5 mg/m³ as Ba
LMPE (Mexico)	Long-term value: 0.5 mg/m³ A4; como Ba

• Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Engineering controls: Provide adequate ventilation.
- Breathing equipment: Not required under normal conditions of use.
- Protection of hands:

Wear gloves for the protection against mechanical hazards according to OSHA and NIOSH rules. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Cont'd. on page 6)

Page: 6/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 15, 2018 Revision: June 15, 2018

Trade name: 40MM Foam Multiple Baton (2) Smokeless Round

40MM Foam Multiple Baton (2) Smokeless Round 4 Inch

(Cont'd. of page 5)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No relevant information available.

9 Physical and chemical properties

Appearance: Form: Color: Odor: Odor threshold:	Solid metal container containing liquid and solid contents. According to product specification Odorless Not determined.
pH-value: Melting point/Melting range: Boiling point/Boiling range:	Not applicable. Not determined. Not determined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Danger of explosion:	Heating may cause an explosion.
Explosion limits Lower: Upper:	Not determined. Not determined.
Vapor pressure:	Not applicable.
Density:	Not determined.

Page: 7/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 15, 2018 Revision: June 15, 2018

Trade name: 40MM Foam Multiple Baton (2) Smokeless Round

40MM Foam Multiple Baton (2) Smokeless Round 4 Inch

(Cont'd. of page 6)

Relative density: Not determined.
Vapor density: Not applicable.
Evaporation rate: Not applicable.

· Solubility in / Miscibility with

Water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Not applicable. **Kinematic:** Not applicable.

Other information No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Danger of explosion.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and alkali.

Reacts violently with oxidizing agents.

- · Conditions to avoid Sources of ignition, open flame, incompatible materials.
- · Incompatible materials Oxidizers
- · Hazardous decomposition products

Carbon monoxide and carbon dioxide

Nitrogen oxides

Sulfur oxides (SOx)

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

122-39-4 diphenylamine

Oral LD50 1120 mg/kg (rat)

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

Oral LD50 650 mg/kg (rat)

- · Primary irritant effect:
- · On the skin:

Not a skin irritant in unused form. Vapours/particles from used product are possibly irritating to skin.

· On the eye:

(Cont'd. on page 8)

Page: 8/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 15, 2018 Revision: June 15, 2018

Trade name: 40MM Foam Multiple Baton (2) Smokeless Round 40MM Foam Multiple Baton (2) Smokeless Round 4 Inch

(Cont'd. of page 7)

Not an eye irritant in unused form. Vapours/particles from used product are possibly irritating to eyes.

Sensitization: Based on available data, the classification criteria are not met.

IARC (International Agency for Research on Cancer):

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

2B

NTP (National Toxicology Program):

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

R

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- Acute effects (acute toxicity, irritation and corrosivity): Danger of blast or crush-type injuries.
- Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: May be accumulated in organism
- · Mobility in soil: No relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

Page: 9/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 15, 2018 Revision: June 15, 2018

Trade name: 40MM Foam Multiple Baton (2) Smokeless Round

40MM Foam Multiple Baton (2) Smokeless Round 4 Inch

(Cont'd. of page 8)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN0012
· UN proper shipping name · DOT, IMDG, IATA · ADR	CARTRIDGES FOR WEAPONS, INERT PROJECTIL 0012, CARTRIDGES FOR WEAPONS, INER PROJECTILE
· Transport hazard class(es)	
·DOT	
1.4	
· Class	1.4
· Label	1.4\$
· ADR, IMDG	
14 14	
· Class	1.4
·Label	1.4\$
·IATA	
1.4	
·Class	1.4
Label	1.4S

Page: 10/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 15, 2018 Revision: June 15, 2018

Trade name: 40MM Foam Multiple Baton (2) Smokeless Round

40MM Foam Multiple Baton (2) Smokeless Round 4 Inch

	(Cont'd. of page
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards	
Marine pollutant:	No
	Yes (DOT)
	Symbol (fish and tree)
Special precautions for user	Not applicable.
EMS Number:	F-A,S-Q
Segregation groups	Heavy metals and their salts (including the organometallic compounds)
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA) · SARA				
· Section 302 (extremely hazardous substances):				
None of the ingredients are listed.				
· Section 355 (extremely hazardous substances):				
None of the ingredients are listed.				
· Section 313 (Specific toxic chemical listings):				
7440-50-8 Copper				
122-39-4 diphenylamine				
· TSCA (Toxic Substances Control Act)				
All ingredients are listed.				
· Proposition 65 (California)				

- · Chemicals known to cause cancer: 15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate
 - Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

· EPA (Environmental Protection Agency):

7440-50-8 Copper

(Cont'd. on page 11)

Page: 11/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 15, 2018 Revision: June 15, 2018

Trade name: 40MM Foam Multiple Baton (2) Smokeless Round

40MM Foam Multiple Baton (2) Smokeless Round 4 Inch

(Cont'd. of page 10)

7440-66-6 zinc powder - zinc dust (stabilised)

D, I, II

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Expl. 1.1: Explosives - Division 1.1

Expl. 1.4: Explosives - Division 1.4

Unst. Expl.: Explosives - Unstable explosive

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity – Category 4

Repr. 1A: Reproductive toxicity – Category 1A

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

· Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com