

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS





Printing date 26.09.2014

Revision: 24.09.2014

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** 12 GA CS Powder Barricade
- **Article number:** 3092
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Explosive product.
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Safariland, LLC  
13386 International Parkway  
Jacksonville, FL 32218  
Customer Care (800) 347-1200
- **Further information obtainable from:** Customer Care Department
- **1.4 Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.
-  exploding bomb  
Expl. 1.4            H204 Fire or projection hazard.
-  health hazard  
Resp. Sens. 1        H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
-  environment  
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
- 
- Acute Tox. 4            H302 Harmful if swallowed.
- Skin Irrit. 2            H315 Causes skin irritation.
- Eye Irrit. 2            H319 Causes serious eye irritation.
- Skin Sens. 1            H317 May cause an allergic skin reaction.

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014


Revision: 24.09.2014

Trade name: 12 GA CS Powder Barricade


(Contd. of page 1)

STOT SE 3      H335 May cause respiratory irritation.


· **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

 Xn; Harmful

R20/22: Harmful by inhalation and if swallowed.

 Xn; Sensitising

R42/43: May cause sensitisation by inhalation and skin contact.

 Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

R5-44-52/53: Heating may cause an explosion. Risk of explosion if heated under confinement. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS01 GHS07 GHS08 GHS09

· **Signal word** Danger

· **Hazard-determining components of labelling:**

glycerol trinitrate  
 [(2-chlorophenyl)methylene]malononitrile  
 Rosin  
 diphenylamine

· **Hazard statements**

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

H204 Fire or projection hazard.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

(Contd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

**Trade name: 12 GA CS Powder Barricade**

(Contd. of page 2)

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

The following Precautionary Statements are applicable only to the general GHS regulations and not the specific CLP regulation: P374.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P250 Do not subject to grinding/shock/friction.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P285 In case of inadequate ventilation wear respiratory protection.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P373 DO NOT fight fire when fire reaches explosives.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

P374 Fight fire with normal precautions from a reasonable distance.

P372 Explosion risk in case of fire.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Can become highly flammable in use.

· **Hazard description:**

· **WHMIS-symbols:**

D1B - Toxic material causing immediate and serious toxic effects


D2A - Very toxic material causing other toxic effects

E - Corrosive material

F - Dangerously reactive material



· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



Warning: Contains lead salt(s). Long-term health hazard.

· **HMIS Long Term Health Hazard Substances**

122-39-4	diphenylamine
----------	---------------

(Contd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

Trade name: 12 GA CS Powder Barricade

(Contd. of page 3)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Explosive Product Notice**

















PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

## SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular  E R3 -----  Expl. 1.1, H201	20-40%
CAS: 55-63-0 EINECS: 200-240-8 Index number: 603-034-00-X	glycerol trinitrate  T+ R26/27/28;  E R3;  N R51/53 R33 -----  Unst. Expl., H200  Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330  STOT RE 2, H373  Aquatic Chronic 2, H411 Flam. Liq. 2, H225	20-40%
CAS: 1309-48-4 EINECS: 215-171-9 Index number: 025-199-09-0	magnesium oxide substance with a Community workplace exposure limit	10-20%
CAS: 2698-41-1 EINECS: 220-278-9	[(2-chlorophenyl)methylene]malononitrile  T R25;  Xn R42/43;  N R50 -----  Acute Tox. 3, H301  Resp. Sens. 1, H334  Aquatic Acute 1, H400  Skin Sens. 1, H317	5-10%

(Contd. on page 5)






















# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

Trade name: 12 GA CS Powder Barricade

		(Contd. of page 4)
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate  O R8  Ox. Sol. 2, H272	1-5%
CAS: 8050-09-7 EINECS: 232-475-7 Index number: 650-015-00-7	Rosin  Xi R43  Skin Sens. 1, H317	1-5%
CAS: 112945-52-5	Silicon Dioxide (Amorphous)	1-5%
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	0,5-2%
CAS: 122-39-4 EINECS: 204-539-4 Index number: 612-026-00-5	diphenylamine  T R23/24/25;  N R50/53 R33  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331  STOT RE 2, H373  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	< 1,0%
CAS: 85-98-3 EINECS: 201-645-2	1,3-diethyldiphenylurea  Xn R22  Acute Tox. 4, H302 Aquatic Chronic 3, H412	< 1,0%
CAS: 7440-66-6	zinc metal  N R50/53  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	< 1,0%
· <b>Additional information:</b> For the wording of the listed risk phrases refer to section 16.		
· <b>Notable Trace Components (≤ 0,1% w/w)</b>		
CAS: 15245-44-0 EINECS: 239-290-0 Index number: 609-019-00-4	lead 2,4,6-trinitro-m-phenylene dioxide  T Repr. Cat. 1, 3 R61;  Xn R62-20/22;  E R3;  N R50/53 R33  Unst. Expl., H200  Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Acute Tox. 4, H302; Acute Tox. 4, H332	

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Remove breathing equipment only after contaminated clothing have been completely removed.

#### After inhalation:

Remove victim to fresh air.

Seek immediate medical advice.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. on page 6)

## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

**Trade name: 12 GA CS Powder Barricade**

(Contd. of page 5)

- **After skin contact:**  
Immediately remove any clothing soiled by the product.  
Brush off loose particles from skin.  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Asthma attacks  
Allergic reactions  
Blast injury if mishandled.  
May cause respiratory irritation.  
Breathing difficulty  
Coughing  
Irritant to eyes.  
Irritant to skin and mucous membranes.
- **Hazards**  
Danger of blast or crush-type injuries.  
Danger of impaired breathing.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.  
Contains [(2-chlorophenyl)methylene]malononitrile. May produce an allergic reaction.  
Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.  
In cases of irritation to the lungs, initial treatment with corticoid inhalants.  
Monitor circulation, possible shock treatment.  
Treat skin and mucous membrane with antihistamine and corticoid preparations.  
If necessary oxygen respiration treatment.  
Medical supervision for at least 48 hours.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.  
Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.

(Contd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

**Trade name: 12 GA CS Powder Barricade**

(Contd. of page 6)

Wear fully protective suit.

· **Additional information**

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions.

Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

## SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

· **6.2 Environmental precautions:** No special measures required.

· **6.3 Methods and material for containment and cleaning up:**

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Handle with care. Avoid jolting, friction and impact.

Avoid breathing dust

Use only in well ventilated areas.

· **Information about fire - and explosion protection:**

Protect from heat.

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

(Contd. on page 8)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

**Trade name: 12 GA CS Powder Barricade**

(Contd. of page 7)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Avoid storage near extreme heat, ignition sources or open flame.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Store away from flammable substances.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

### · **Ingredients with limit values that require monitoring at the workplace:**

#### **1309-48-4 magnesium oxide**

PEL (USA)	Long-term value: 15* mg/m <sup>3</sup> fume; *total particulate
TLV (USA)	Long-term value: 10* mg/m <sup>3</sup> *as inhalable fraction
EL (Canada)	Short-term value: 10** mg/m <sup>3</sup> Long-term value: 10* 3** mg/m <sup>3</sup> *inhalable fume; **respirable dust and fume
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> inhalable

#### **2698-41-1 [(2-chlorophenyl)methylene]malononitrile**

PEL (USA)	Long-term value: 0,4 mg/m <sup>3</sup> , 0,05 ppm
REL (USA)	Ceiling limit: 0,4 mg/m <sup>3</sup> , 0,05 ppm Skin
TLV (USA)	Ceiling limit: 0,39 mg/m <sup>3</sup> , 0,05 ppm Skin
EL (Canada)	Ceiling limit: 0,05 ppm Skin
EV (Canada)	Ceiling limit: 0,4 mg/m <sup>3</sup> , 0,05 ppm Skin

#### **55-63-0 glycerol trinitrate**

PEL (USA)	Ceiling limit: 2 mg/m <sup>3</sup> , 0,2 ppm Skin
REL (USA)	Short-term value: 0,1 mg/m <sup>3</sup> Skin

(Contd. on page 9)



## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

**Trade name: 12 GA CS Powder Barricade**

(Contd. of page 8)

TLV (USA)	Long-term value: 0,46 mg/m <sup>3</sup> , 0,05 ppm Skin
EL (Canada)	Long-term value: 0,05 ppm Skin
EV (Canada)	Long-term value: 0,5 mg/m <sup>3</sup> , 0,05 ppm Skin
<b>8050-09-7 Rosin</b>	
TLV (USA)	DSEN, RSEN, L
EL (Canada)	S
<b>15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide</b>	
EV (Canada)	Long-term value: 0,05 mg/m <sup>3</sup> as Pb, Skin (organic compounds)
<b>122-39-4 diphenylamine</b>	
REL (USA)	Long-term value: 10 mg/m <sup>3</sup>
TLV (USA)	Long-term value: 10 mg/m <sup>3</sup>
EL (Canada)	Long-term value: 10 mg/m <sup>3</sup>
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup>
<b>7440-50-8 copper</b>	
PEL (USA)	Long-term value: 1* 0,1** mg/m <sup>3</sup> as Cu *dusts and mists **fume
REL (USA)	Long-term value: 1* 0,1** mg/m <sup>3</sup> as Cu *dusts and mists **fume
TLV (USA)	Long-term value: 1* 0,2** mg/m <sup>3</sup> *dusts and mists; **fume; as Cu
EL (Canada)	Long-term value: 1* 0,2** mg/m <sup>3</sup> *dusts and mists; **fume, as Cu
EV (Canada)	Long-term value: 0,2* 1** mg/m <sup>3</sup> as copper, *fume; **dust and mists

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

(Contd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

**Trade name: 12 GA CS Powder Barricade**

(Contd. of page 9)

· **Respiratory protection:**



Respiratory protection required.

· **Protection of hands:**



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Safety glasses

· **Body protection:** Protective work clothing

· **Limitation and supervision of exposure into the environment**

No further relevant information available.

· **Risk management measures**

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:**

Solid metal container containing liquid and solid contents.

**Colour:**

According to product specification

· **Odour:**

Odourless

· **Odour threshold:**

Not determined.

· **pH-value:**

Not applicable.

· **Change in condition**

**Melting point/Melting range:**

Not Determined.

(Contd. on page 11)

## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

Trade name: 12 GA CS Powder Barricade

(Contd. of page 10)

<ul style="list-style-type: none"> <li><b>Boiling point/Boiling range:</b></li> <li>· <b>Flash point:</b></li> <li>· <b>Flammability (solid, gaseous):</b></li> <li>· <b>Auto/Self-ignition temperature:</b></li> <li>· <b>Decomposition temperature:</b></li> <li>· <b>Self-igniting:</b></li> <li>· <b>Danger of explosion:</b></li> <li>· <b>Explosion limits:</b> <ul style="list-style-type: none"> <li><b>Lower:</b></li> <li><b>Upper:</b></li> </ul> </li> <li>· <b>Vapour pressure:</b></li> <li>· <b>Density:</b></li> <li>· <b>Relative density</b></li> <li>· <b>Vapour density</b></li> <li>· <b>Evaporation rate</b></li> <li>· <b>Solubility in / Miscibility with water:</b></li> <li>· <b>Partition coefficient (n-octanol/water):</b></li> <li>· <b>Viscosity:</b> <ul style="list-style-type: none"> <li><b>Dynamic:</b></li> <li><b>Kinematic:</b></li> </ul> </li> <li>· <b>9.2 Other information</b></li> </ul>	<ul style="list-style-type: none"> <li>Undetermined.</li> <li>Not applicable.</li> <li>Not determined.</li> <li>Not determined.</li> <li>Not determined.</li> <li>Product is not self-igniting.</li> <li>Heating may cause an explosion.</li> <li>Not determined.</li> <li>Not determined.</li> <li>Not applicable.</li> <li>Not determined.</li> <li>Not determined.</li> <li>Not applicable.</li> <li>Not applicable.</li> <li>Insoluble.</li> <li>Not determined.</li> <li>Not applicable.</li> <li>Not applicable.</li> <li>No further relevant information available.</li> </ul>
---	---

### SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
Danger of explosion.  
Toxic fumes may be released if heated above the decomposition point.  
Contact with acids releases toxic gases.  
Acts as an oxidising agent on organic materials such as wood, paper and fats.  
Reacts with strong alkali.
- **10.4 Conditions to avoid** Sources of ignition, open flame, incompatible materials.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides

(Contd. on page 12)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

Trade name: 12 GA CS Powder Barricade

Sulphur oxides (SOx)

(Contd. of page 11)

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity:

#### LD/LC50 values relevant for classification:

##### 2698-41-1 [(2-chlorophenyl)methylene]malononitrile

Oral	LD50	178 mg/kg (rat)
------	------	-----------------

##### 55-63-0 glycerol trinitrate

Oral	LD50	115 mg/kg (mouse)
		105 mg/kg (rat)

Dermal	LD50	29 mg/kg (rat)
		280 mg/kg (rabbit)

##### 122-39-4 diphenylamine

Oral	LD50	1120 mg/kg (rat)
------	------	------------------

#### Primary irritant effect:

Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not possess these effects.

- on the skin: Irritant to skin and mucous membranes.

- on the eye: Irritating effect.

#### Sensitisation:

Sensitisation possible through inhalation.

Sensitisation possible through skin contact.

#### Additional toxicological information:

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a canister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Harmful

Danger through skin adsorption.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

#### Acute effects (acute toxicity, irritation and corrosivity):

Inhalation may cause irritation to the respiratory system.

#### Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

Repeated exposures may result in skin and/or respiratory sensitivity.

(Contd. on page 13)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

Trade name: 12 GA CS Powder Barricade

(Contd. of page 12)

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**  
The product contains materials that are harmful to the environment.

### 2698-41-1 [(2-chlorophenyl)methylene]malononitrile

EC50	0,2-0,3 mg/kg (Oncorhynchus mykiss) 96 H
------	---

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** May be accumulated in organism
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary  
Harmful to aquatic organisms  
Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

- **14.1 UN-Number**
- **DOT, ADR, IMDG, IATA** UN0301

(Contd. on page 14)

## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

Trade name: 12 GA CS Powder Barricade

(Contd. of page 13)

· **14.2 UN proper shipping name**

· DOT, IMDG, IATA

Ammunition Tear-producing with burster, expelling charge or propelling charge

· ADR

0301 Ammunition Tear-producing with burster, expelling charge or propelling charge

· **14.3 Transport hazard class(es)**

· DOT



· Class

1.4

· Label

1.4G+6.1+8

· **ADR, IMDG**

· Class

1.4

· Label

1.4G+6.1+8

· **IATA**

· Class

1.4G

· Label

1.4G+6.1+8

· **14.4 Packing group**

· DOT, ADR, IMDG, IATA

II

· **14.5 Environmental hazards:**

· Marine pollutant:

No

· **Special marking (IATA):**

Cargo Aircraft Only.

· **14.6 Special precautions for user**

Not applicable.

· **EMS Number:**

F-A,S-Q

· **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **UN "Model Regulation":**

UN0301, Ammunition Tear-producing with burster, expelling charge or propelling charge, 1.4G (6.1+8), II

(Contd. on page 15)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

Trade name: 12 GA CS Powder Barricade

(Contd. of page 14)

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· <b>Section 355 (extremely hazardous substances):</b>
--

None of the ingredients are listed.
-------------------------------------

· <b>Section 313 (Specific toxic chemical listings):</b>
--

55-63-0	glycerol trinitrate
---------	---------------------

7757-79-1	potassium nitrate
-----------	-------------------

· <b>TSCA (Toxic Substances Control Act):</b>
---

All ingredients are listed.
-----------------------------

· <b>Proposition 65 (California):</b>
---------------------------------------

· <b>Chemicals known to cause cancer:</b>
---

Present in trace quantities.
------------------------------

15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide
------------	---

· <b>Chemicals known to cause reproductive toxicity for females:</b>
--

Present in trace quantities.
------------------------------

None of the ingredients are listed.
-------------------------------------

· <b>Chemicals known to cause reproductive toxicity for males:</b>
--

Present in trace quantities.
------------------------------

None of the ingredients are listed.
-------------------------------------

· <b>Chemicals known to cause developmental toxicity:</b>
---

Present in trace quantities.
------------------------------

15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide
------------	---

· <b>Carcinogenic Categories</b>
----------------------------------

· <b>EPA (Environmental Protection Agency)</b>
--

7440-50-8	copper	D
-----------	--------	---

· <b>IARC (International Agency for Research on Cancer)</b>
---

None of the ingredients are listed.
-------------------------------------

· <b>TLV (Threshold Limit Value established by ACGIH)</b>
---

1309-48-4	magnesium oxide	A4
-----------	-----------------	----

2698-41-1	[(2-chlorophenyl)methylene]malononitrile	A4
-----------	--	----

122-39-4	diphenylamine	A4
----------	---------------	----

· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>
---

None of the ingredients are listed.
-------------------------------------

· <b>Canada</b>
-----------------

· <b>Canadian Domestic Substances List (DSL)</b>
--

All ingredients are listed.
-----------------------------

(Contd. on page 16)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

Trade name: 12 GA CS Powder Barricade

(Contd. of page 15)

<b>· Canadian Ingredient Disclosure list (limit 0.1%)</b>	
122-39-4	diphenylamine

<b>· Canadian Ingredient Disclosure list (limit 1%)</b>	
1309-48-4	magnesium oxide
2698-41-1	[(2-chlorophenyl)methylene]malononitrile

**· Other regulations, limitations and prohibitive regulations**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

<b>· Substances of very high concern (SVHC) according to REACH, Article 57</b>
None of the ingredients are listed.

**· 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Relevant phrases**

H200	Unstable explosives.
H201	Explosive; mass explosion hazard.
H225	Highly flammable liquid and vapour.
H272	May intensify fire; oxidiser.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
.....	
R22	Harmful if swallowed.
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R25	Toxic if swallowed.
R26/27/28	Very toxic by inhalation, in contact with skin and if swallowed.
R3	Extreme risk of explosion by shock, friction, fire or other sources of ignition.
R33	Danger of cumulative effects.
R42/43	May cause sensitisation by inhalation and skin contact.
R43	May cause sensitisation by skin contact.
R50	Very toxic to aquatic organisms.

(Contd. on page 17)



## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 26.09.2014

Revision: 24.09.2014

**Trade name: 12 GA CS Powder Barricade**

(Contd. of page 16)

- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R8 Contact with combustible material may cause fire.

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Expl. 1.1: Explosives, Division 1.1

Expl. 1.4: Explosives, Division 1.4

Unst. Expl.: Explosives, Unstable explosives

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Acute Tox. 2: Acute toxicity, Hazard Category 2

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Acute Tox. 1: Acute toxicity, Hazard Category 1

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

**Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)