
GHS

Printing date: July 30, 2014

Revision: July 30, 2014



GHS

Printing date: July 30, 2014

Revision: July 30, 2014

Trade name: Evi-Paq Spray Chalk, Red (Contd. of page 1) · Signal word Danger · Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210 P251 Pressurized container: Do not pierce or burn, even after use. P211 Do not spray on an open flame or other ignition source. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. · Additional information: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smokina. Buildup of explosive mixtures possible without sufficient ventilation. · Hazard description: · WHMIS-symbols: A - Compressed gas B5 - Flammable aerosol · NFPA ratings (scale 0 - 4) Health = 0Fire = 3 Reactivity = 3 · HMIS-ratings (scale 0 - 4) *0 Health = *0 HEALTH ³ Fire = 3 FIRE Reactivity 3 Reactivity = 3 · HMIS Long Term Health Hazard Substances All ingredients are listed. · 2.3 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date: July 30, 2014

Revision: July 30, 2014

Trade name: Evi-Paq Spray Chalk, Red

	(Coni	td. of page 2
· Dangerous components:		
CAS: 64742-48-9 EINECS: 265-150-3 Index number: 649-327-00-6	Naphtha (petroleum), hydrotreated heavy Xn R65 Muta. 1B, H340; Carc. 1B, H350; Asp. Tox. 1, H304	10-25%
CAS: 75-37-6 EINECS: 200-866-1	1,1-difluoroethane	10-25%
Dangerous Components (A	Iternative Classifications):	
CAS: 50-00-0 EINECS: 200-001-8 Index number: 605-001-00-5	formaldehyde T R23/24/25; C R34; X N R40; X I R43 Carc. Cat. 3 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 Carc. 2, H351 Skin Corr. 1B, H314 Skin Sens. 1, H317	≤ 2,5%
Additional information: For	the wording of the listed risk phrases refer to section 16.	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Unlikely route of exposure.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Breathing difficulty

Dizziness

Coughing

· Hazards

Danger of impaired breathing.

May be harmful if inhaled.

· 4.3 Indication of any immediate medical attention and special treatment needed

Treat skin and mucous membrane with antihistamine and corticoid preparations.

(Contd. on page 4)

GHS

Printing date: July 30, 2014

Revision: July 30, 2014

Trade name: Evi-Paq Spray Chalk, Red

(Contd. of page 3)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• For safety reasons unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Danger of receptacles bursting because of high vapour pressure when heated.

• 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Eliminate all ignition sources if safe to do so.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Keep away from ignition sources.

Protect from heat.

· 6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up:

Allow to evaporate.

Absorb liquid components with liquid-binding material.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 5)

GHS

Printing date: July 30, 2014

Revision: July 30, 2014

Trade name: Evi-Paq Spray Chalk, Red

(Contd. of page 4)

• 7.2 Conditions for safe storage, including any incompatibilities • Storage:

· Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

•		
U	Ingredients with limit values that require monitoring at the workplace:	
50-00-0 form	50-00-0 formaldehyde	
PEL (USA)	Short-term value: 2 ppm Long-term value: 0,75 ppm see 29 CFR 1910,1048(c)	
REL (USA)	Long-term value: 0,016 ppm Ceiling limit: 0,1* ppm *15-min; See Pocket Guide App. A	
TLV (USA)	Ceiling limit: 0,37 mg/m³, 0,3 ppm (SEN) NIC-DSEN; RSEN	
EL (Canada)	Long-term value: 0,3 ppm Ceiling limit: 1 ppm ACGIH A2; IARC 1; S	
EV (Canada)	Short-term value: 1,0 ppm	
Ceiling limit	1,5 ppm	
 DNELs No further relevant information available. PNECs No further relevant information available. Additional information: The lists valid during the making were used as basis. 		
 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Respiratory protection: Not required under normal conditions of use. 		

GHS

Printing date: July 30, 2014

Revision: July 30, 2014

Trade name: Evi-Paq Spray Chalk, Red

(Contd. of page 5)

For spills, respiratory protection may be advisable.

Protection of hands:

Not required under normal conditions of use.

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

· Body protection:

Not required under normal conditions of use. Protection may be required for spills.

- Limitation and supervision of exposure into the environment
- No further relevant information available.

Risk management measures

See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

• General Information	
· Appearance:	
Form:	
Colour:	
· Odour:	

· Odour threshold:

· pH-value:

· Flash point:

 Change in condition Melting point/Melting range: Not determined. Not Determined. Undetermined. 50 °C

Not applicable.

Characteristic

Not determined.

Fluid Red

· Flammability (solid, gaseous):

Boiling point/Boiling range:

(Contd. on page 7)

Printing date: July 30, 2014

Revision: July 30, 2014

Frade name: Evi-Paq Spray Chalk, Red	
	(Contd. of page 6)
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapour pressure:	Not determined.
 Density: Relative density Vapour density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water: 	Insoluble.
· Partition coefficient (n-octanol/water)	: Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Organic solvents: 9.2 Other information 	0,1 % No further relevant information available.

SECTION 10: Stability and reactivity

 10.1 Reactivity 10.2 Chemical stability 	
 Thermal decomposition / conditions to be avoided: 	
No decomposition if used and stored according to specifications.	
• 10.3 Possibility of hazardous reactions	
Flammable.	
Used empty containers may contain product gases which form explosive mixtures with air.	
Can form explosive mixtures in air if heated above flash point and/or when sprayed or aton	nised.
Danger of receptacles bursting because of high vapour pressure when heated.	
Toxic fumes may be released if heated above the decomposition point.	
· 10.4 Conditions to avoid	
Keep ignition sources away - Do not smoke.	
Store away from oxidizing agents.	
 10.5 Incompatible materials: No further relevant information available. 	
10.6 Hazardous decomposition products:	
Carbon monoxide and carbon dioxide	
	(Contd. on page 8)

GHS

Printing date: July 30, 2014

Revision: July 30, 2014

Trade name: Evi-Paq Spray Chalk, Red

Danger of toxic fluorine based pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Slight irritant effect on eyes.
- Sensitization: Sensitizing effect by skin contact is possible by prolonged exposure.
- · Additional toxicological information:

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

- · Acute effects (acute toxicity, irritation and corrosivity): Vapours have narcotic effect.
- Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- Contains suspect carcinogen in less than reportable quantities.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous. (Contd. on page 9)

(Contd. of page 7)

Printing date: July 30, 2014

Revision: July 30, 2014

(Contd. of page 8)

Trade name: Evi-Paq Spray Chalk, Red

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informati	on	
· 14.1 UN-Number		
· DOT, ADR, IMDG, IATA	UN1950	
 14.2 UN proper shipping name DOT 	Aerosols, flammable	
	1950 AEROSOLS	
·IMDG	AEROSOLS	
·IATA	AEROSOLS, flammable	
 14.3 Transport hazard class(es) 		
·DOT		
Class	2.1	
Label	2.1	
· ADR		
· Class	2 5F Gases.	
· Label	2.1	
· IMDG, IATA		
· Class	2.1	
·Label	2.1	
· 14.4 Packing group		
· DOT, ADR, IMDG, IATA	Not Regulated	
14.5 Environmental hazards:		
Marine pollutant:	No	
• 14.6 Special precautions for user	Warning: Gases.	
 Danger code (Kemler): EMS Number: 	- E D S U	
 • EMS Number: • 14.7 Transport in bulk according to Ann 	F-D,S-U	
MARPOL73/78 and the IBC Code	Not applicable.	
		(Contd. on page

Printing date: July 30, 2014

Trade name: Evi-Paq Spray Chalk, Red

Revision: July 30, 2014

_			
	· Transport/Additional information:		(Contd. of page 9)
	· ADR		
	 Limited quantities (LQ) 	1L	
	Excepted quantities (EQ)	Code: E0	
		Not permitted as Excepted Quantity	
	· Transport category	2	
	· Tunnel restriction code	D	
	· IMDG		
		11	
	Limited quantities (LQ)	· -	
	 Excepted quantities (EQ) 	Code: E0	
		Not permitted as Excepted Quantity	
	· UN "Model Regulation":	UN1950, AEROSOLS, 2.1	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) SARA 	
· Section 355 (extremely hazardous substances):	
All ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
Present in trace quantities.	
50-00-0 formaldehyde	
14464-46-1 cristobalite	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
50-00-0 formaldehyde B1	
· IARC (International Agency for Research on Cancer)	
50-00-0 formaldehyde	
(Contd. on page 11)	

Printing date: July 30, 2014

Revision: July 30, 2014

Trade name: Evi-Paq Spray Chalk, Red

(Contd. of page 10)

A2

TLV (Threshold Limit Value established by ACGIH)

50-00-0 formaldehyde

· NIOSH-Ca (National Institute for Occupational Safety and Health)

All ingredients are listed.

· Canada

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

• Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H340 May cause genetic defects.

H350 May cause cancer.

R65 Harmful: may cause lung damage if swallowed.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

Flam. Aerosol 1: Flammable aerosols, Hazard Category 1

Press. Gas: Gases under pressure: Liquefied gas

(Contd. on page 12)

Printing date: July 30, 2014

Revision: July 30, 2014

Trade name: Evi-Paq Spray Chalk, Red

(Contd. of page 11)

Muta. 1B: Germ cell mutagenicity, Hazard Category 1B Carc. 1B: Carcinogenicity, Hazard Category 1B Asp. Tox. 1: Aspiration hazard, Hazard Category 1 • **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com