Printing date: August 21, 2013 Revision: August 21, 2013

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Identicator PrePrint Towelette (PrePrint Towelette)
- **Article number:** LE-43 (1007354)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation Alcohol cleaner
- · 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200



· 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



R; Highly flammable

Highly flammable.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



(Contd. on page 2)

Printing date: August 21, 2013 Revision: August 21, 2013

Trade name: Identicator PrePrint Towelette (PrePrint Towelette)

(Contd. of page 1)

· Signal word Danger

· Hazard statements

H225 Highly flammable liquid and vapour.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Hazard description:

· WHMIS-symbols:

B2 - Flammable liquid



· NFPA ratings (scale 0 - 4)



Health = 0Fire = 3

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0

3 Fire = 3

HMIS Long Term Health Hazard Substances

64-17-5 ethanol

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 64-17-5 EINECS: 200-578-6

ethanol F R11

Index number: 603-002-00-5 Flam. Liq. 2, H225

>50%

(Contd. on page 3)

Printing date: August 21, 2013 Revision: August 21, 2013

Trade name: Identicator PrePrint Towelette (PrePrint Towelette)

CAS: 12042-91-0 dialuminium chloride pentahydroxide	
dialuminum chloride pentanydroxide	<10%
EINECS: 234-933-1 substance with a Community workplace exposure limit	

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Clean with water and soap.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Dizziness

Disorientation

Gastric or intestinal disorders.

· Hazards

Condition may deteriorate with alcohol consumption.

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

May produce a narcotic effect.

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Eliminate all ignition sources if safe to do so.

Use large quantities of foam as it is partially destroyed by the product.

Cool endangered receptacles with water spray.

(Contd. on page 4)

Printing date: August 21, 2013 Revision: August 21, 2013

Trade name: Identicator PrePrint Towelette (PrePrint Towelette)

No further relevant information available.

(Contd. of page 3)

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Protect from heat.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- 7.1 Precautions for safe handling Use only in well ventilated areas.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water.

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Keep container tightly sealed.

Storage Temperatures: <120 ° F / <49 °C.

· 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)

Printing date: August 21, 2013 Revision: August 21, 2013

Trade name: Identicator PrePrint Towelette (PrePrint Towelette)

(Contd. of page 4)

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:				
64-17-5 ethanol				
PEL (USA)	Long-term value: 1900 mg/m³, 1000 ppm			
REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm			
TLV (USA)	Short-term value: 1880 mg/m³, 1000 ppm			
EL (Canada)	Short-term value: 1000 ppm			
EV (Canada)	Long-term value: 1,900 mg/m³, 1,000 ppm			
12042-91-0 dialuminium chloride pentahydroxide				
REL (USA)	Long-term value: 2 mg/m³ as Al			
TLV (USA)	Long-term value: 1* mg/m³ as Al;*as respirable fraction			

- · DNELs No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- \cdot General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required under normal conditions of use.
- · Protection of hands:

Not required for handling under normal conditions.

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Synthetic rubber gloves

Butyl rubber, BR

(Contd. on page 6)

Printing date: August 21, 2013 Revision: August 21, 2013

Trade name: Identicator PrePrint Towelette (PrePrint Towelette)

(Contd. of page 5)

(Contd. on page 7)

Neoprene gloves Nitrile rubber, NBR • Eye protection:



Safety glasses

· Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

· Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

9 Physical and chemical properties

9.1 Information on basic physical ar General Information	nd chemical properties
· Appearance:	
Form:	Liquid
Colour:	Colourless
· Odour:	Alcohol-like
· Odour threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: 	Undetermined.
Boiling point/Boiling range:	171°F / 77 °C
· Flash point:	59 °F / 15 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	>500 °F / >260 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	3,5 Vol %
Upper:	15,0 Vol %
· Vapour pressure at 20 °C:	59 hPa
· Density:	Not determined.

Printing date: August 21, 2013 Revision: August 21, 2013

Trade name: Identicator PrePrint Towelette (PrePrint Towelette)

(Contd. of page 6)

Relative density
Vapour density
Evaporation rate
Not determined.
Not determined.
Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

• 9.2 Other information No further relevant information available.

10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Flammable.

Reacts with oxidizing agents.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

· 10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.
- · Subacute to chronic toxicity: Vapours have narcotic effect.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The product is biodegradable after prolonged adaptation.

(Contd. on page 8)

Printing date: August 21, 2013 Revision: August 21, 2013

Trade name: Identicator PrePrint Towelette (PrePrint Towelette)

(Contd. of page 7)

- 12.3 Bioaccumulative potential Does not accumulate in organisms.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

This statement was deduced from the properties of the single components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · 14.1 UN-Number
- · DOT, ADR, IMDG, IATA

UN1170

- · 14.2 UN proper shipping name
- · DOT



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 gal).

Ethanol, mixture

- · ADR
- · IMDG

· IATA

1170 ETHANOL (ETHYL ALCOHOL), mixture ETHANOL (ETHYL ALCOHOL), mixture

ETHANOL, mixture

(Contd. on page 9)

Printing date: August 21, 2013 Revision: August 21, 2013

Trade name: Identicator PrePrint Towelette (PrePrint Towelette)

	(Contd. of page 8)
· 14.3 Transport hazard class(es)	
· DOT	
· Class	3 Flammable liquids.
· Label	3
· ADR	
· Class	3 (F1) Flammable liquids.
· Label	3
· IMDG, IATA	
· Class · Label	3 Flammable liquids.
	3
· 14.4 Packing group · DOT, ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	33
· EMS Number:	F-E,S-D
 14.7 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Transport category · Tunnel restriction code	2 D/E
· UN "Model Regulation":	UN1170, ETHANOL (ETHYL ALCOHOL), mixture, 3,
	··

(Contd. on page 11)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: August 21, 2013 Revision: August 21, 2013

Trade name: Identicator PrePrint Towelette (PrePrint Towelette)

None of the ingredients is listed.

	(Contd. of page 9
15 Regulatory information	
 15.1 Safety, health and environmental regulations/legislation specific for the substate United States (USA) SARA 	nce or mixture
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
 Chemicals known to cause developmental toxicity: Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable 	for product.
64-17-5 ethanol	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
64-17-5 ethanol	1
· TLV (Threshold Limit Value established by ACGIH)	
64-17-5 ethanol	A3
NIOSH-Ca (National Institute for Occupational Safety and Health)	•
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
64-17-5 ethanol	
· Canadian Ingredient Disclosure list (limit 1%)	

Printing date: August 21, 2013 Revision: August 21, 2013

Trade name: Identicator PrePrint Towelette (PrePrint Towelette)

(Contd. of page 10)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

R11 Highly flammable.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

· Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com